



Window Sticker

SUMMARY

[Retail] 2024 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" High Country

MSRP:\$83,699.00

Interior: Jet Black, Perforated leather seating surfaces

Exterior 1:Iridescent Pearl Tricoat

Exterior 2:No colour has been selected.

Engine, Duramax 3.0L Turbo-Diesel I6

Transmission, 10-speed automatic with Electronic Transmission Range Selector

OPTIONS

CODE	MODEL		MSRP
CK10543	[Retail] 2024 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" High Country		\$83,699.00
	OPTIONS		
3LZ	High Country Preferred Equipment Group		\$0.00
A50	Seats, front bucket		\$0.00
BRS	Assist steps, power-retractable		\$1,450.00
C5Z	GVWR, 7200 lbs. (3266 kg)	Inc.	
CF5	Sunroof, power	Inc.	
CWM	Technology Package		\$1,540.00
DP9	Mirror caps, chrome	Inc.	
DQS	Mirrors, outside power-adjustable vertical trailering		\$300.00
DRZ	Rear Camera Mirror, inside rearview auto-dimming	Inc.	
G1W	Iridescent Pearl Tricoat		\$1,195.00
GU5	Rear axle, 3.23 ratio		\$0.00
HXC	Jet Black, Perforated leather seating surfaces		\$0.00
IOK	Audio system, Chevrolet Infotainment 3 Premium system		\$0.00
K05	Engine block heater	Inc.	
KW5	Alternator, 220 amps	Inc.	
LZ0	Engine, Duramax 3.0L Turbo-Diesel I6		\$1,195.00
MQC	Transmission, 10-speed automatic with Electronic Transmission Range Selector	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 21894. Data Updated: 13-Aug-2023 6:43:00 PDT PM.





PDH	LPO, Interior Convenience Package		\$790.00
PDM	High Country Premium Package		\$2,515.00
QK2	Tailgate, Multi-Flex		\$325.00
QT5	Tailgate, gate function manual with EZ Lift		\$0.00
RIA	LPO, All-weather floor liners	Inc.	
RPT	Wheels, 22" x 9" (55.9 cm x 22.9 cm) painted aluminum	Inc.	
S10	LPO, Console-Mounted Safe, LPO	Inc.	
SFE	LPO, Wheel locks, set of 4		\$100.00
SFZ	LPO, Black Bowtie Emblem, front		\$275.00
UV6	Multicolour 15" Diagonal Head-Up Display	Inc.	
VBJ	LPO, Underseat storage	Inc.	
VQK	LPO, Moulded splash guards, Black		\$265.00
XCE	Tires, 275/50R22SL all-season, blackwall	Inc.	
Z45	Suspension Package, Adaptive Ride Control		\$1,080.00
	Federal air conditioning excise tax		\$100.00
	Battery, heavy-duty 850 cold-cranking amps/95 Amp-hr, maintenance-free	Inc.	
	SUBTOTAL		\$94,729.00
	Adjustments Total		\$0.00
	Vehicle Tax		\$100.00
	Destination Charge		\$2,200.00
	TOTAL PRICE		\$97,029.00
FUEL ECONOMY			

FUEL ECONOMY

Est City:11.0 (Est) L/100 km

Est Highway: 9.7 (Est) L/100 km

Est Highway Cruising Range:937.63 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 21894. Data Updated: 13-Aug-2023 6:43:00 PDT PM.





Standard Equipment

Standard Equi	pment
Package	
	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance
Mechanical	
	Durabed, pickup bed
	Engine, 5.3L EcoTec3 V8 (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm); featuring available Dynamic Fuel Management that enables the engine to operate in 17 different patterns between 2 and 8 cylinders, depending on demand, to optimize power delivery and efficiency (STD)
	Transmission, 10-speed automatic with Electronic Transmission Range Selector (ETRS), electronically controlled with overdrive, tow-haul mode and steering column paddle shifters. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)
	Rear axle, 3.23 ratio
	GVWR, 7100 lbs. (3221 kg) (STD) (Requires Crew Cab 4WD model with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine without (NHT) Max Trailering Package.)
	Automatic Stop/Start
	Push Button Start
	Shifter, Electronic Transmission Range Selector includes steering column paddle shifters
	Transfer case, two-speed electronic Autotrac with push button control (4WD models only)
	Auto-locking rear differential
	Four wheel drive
	Cooling, external engine oil cooler (Not available with (LZ0) Duramax 3.0L Turbo-Diesel I6 engine.)
	Cooling, auxiliary external transmission oil cooler (Not available with (LZ0) Duramax 3.0L Turbo-Diesel I6 engine.)
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
	Alternator, 170 amps (Included and only available with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine. Not available with (LZ0) Duramax 3.0L Turbo-Diesel I6 engine or (NHT) Max Trailering Package.)
	Trailer brake controller, integrated
	Frame, fully-boxed, hydroformed front section
	Suspension Package, High Capacity
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 21894. Data Updated: 13-Aug-2023 6:43:00 PDT PM.

14-Aug-2023 Page 3

Brake lining wear indicator





Mechanical	
	Capless Fuel Fill
	Exhaust, dual with polished outlets
Exterior	
	Wheels, 20" x 9" (50.8 cm x 22.9 cm) machined aluminum with Charcoal pockets (STD)
	Tires, 275/60R20SL all-terrain, blackwall (STD)
	Tire, spare 255/80R17SL all-season, blackwall
	Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front (Body-colour.)
	Bumper, rear (Body-colour.)
	CornerStep, rear bumper
	Assist steps, Chrome, wheel to wheel
	Recovery hooks, chrome
	Chevytec spray-on bedliner, Black (does not include spray-on liner on tailgate due to Black composite inner panel)
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Wheelhouse liners, rear
	Headlamps, LED reflector (high intensity) with LED signature curtain Daytime Running Lamps and White tracer animation
	IntelliBeam, automatic high beam on/off
	Fog lamps, front, LED
	Lighting, perimeter
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel (LED)
	LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob
	Taillamps, LED with signature, animation and incandescent reverse lights
	Mirrors, outside heated power-adjustable, power-folding and driver-side auto-dimming puddle lamps, side perimeter lighting and memory
	Mirror caps, painted (Body-colour. Not available with (DQS) trailering mirrors.)
	Glass, deep-tinted
	Wipers, front rain-sensing



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 21894. Data Updated: 13-Aug-2023 6:43:00 PDT PM.





Exterior	
	Door handles, chrome
	Tailgate and bed rail protection cap, top
	Tailgate, standard
	Tailgate, gate function power up/down with power lock and release (Not available with (QK2) Multi-Flex tailgate.)
Entertainment	rangate, gate function power uproown with power lock and release (Not available with (QN2) Multi-Fiex tangate.)
Entertainment	Audio quatera Chauralet Infetainment 2 Premium quatem with Coople huilt in 42 48 diagonal LID colour
	Audio system, Chevrolet Infotainment 3 Premium system with Google built-in, 13.4" diagonal HD colour touchscreen, includes multi-touch display, AM/FM stereo, Bluetooth streaming audio for music and most phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones, advanced voice recognition, in-vehicle apps, personalized profiles for infotainment and vehicle settings (STD)
	SiriusXM
	SiriusXM with 360L includes a trial subscription to the Platinum Plan. Experience more channels in the vehicle, a more personalized experience and easier navigation (Trial subscription subject to the SiriusXM Customer Agreement and privacy policy, visit www.siriusxm.ca which includes full terms and how to cancel. All fees, content, features, and availability are subject to change. Some features require GM connected vehicle services.)
	Bose Sound System, premium 7-speaker system with Richbass woofer
	Wireless Phone Projection for Apple CarPlay and Android Auto
	Bluetooth for phone, connectivity to vehicle infotainment system
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front bucket with centre console (STD) (Includes (EPH) Electronic Transmission Range Selector (console mounted).)
	Seat trim, Perforated leather seating surfaces
	Seat adjuster, driver 10-way power including lumbar
	Seat adjuster, passenger 10-way power including lumbar
	Seating, heated driver and front outboard passenger
	Seats, ventilated driver and front passenger
	Driver memory recalls driver "presets" for power driver seat and outside mirrors
	Seats, heated second row outboard seats
	Seat, Up-level Rear with Storage Package 60/40 folding bench for Crew Cab models, includes full-length bench seat, seatback storage on left and right side, centre fold out armrest with 2 cupholders, full cab width underseat storage, (includes child seat top tether anchor) (Rear seat features leather seating surfaces.)
	Centre Console, floor-mounted with cup holders, Wireless Charging, power cord management, hanging file folder capability; includes removable storage tray (Includes (EPH) Electronic Transmission Range Selector (console mounted).)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 21894. Data Updated: 13-Aug-2023 6:43:00 PDT PM.





Interior	
	Floor covering, colour-keyed carpeting
	Floor mats, carpeted front (Deleted when (BKF) Floor liners or LPO floor liners are ordered.)
	Floor mats, carpeted rear (Deleted when (BKF) Floor liners or LPO floor liners are ordered.)
	Steering wheel, wrapped
	Steering wheel, heated
	Steering wheel audio controls
	Steering column, power tilt and telescoping
	Driver Information Centre, enhanced, 12.3" diagonal reconfigurable multicolour digital display
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder
	Window, power front, drivers express up/down
	Window, power front, passenger express up/down
	Windows, power rear, express down
	Window, power, rear sliding with rear defogger
	Door locks, power
	Remote vehicle starter system
	Keyless Open and Start
	Universal Home Remote
	Adaptive Cruise Control (Included and only available with (CWM) Technology Package.)
	Theft-deterrent system, unauthorized entry
	Wireless Charging (Not compatible with all phones. Compliant batteries include Qi and PMA technologies. Reference Mobile devices manual to confirm what type of battery it uses.)
	Power outlet, interior power outlet, 120-volt (400 watts shared with (KC9) bed mounted power outlet)
	USB Ports, 2, Charge/Data ports located on the instrument panel
	USB Ports, 2, Charge/Data ports located inside centre console
	USB Ports, rear, dual, charge-only
	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) interior power outlet)
	Air conditioning, dual-zone automatic climate control
	Air vents, rear, heating/cooling



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 21894. Data Updated: 13-Aug-2023 6:43:00 PDT PM.





Interior	
	Defogger, rear-window electric
	Mirror, inside rearview auto-dimming
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	Enhanced Automatic Emergency Braking
	Front Pedestrian Braking
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Interior	
	Rear Cross Traffic Braking
	Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Front and Rear Park Assist, ultrasonic
	HD Surround Vision
	Bed View Camera camera in the CHMSL to show a view of the cargo bed, includes Two Trailer Camera Provisions
	Trailer Camera Provisions
	Trailering App
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching
	Hitch Guidance with hitch view
	Chevy Safety Assist includes (UKJ) Front Pedestrian Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UEU) Forward Collision Alert and (TQ5) IntelliBeam
	Lane Keep Assist with Lane Departure Warning
	Following Distance Indicator
	Forward Collision Alert
	Trailer Side Blind Zone Alert
	Rear Pedestrian Alert
	Safety Alert Seat



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 21894. Data Updated: 13-Aug-2023 6:43:00 PDT PM.





Safety-Interior

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu

Rear Seat Belt Indicator

Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)

3 years of OnStar & Connected Services Plan. Includes access to OnStar Safety & Security Services and Connected Services. For eligible retail customers, this includes the OnStar Guardian app, Remote Access through the myChevrolet mobile app, and a 72GB/3-year (whichever comes first) data plan for use with the vehicle's Wi-Fi hot spot and select vehicle apps. (OnStar and Connected Vehicle Services require a working vehicle electrical system (including battery), active service plan, cell reception and GPS satellite signal. OnStar links to emergency services. Services, connectivity and capabilities vary by model and/or vehicle configuration and conditions as well as geographical and technical restrictions and are subject to terms and limitations. See onstar.ca for coverage maps, terms, details and system limitations. Data plans are provided by AT&T or its local service provider; availability subject to change; not transferable to subsequent vehicle owners. Non-refundable and no cash value.)

Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control

WARRANTY

Warranty Note: <<< Preliminary 2024 Warranty >>>

Basic Years: 3 Basic Miles/km: 60.000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5

years/160,000 km

Technical Specifications



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 21894. Data Updated: 13-Aug-2023 6:43:00 PDT PM.





Powertrain			
Transmission			
Drivetrain	Four Wheel Drive	Trans Order Code	MQC
Trans Type	10	Trans Description Cont.	Automatic w/Paddle Shifters
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.69
Second Gear Ratio (:1)	2.98	Third Gear Ratio (:1)	2.15
Fourth Gear Ratio (:1)	1.8	Fifth Gear Ratio (:1)	1.52
Sixth Gear Ratio (:1)	1.28	Reverse Ratio (:1)	4.86
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP3023/4
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.69
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.69
Tenth Gear Ratio (:1)	0.63		
Mileage			
EnerGuide Estimate - City	11.0 (Est) L/100 km	EnerGuide Estimate - Hwy	9.7 (Est) L/100 km
Cruising Range - City	826.83 km	Cruising Range - Hwy	937.63 km
Estimated Battery Range	N/A		
Engine			
Engine Order Code	LZ0	Engine Type	Turbocharged Diesel I6
Displacement	3.0L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	305 @ 3750	SAE Net Torque @ RPM	495 @ 2750
Engine Oil Cooler	N/A		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	850	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	220	Cold Cranking Amps @ 0° F (3rd)	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 21894. Data Updated: 13-Aug-2023 6:43:00 PDT PM.





Powertrain			
Cooling System			
Total Cooling System Capacity	N/A		
Vehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	280 (Est)
Chassis			
Weight Information	20.04 kg	Standard Waight Door	92 E6 kg
Standard Weight - Front	39.01 kg	Standard Weight - Rear	82.56 kg
Gross Axle Wt Rating - Front	1,723.68 kg	Gross Axle Wt Rating - Rear	1,723.68 kg
Curb Weight - Front	1,290.49 kg	Curb Weight - Rear	898.58 kg
Option Weight - Front	170.55 kg	Option Weight - Rear	103.87 kg
Reserve Axle Capacity - Front	223.62 kg	Reserve Axle Capacity - Rear	638.67 kg
As Spec'd Curb Weight	2,585.07 kg	As Spec'd Payload	680.85 kg
Maximum Payload Capacity	1,076.85 kg	Gross Combined Wt Rating	6,804 kg
Gross Axle Weight Rating	3,447.36 kg	Curb Weight	2,189.07 kg
Reserve Axle Capacity	862.29 kg	Total Option Weight	274.43 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,265.92 kg		
Trailering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,082.4 kg	Wt Distributing Hitch - Max Tongue Wt.	408.24 kg
Fifth Wheel Hitch - Max Trailer Wt.	3,628.8 kg	Maximum Trailering Capacity	5,987.52 kg
Fifth Wheel Hitch - Max Tongue Wt.	907.2 kg		
Frame			
Frame Type	Box Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A



Frame Thickness

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 21894. Data Updated: 13-Aug-2023 6:43:00 PDT PM.

14-Aug-2023 Page 10

N/A





hassis			
Suspension			
Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	1,723.68 kg	Spring Capacity - Rear	1,746.36 kg
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	1,723.68 kg	Axle Capacity - Rear	1,723.68 kg
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	33.02 mm	Stabilizer Bar Diameter - Rear	N/A
īres			
Front Tire Order Code	XCE	Rear Tire Order Code	XCE
Spare Tire Order Code	QAQ	Front Tire Size	275/50R22SL
Rear Tire Size	275/50R22SL	Spare Tire Size	255/80R17SL
Front Tire Capacity	1,723.68 kg	Rear Tire Capacity	1,723.68 kg
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Vheels			
Front Wheel Size	22 x 9 in	Rear Wheel Size	22 x 9 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
Steering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.3 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 21894. Data Updated: 13-Aug-2023 6:43:00 PDT PM.





Chassis			
Brakes			
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	342.9 x 29.97 mm
Rear Brake Rotor Diam x Thickness	345.44 x 20.07 mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
Dimensions			
Interior Dimensions			
Passenger Capacity	5	Front Head Room	1,092.96 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,655.06 mm
Second Hip Room	1,530.1 mm		
Exterior Dimensions			
Wheelbase	3,743.96 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,889.75 mm	Width, Max w/o mirrors	2,063.5 mm
Height, Overall	1,917.95 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	205.23 mm
Ground Clearance, Rear	205.23 mm	Body Length	0 m
Cab to Body	N/A		
Cargo Area Dimensions			
Cargo Box Length @ Floor	1,775.97 mm	Cargo Box Width @ Top, Rear	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 21894. Data Updated: 13-Aug-2023 6:43:00 PDT PM.

Page 12 14-Aug-2023





Dimensions Cargo Area Dimensions Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Cargo Box (Area) Height 568.96 mm Tailgate Width N/A 1,781.13 L Ext'd Cab Cargo Volume N/A Cargo Volume



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 21894. Data Updated: 13-Aug-2023 6:43:00 PDT PM.