



# **Window Sticker**

### **SUMMARY**

[Retail] 2023 Chevrolet Colorado (14H43) 4WD Crew Cab ZR2

MSRP:\$56,003.00

Interior: Jet Black/Artemis, Leather-appointed seat trim

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, 2.7L Turbo High-Output

Transmission, 8-speed automatic

### **OPTIONS**

| O | 10140 |   |      |             |
|---|-------|---|------|-------------|
|   | CODE  | MODEL   |      | MSRP        |
|   | 14H43 | [Retail] 2023 Chevrolet Colorado (14H43) 4WD Crew Cab ZR2 |      | \$56,003.00 |
|   |       | OPTIONS   |      |             |
|   | 4ZR   | ZR2 Preferred Equipment Group                             |      | \$0.00      |
|   | 5K5   | LPO, Bodyside Decal Package                               | Inc. |             |
|   | A45   | Driver Memory Settings                                    | Inc. |             |
|   | A50   | Seats, front bucket                                       |      | \$0.00      |
|   | B26   | Safety Package  | Inc. |             |
|   | CWM   | Technology Package  |      | \$1,095.00  |
|   | DA5   | Armrest, rear centre                                      | Inc. |             |
|   | DSA   | Bodyside Decal Package                                    | Inc. |             |
|   | E90   | Map pocket, driver seatback                               | Inc. |             |
|   | GBA   | Black   |      | \$0.00      |
|   | GU6   | Rear axle, 3.42 ratio                                     |      | \$0.00      |
|   | HFD   | Jet Black/Artemis, Leather-appointed seat trim            | Inc. |             |
|   | K4C   | Wireless Charging   | Inc. |             |
|   | KI3   | Steering wheel, heated                                    | Inc. |             |
|   | KSG   | Adaptive Cruise Control                                   | Inc. |             |
|   | KU9   | Seats, ventilated driver and front passenger              | Inc. |             |
|   | L3B   | Engine, 2.7L Turbo High-Output                            |      | \$0.00      |
|   | MFC   | Transmission, 8-speed automatic                           |      | \$0.00      |
|   |       |   |      |             |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 21996. Data Updated: 25-Aug-2023 7:25:00 PDT PM.



|     | · ,   |      |            |
|-----|---|------|------------|
| PDD | ZR2 Convenience Package III   |      | \$1,895.0  |
| R9M | 3 years of OnStar & Connected Services Plan                                 |      | \$0.0      |
| RIA | LPO, All-weather Floor Liner, 1st and 2nd rows                              |      | \$240.0    |
| RIK | LPO, Black nameplates   | Inc. |            |
| RPP | Wheels, 17" x 8" steel transit wheel  | Inc. |            |
| RVP | LPO, Off-Road Assist steps, removable, (FRONT)                              |      | \$1,115.0  |
| S0Y | LPO, Cargo area lamps   | Inc. |            |
| S3W | LPO, 30" Off-Road Grille Lightbar   |      | \$1,010.0  |
| S3X | 40" Off-Road Roof Lightbar  | Inc. |            |
| SB7 | LPO, Tailgate Decal Package   | Inc. |            |
| SBY | Bed-mounted sport bar with "ZR2" sail panel                                 | Inc. |            |
| SD0 | Off-Road Front Bumper with Safari Bar                                       | Inc. |            |
| SMY | LPO, 17" (43.2 cm) Beadlock capable wheels with Tech Bronze decorative ring | Inc. |            |
| SMZ | LPO, Off-Road Drive Shaft   |      | \$970.0    |
| UD7 | Rear Park Assist  | Inc. |            |
| UFB | Rear Cross Traffic Braking  | Inc. |            |
| UKI | Blind Zone Steering Assist  | Inc. |            |
| UKK | Rear Pedestrian Alert   | Inc. |            |
| UQA | Audio system feature, Bose premium 7-speaker system                         |      | \$685.0    |
| URL | 11.3" diagonal advanced colour LCD display with Google built-In             |      | \$0.0      |
| UV2 | HD Surround Vision  | Inc. |            |
| UXA | Underbody cameras, forward and rearward facing views                        | Inc. |            |
| VBP | Power Distribution Box  | Inc. |            |
| ZDB | Desert Boss Special Edition   |      | \$12,695.0 |
|     | Federal air conditioning excise tax   |      | \$100.0    |
|     | SUBTOTAL  |      | \$75,708.0 |
|     | Adjustments Total   |      | \$0.0      |
|     | Vehicle Tax   |      | \$100.0    |
|     | Destination Charge  |      | \$2,095.0  |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 21996. Data Updated: 25-Aug-2023 7:25:00 PDT PM.

\$77,903.00

26-Aug-2023 Page 2

**TOTAL PRICE** 





## **FUEL ECONOMY**

Est City:14.3 L/100 km

Est Highway:14.3 L/100 km

Est Highway Cruising Range:552.15 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 21996. Data Updated: 25-Aug-2023 7:25:00 PDT PM.



# **Standard Equipment**

| Package    |  |
|------------|--|
|            | Chevrolet Safety Assist includes (UHY) Automatic Emergency Braking, (UKT) Front Pedestrian and Bicyclist Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator - (Requires a future software update), (UEU) Forward Collision Alert and (TQ5) IntelliBeam (Beginning at the start of production, Certain vehicles will not be equipped with (UE4) Following Distance Indicator functionality which will require a future software update to function.) |
|            | ZR2 Off-Road Package includes 3-inch factory-installed lift with high-performance suspension and wider chassis, Multimatic DSSV dampers, off-road front fascia and rear bumper, fender flares and flow tie   |
| Mechanical |  |
|            | Engine, 2.7L Turbo High-Output (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (STD)   |
|            | Transmission, 8-speed automatic (STD) (Included with (L3B) 2.7L Turbo Plus engine and (L3B) 2.7L Turbo High -Output engine.)   |
|            | GVWR, 6250 lbs. (2835 kg)  |
|            | Rear axle, 3.42 ratio  |
|            | 2.7L Turbo High-Output engine with 430 lbft. torque, (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm)   |
|            | Engine control, stop/start system disable button   |
|            | Engine air filtration monitor  |
|            | Engine cover, appearance   |
|            | Push Button Start  |
|            | Automatic Stop/Start   |
|            | Hill Descent Control   |
|            | Transfer case, two-speed, electronic Autotrac with push button control includes transfer case shield   |
|            | Differential, electronic, driver-selectable full-locking front   |
|            | Differential, electronic, driver-selectable full-locking rear  |
|            | Emissions, Federal requirements  |
|            | Four wheel drive   |
|            | Battery, AGM, 800 cold-cranking amps with 80 amp hour rating, 12V  |
|            | Generator, 220 amp   |
|            | Radiator Grille Shutters, automatic  |
|            | Vehicle health management provides advanced warning of vehicle issues  |
|            | Trailering App   |
|            | Hitch Guidance dynamic single line to aid in truck trailer alignment for hitching  |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 21996. Data Updated: 25-Aug-2023 7:25:00 PDT PM.



Vehicle: [Retail] 2023 Chevrolet Colorado (14H43) 4WD Crew Cab ZR2

| (   ✓ Complete | ) |
|----------------|---|
|----------------|---|

| Mechanical |   |
|------------|---|
|            | Trailer brake controller, integrated  |
|            | Trailering Package, heavy-duty includes trailer hitch and 7-pin connector                                 |
|            | Rocker Panel Protector (Not available with (VZT) LPO, Off-road Assist Steps.)                             |
|            | Red Recovery Hooks, front   |
|            | Frame, fully-boxed  |
|            | Pickup box  |
|            | Switch, Flexride mode system  |
|            | Brakes, 4-wheel antilock, 4-wheel disc  |
|            | Capless fuel fill   |
| Exterior   |   |
|            | Wheels, 17" X 8.0" (43.2 cm x 20.3 cm), Graphite and Oxide Gold aluminum                                  |
|            | Tires, LT285/70R17, blackwall, 33" OD MT (Requires (R1U) 17" aluminum wheels or (RPP) 17" transit wheel.) |
|            | Tire, spare LT285/70R17, blackwall  |
|            | Wheel, spare, 17 x 8" (43.2 cm x 20.3 cm) steel   |
|            | Wheel mouldings   |
|            | Mouldings, Black beltline   |
|            | Exterior, B-pillar applique (Not available on (GBA) Black and (GXN) Harvest Bronze Metallic.)             |
|            | Locking cylinder Tailgate, keyed cylinder lock  |
|            | Bedliner, Spray-on, Black with Chevrolet logo (Includes ZR2 logo.)  |
|            | Headlamps, LED  |
|            | IntelliBeam, automatic high beam on/off   |
|            | Headlamp control, automatic on and off with automatic delay   |
|            | Fog lamps, front LED  |
|            | Cargo box light, back of cab  |
|            | LEDS Tail lamp, Stop  |
|            | Mirrors, outside heated power-adjustable  |
|            | Mirror caps, painted (Painted Black.)   |
|            | Glass, deep-tinted  |
|            | Glass, solar glazing front side windows   |
|            | Glass, privacy glazing rear side windows  |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 21996. Data Updated: 25-Aug-2023 7:25:00 PDT PM.



| Exterior |  |
|----------|--|
|          | Windshield, solar absorbing                                |
|          | Door handles, body-colour                                  |
|          | Tailgate, EZ-Lift and Lower                                |
|          | Tailgate, remote locking, (locks and unlocks with key fob) |
|          | StowFlex Tailgate, storage compartment, lockable           |
|          |  |

#### **Entertainment**

11.3" diagonal advanced colour LCD display with Google built-In compatibility including navigation capability, connected apps, personalized profiles for each driver's settings, Natural Voice Recognition and Phone Integration for Wireless Apple CarPlay/Wireless Android Auto for compatible phones (STD) (Terms and limitations apply.)

Audio system feature, 6-speaker system,

SiriusXM with 360L Equipped with SiriusXM with 360L. Enjoy a trial subscription of the Platinum Plan for the full 360L experience, with a greater variety of SiriusXM content, a more personalized experience and easier navigation. With the Platinum Plan you can also enjoy your favourites everywhere you go, with the SiriusXM app, online and at home on compatible connected devices. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change. GM connected vehicle services vary by vehicle model and require active service plan, working electrical system, cell reception and GPS signal. See onstar.com/ca for details and limitations.)

Wireless phone projection, for Apple CarPlay and Android Auto

Chevrolet Connected Services capable (Terms and limitations apply. See onstar.ca or dealer for details.)

| Interior |  |
|----------|--|
|          |  |

Seats, front bucket (STD)

Seat trim, Cloth/Evotex

Seat adjuster, driver 8-way power

Seat adjuster, passenger 4-way manual

Seat adjuster, power driver lumbar control

Seats, heated driver and front passenger

Seat, rear 60/40 split-folding bench with storage

Console, floor front compartment with cup holders and cell phone storage

Floor covering, colour-keyed carpeting

Floor mats, carpeted front

Floor mats, carpeted rear



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 21996. Data Updated: 25-Aug-2023 7:25:00 PDT PM.



| Interior |  |
|----------|--|
| IIICIIOI | Ota anima na advena a dili ana di ta la a ana in n                                   |
|          | Steering column, tilt and telescoping  |
|          | Steering wheel, wrapped  |
|          | Steering wheel controls, mounted audio controls                                      |
|          | Speedometer, miles/kilometres  |
|          | Driver Information Centre, 11" diagonal fully-digital display                        |
|          | Windows, power with driver express up/down   |
|          | Window, power front, passenger express down  |
|          | Windows, power rear, express down  |
|          | Windows, remote express down all windows   |
|          | Window, rear-sliding, manual   |
|          | Door locks, power  |
|          | Keyless Open and Start   |
|          | Remote vehicle starter system  |
|          | Cruise control, electronic, automatic (Not available with (CWM) Technology Package.) |
|          | Theft-deterrent system, unauthorized entry   |
|          | USB Ports, 2 (first row) located on console  |
|          | USB Ports, rear, dual, charge-only   |
|          | Power outlet, 12-volt located in centre console bin                                  |
|          | Power outlet, 120-volt, located in the rear of centre console                        |
|          | Power outlet, 120-volt, bed mounted  |
|          | Air conditioning, dual-zone automatic climate control                                |
|          | Air vents, rear  |
|          | Heater, air conditioning duct, rear passenger  |
|          | Defogger, rear-window electric   |
|          | Handles, door release, front and rear, Chrome  |
|          | Mirror, inside rearview auto-dimming   |
|          | Visors, driver and front passenger illuminated sliding vanity mirrors                |
|          | Lighting, interior, dual reading   |
|          | Lighting, interior, centre dome  |
|          | Map pocket, front passenger seatback   |
|          |  |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 21996. Data Updated: 25-Aug-2023 7:25:00 PDT PM.



| Interior          |  |
|-------------------|--|
|                   | Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)  |
| Safety-Mechanical |  |
|                   | StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist  |
|                   | Hitch View   |
| Safety-Exterior   |  |
|                   | Daytime Running Lamps, LED   |
| Safety-Interior   |  |
|                   | Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes fror outboard Passenger Sensing System for frontal passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)  |
|                   | Front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)   |
|                   | OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)  |
|                   | HD Rear Vision Camera (Not available with (CWM) Technology Package.)   |
|                   | Lane Keep Assist with Lane Departure Warning   |
|                   | Forward Collision Alert  |
|                   | Following Distance Indicator - (Requires a future software update) (Beginning at the start of production, Certain vehicles will not be equipped with (UE4) Following Distance Indicator functionality which will require a future software update to function.)  |
|                   | Automatic Emergency Braking  |
|                   | Front Pedestrian and Bicyclist Braking   |
|                   | LED Reflective Windshield Collision Alert  |
|                   | Seat Belt, Black   |
|                   | Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key for to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver |
|                   | Door locks, rear child security  |
|                   | Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives y information on driving habits and helps you to continue to coach your new driver       |
|                   | Door looks, real critic security   |



Rear Seat Reminder

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 21996. Data Updated: 25-Aug-2023 7:25:00 PDT PM.



## Safety-Interior

Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu

Tire Fill Alert provides an audible indication when tire pressure is added to a tire that is low. Aids to achieve optimal tire pressure

Tire Pressure Monitoring System (does not apply to spare tire)

3 years of OnStar & Connected Services Plan see onstar.ca for information. Includes access to OnStar Safety & Security Services and Connected Services. For eligible retail customers, this includes the OnStar Guardian app, Remote Access through the myChevrolet mobile app, and a 72GB/3-year (whichever comes first) data plan for use with the vehicle's Wi-Fi hot spot and select vehicle apps. (Standard on Retail order types. Available for Fleet and Government order types. OnStar and Connected Vehicle Services require a working vehicle electrical system (including battery), active service plan, cell reception and GPS satellite signal. OnStar links to emergency services. Services, connectivity and capabilities vary by model and/or vehicle configuration and conditions as well as geographical and technical restrictions and are subject to terms and limitations. See onstar.ca for coverage maps, terms, details and system limitations. Data plans are provided by AT&T or its local service provider; availability subject to change; not transferable to subsequent vehicle owners. Non-refundable and no cash value.)

#### **WARRANTY**

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60.000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

# **Technical Specifications**

## **Powertrain**

#### **Transmission**

| Drivetrain                    | Four Wheel Drive | Trans Order Code        | MFC       |
|-------------------------------|------------------|-------------------------|-----------|
| Trans Type                    | 8                | Trans Description Cont. | Automatic |
| Trans Description Cont. Again | N/A              | First Gear Ratio (:1)   | 4.56      |
| Second Gear Ratio (:1)        | 2.97             | Third Gear Ratio (:1)   | 2.08      |
| Fourth Gear Ratio (:1)        | 1.69             | Fifth Gear Ratio (:1)   | 1.27      |
| Sixth Gear Ratio (:1)         | 1.00             | Reverse Ratio (:1)      | 4.56      |
| Clutch Size                   | N/A              | Trans Power Take Off    | N/A       |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 21996. Data Updated: 25-Aug-2023 7:25:00 PDT PM.



| owertrain                            |               |                                    |                       |
|--------------------------------------|---------------|------------------------------------|-----------------------|
| Transmission                         |               |                                    |                       |
| Final Drive Axle Ratio (:1)          | N/A           | Transfer Case Model                | N/A                   |
| Transfer Case Gear Ratio (:1), High  | 1.00          | Transfer Case Gear Ratio (:1), Low | N/A                   |
| Transfer Case Power Take Off         | N/A           | Seventh Gear Ratio (:1)            | 0.85                  |
| Eighth Gear Ratio (:1)               | 0.65          |                                    |                       |
| Mileage                              |               |                                    |                       |
| EnerGuide Estimate - City            | 14.3 L/100 km | EnerGuide Estimate - Hwy           | 14.3 L/100 k          |
| Cruising Range - City                | 552.15 km     | Cruising Range - Hwy               | 552.15 km             |
| Estimated Battery Range              | N/A           |                                    |                       |
| Engine                               |               |                                    |                       |
| Engine Order Code                    | L3B           | Engine Type                        | Turbocharge<br>Gas I4 |
| Displacement                         | 2.7L/-TBD-    | Fuel System                        | Direct Injecti        |
| SAE Net Horsepower @ RPM             | 310 @ 5600    | SAE Net Torque @ RPM               | 430 @ 3000            |
| Engine Oil Cooler                    | N/A           |                                    |                       |
| Electrical                           |               |                                    |                       |
| Cold Cranking Amps @ 0° F (Primary)  | N/A           | Cold Cranking Amps @ 0° F (2nd)    | N/A                   |
| Maximum Alternator Capacity (amps)   | 220           | Cold Cranking Amps @ 0° F (3rd)    | N/A                   |
| Cooling System                       |               |                                    |                       |
| Total Cooling System Capacity        | N/A           |                                    |                       |
| ehicle                               |               |                                    |                       |
| Emissions                            |               |                                    |                       |
| Kg/yr of CO2 Emissions @ 20K km/year | N/A           | G/km Of CO2 Emissions              | 335                   |
| hassis                               |               |                                    |                       |
| Weight Information                   |               |                                    |                       |
| Standard Weight - Front              | 0 kg          | Standard Weight - Rear             | 0 kg                  |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 21996. Data Updated: 25-Aug-2023 7:25:00 PDT PM.



| nassis                                  |             |                                |                              |
|---|-------------|--------------------------------|------------------------------|
| ght Information                         |             |                                |                              |
| Gross Axle Wt Rating - Front            | 1,587.6 kg  |                                | Gross Axle Wt Rating - Rear  |
| Curb Weight - Front                     | 1,227.9 kg  |                                | Curb Weight - Rear           |
| Option Weight - Front                   | 80.74 kg    |                                | Option Weight - Rear         |
| Reserve Axle Capacity - Front           | 278.96 kg   |                                | Reserve Axle Capacity - Rear |
| As Spec'd Curb Weight                   | 2,313.36 kg |                                | As Spec'd Payload            |
| Maximum Payload Capacity                | 645.47 kg   |                                | Gross Combined Wt Rating     |
| Gross Axle Weight Rating                | 3,129.84 kg | C                              | Curb Weight                  |
| Reserve Axle Capacity                   | 816.48 kg   | Total (                        | Option Weight                |
| Payload Weight Front                    | 0 kg        | Payload \                      | Weight Rear                  |
| Gross Vehicle Weight Rating             | 2,835 kg    |                                |                              |
| railering                               |             |                                |                              |
| Dead Weight Hitch - Max Trailer Wt.     | 2,268 kg    | Dead Weight Hitch              | n - Max Tongue Wt.           |
| Wt Distributing Hitch - Max Trailer Wt. | 2,721.6 kg  | Wt Distributing Hitch          | n - Max Tongue Wt.           |
| Fifth Wheel Hitch - Max Trailer Wt.     | N/A         | Maximum Trailering             | Capacity                     |
| Fifth Wheel Hitch - Max Tongue Wt.      | N/A         |                                |                              |
| rame                                    |             |                                |                              |
| Frame Type                              | Fully-boxed | Sect Modulus Rails Only        |                              |
| Frame RBM                               | N/A         | Frame Strength                 |                              |
| Frame Thickness                         | N/A         |                                |                              |
| Luganonsian                             |             |                                |                              |
| Suspension Suspension Type - Front      | Independent | Suspension Type - Rear         |                              |
| ouspension Type - Florit                | шаерепаеті  | Suspension Type - Near         |                              |
| Spring Capacity - Front                 | N/A         | Spring Capacity - Rear         |                              |
| Axle Type - Front                       | N/A         | Axle Type - Rear               |                              |
| Axle Capacity - Front                   | N/A         | Axle Capacity - Rear           |                              |
| Axle Ratio (:1) - Front                 | 3.42        | Axle Ratio (:1) - Rear         |                              |
| Shock Absorber Diameter - Front         | N/A         | Shock Absorber Diameter - Rear |                              |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 21996. Data Updated: 25-Aug-2023 7:25:00 PDT PM.



Vehicle: [Retail] 2023 Chevrolet Colorado (14H43) 4WD Crew Cab ZR2

| e) |
|----|
|    |

| assis                             |                        |                                    |                     |
|-----------------------------------|------------------------|------------------------------------|---------------------|
| spension                          |                        |                                    |                     |
| Stabilizer Bar Diameter - Front   | N/A                    | Stabilizer Bar Diameter - Rear     | N/A                 |
| res                               |                        |                                    |                     |
| Front Tire Order Code             | QAF                    | Rear Tire Order Code               | QAF                 |
| Spare Tire Order Code             | RMR                    | Front Tire Size                    | LT285/70R17         |
| Rear Tire Size                    | LT285/70R17            | Spare Tire Size                    | LT285/70R17         |
| Front Tire Capacity               | N/A                    | Rear Tire Capacity                 | N/A                 |
| Spare Tire Capacity               | N/A                    | Revolutions/Mile @ 45 mph - Front  | N/A                 |
| Revolutions/Mile @ 45 mph - Rear  | N/A                    | Revolutions/Mile @ 45 mph - Spare  | N/A                 |
| neels                             |                        |                                    |                     |
| Front Wheel Size                  | 17 x -TBD- in          | Rear Wheel Size                    | 17 x -TBD- in       |
| Spare Wheel Size                  | 17 x 8 in              | Front Wheel Material               | Aluminum            |
| Rear Wheel Material               | Aluminum               | Spare Wheel Material               | Steel               |
| eering                            |                        |                                    |                     |
| Steering Type                     | Electric Rack & Pinion | Steering Ratio (:1), On Centre     | N/A                 |
| Steering Ratio (:1), At Lock      | N/A                    | Turning Diameter - Curb to Curb    | N/A                 |
| Turning Diameter - Wall to Wall   | N/A                    |                                    |                     |
| akes                              |                        |                                    |                     |
| Brake Type                        | Pwr                    | Brake ABS System                   | 4-Wheel             |
| Brake ABS System (Second Line)    | N/A                    | Disc - Front (Yes or )             | Yes                 |
| Disc - Rear (Yes or )             | Yes                    | Front Brake Rotor Diam x Thickness | 340.36 x -TBD<br>mm |
| Rear Brake Rotor Diam x Thickness | 337.82 x -TBD-<br>mm   | Drum - Rear (Yes or )              | N/A                 |
| Rear Drum Diam x Width            | N/A                    |                                    |                     |
| el Tank                           |                        |                                    |                     |
| Fuel Tank Capacity, Approx        | 79 L                   | Aux Fuel Tank Capacity, Approx     | N/A                 |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 21996. Data Updated: 25-Aug-2023 7:25:00 PDT PM.



| nassis                      |             |                                 |                              |
|-----------------------------|-------------|---------------------------------|------------------------------|
| uel Tank                    |             |                                 |                              |
| Fuel Tank Location          | N/A         | Aux Fuel Tank Location          | N/A                          |
| mensions                    |             |                                 |                              |
| nterior Dimensions          |             |                                 |                              |
| Passenger Capacity          | 5           | Front Head Room                 | 1,023.62 mm                  |
| Front Leg Room              | 1,148.08 mm | Front Shoulder Room             | 1,457.96 mm                  |
| Front Hip Room              | 1,389.38 mm | Second Head Room                | 972.82 mm                    |
| Second Leg Room             | 881.38 mm   | Second Shoulder Room            | 1,430.02 mm                  |
| Second Hip Room             | 1,348.74 mm |                                 |                              |
| exterior Dimensions         |             |                                 |                              |
| Wheelbase                   | 3,337.56 mm | Length, Overall w/o rear bumper | N/A                          |
| Length, Overall             | 5,402.58 mm | Width, Max w/o mirrors          | 74.9 w/Mirrors               |
|                             |             |                                 | Folded, 84.4<br>w/Mirrors mm |
| Height, Overall             | 1,841.5 mm  | Overhang, Front                 | 863.6 mm                     |
| Overhang, Rear w/o bumper   | 1,201.42 mm | Front Bumper to Back of Cab     | N/A                          |
| Cab to Axle                 | 591.82 mm   | Cab to End of Frame             | N/A                          |
| Ground to Top of Load Floor | N/A         | Ground to Top of Frame          | N/A                          |
| Frame Width, Rear           | N/A         | Ground Clearance, Front         | 271.78 mm                    |
| Ground Clearance, Rear      | 271.78 mm   | Body Length                     | 0 m                          |
| Cab to Body                 | N/A         |                                 |                              |
| Cargo Area Dimensions       |             |                                 |                              |
| Cargo Box Length @ Floor    | 1,567.18 mm | Cargo Box Width @ Top, Rear     | N/A                          |
| Cargo Box Width @ Floor     | 1,496.06 mm | Cargo Box Width @ Wheelhousings | 1,155.7 mm                   |
| Cargo Box (Area) Height     | N/A         | Tailgate Width                  | N/A                          |
| Cargo Volume                | 1,186.48 L  | Ext'd Cab Cargo Volume          | N/A                          |
|                             |             |                                 |                              |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 21996. Data Updated: 25-Aug-2023 7:25:00 PDT PM.