



Window Sticker

SUMMARY

[Retail] 2024 Chevrolet Silverado 2500HD (CK20753) 4WD Double Cab 149" LT

MSRP:\$69,899.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 6.6L V8

Transmission, Allison 10-Speed automatic

OPTIONS

CODE	MODEL		MSRP
CK20753	[Retail] 2024 Chevrolet Silverado 2500HD (CK20753) 4WD Double Cab 149" LT		\$69,899.00
	OPTIONS		
1LT	LT Preferred Equipment Group		\$0.00
A2X	Seat adjuster, driver 10-way power	Inc.	
A48	Window, power, rear sliding	Inc.	
A50	Seats, front bucket		\$715.00
B1J	Wheelhouse liners, rear		\$180.00
B59	Remote Start Package		\$625.00
BTV	Remote vehicle starter system	Inc.	
C49	Defogger, rear-window electric	Inc.	
CGN	Chevytec spray-on bedliner		\$625.00
CJ2	Air conditioning, dual-zone automatic climate control	Inc.	
D07	Centre Console, floor-mounted	Inc.	
DD8	Mirror, inside rearview auto-dimming	Inc.	
DWI	Mirrors, outside power-adjustable vertical trailering with heated and auto-dimming upper glass		\$610.00
GAZ	Summit White		\$0.00
GT4	Rear axle, 3.73 ratio		\$0.00
H0U	Jet Black, Cloth seat trim		\$0.00
IOK	Audio system, Chevrolet Infotainment 3 Premium system		\$0.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23186. Data Updated: 14-Jan-2024 6:42:00 PST PM.



JGG	GVWR, 10,750 lbs. (4876 kg)	Inc.	
K05	Engine block heater		\$195.00
K4C	Wireless Charging	Inc.	
K4Z	Battery, auxiliary, 700 cold-cranking amps/70 Amp-hr		\$160.00
KA1	Seating, heated driver and front outboard passenger	Inc.	
KC9	Power outlet, bed mounted, 120-volt	Inc.	
KHF	Alternators, dual, 220-amps primary, 170-amps auxiliary		\$0.00
KI3	Steering wheel, heated	Inc.	
KI4	Power outlet, interior, 120-volt	Inc.	
L8T	Engine, 6.6L V8		\$0.00
MKM	Transmission, Allison 10-Speed automatic		\$0.00
N37	Steering column, manual tilt and telescoping	Inc.	
NZZ	Skid Plates	Inc.	
PCL	Convenience Package		\$1,660.00
PCM	Convenience Package II		\$675.00
PYV	Wheels, 18" (45.7 cm) machined aluminum		\$345.00
PZ8	Hitch Guidance with Hitch View	Inc.	
QF6	Tires, LT275/70R18E all-terrain, blackwall		\$250.00
QT6	Tailgate, gate function power up/down		\$215.00
SFZ	LPO, Black Bowtie Emblem, front		\$105.00
T3U	Fog lamps, front, LED	Inc.	
U01	Lamps, Smoked Amber roof marker, (LED)		\$85.00
UBC	USB Ports, 2, Charge/Data ports located inside centre console	Inc.	
UBI	USB ports, rear, dual, charge-only	Inc.	
UET	In-Vehicle Trailering App	Inc.	
UF2	LED Cargo Area Lighting	Inc.	
UF3	High idle switch		\$240.00
UG1	Universal Home Remote	Inc.	
UTJ	Theft-deterrent system, unauthorized entry	Inc.	
UY2	Trailering wiring provisions		\$40.00
VYU	Snow Plow Prep/Camper Package		\$710.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23186. Data Updated: 14-Jan-2024 6:42:00 PST PM.



Vehicle: [Retail] 2024 Chevrolet Silverado 2500HD	(CK20753) 4WD Double Cab 149" LT (✓ Comple	te)
---	---	-----

(🎺 Complete j)
----------------	---

\$580.00		Heat Package	ZM9
	Inc.	Tire, spare LT275/70R18 all-terrain, blackwall	ZYG
\$100.00		Federal air conditioning excise tax	
\$77,914.00		SUBTOTAL	
\$0.00		Adjustments Total	
\$100.00		Vehicle Tax	
\$2,200.00		Destination Charge	
\$80,214.00		TOTAL PRICE	

FUEL ECONOMY

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range: N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23186. Data Updated: 14-Jan-2024 6:42:00 PST PM.





Standard Equipment

Otaliaala Equip	
Package	
	Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted when (ZW9) pickup bed delete is ordered.)
Mechanical	
	Durabed, pickup bed
	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb -ft of torque [629 N-m] @ 4000 rpm) (STD)
	Transmission, Allison 10-Speed automatic (STD) (Standard with (L8T) 6.6L V8 gas engine.)
	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)
	GVWR, 10,350 lbs. (4695 kg) (STD) (Included and only available with CK20753 and (L8T) 6.6L V8 gas engine with 17" wheels or with CC20903 with (L8T) 6.6L V8 gas engine with 18", 20" or 22" wheels.)
	Push Button Start
	Air filter, heavy-duty
	Air filtration monitoring
	Transfer case, two-speed electronic shift with push button controls (Requires 4WD models.)
	Auto-locking rear differential
	Four wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)
	Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)
	Trailer brake controller, integrated
	Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section
	Recovery hooks, front, frame-mounted, Black (Not available with (VLQ) Chrome recovery hooks.)
	Suspension Package
	Steering, Recirculating Ball with smart flow power steering system
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)
	Exhaust, single, side



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23186. Data Updated: 14-Jan-2024 6:42:00 PST PM.



(Complete	9
------------	---

Exterior	
	Wheels, 17" (43.2 cm) machined aluminum (STD)
	Tires, LT245/75R17E all-season, blackwall (STD)
	Tire, spare LT245/75R17E all-season, blackwall (STD) (Included and only available with (QHQ) LT245/75R17E all-season, blackwall tires with (E63) Durabed, pickup bed. Available to order when (ZW9) pickup bed delete and (QHQ) LT245/75R17E all-season, blackwall tires are ordered.)
	Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
	Bumper, front chrome
	Bumper, rear chrome
	CornerStep, rear bumper
	BedStep, Black integrated on forward portion of bed on driver and passenger side (Deleted when (ZW9) pickup bed delete is ordered.)
	Mouldings, beltline, Black
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner (Deleted with (ZW9) pickup bed delete.)
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	IntelliBeam, automatic high beam on/off
	Taillamps with incandescent tail, stop and reverse lights
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
	Mirrors, outside power-adjustable vertical trailering with heated upper glass, lower convex mirrors, integrated turn signals, manual folding/extending (extends 3.31" [84.25mm])
	Mirror caps, Black
	Glass, deep-tinted
	Tailgate, standard (Deleted with (ZW9) pickup bed delete.)
	Tailgate and bed rail protection cap, top
	Tailgate, gate function manual with EZ Lift includes power lock and release (Deleted when (ZW9) pickup bed delete is ordered. Not available with (PCM) Convenience Package II unless (QK2) Multi-Flex tailgate is ordered.)
	Door handles, body-colour

Entertainment

Audio system, Chevrolet Infotainment 3 Premium system with Google built-in compatibility (select service plan required, terms and limitations apply) including navigation capability, 13.4" diagonal HD colour touchscreen, includes multi-touch display, AM/FM stereo, Bluetooth streaming audio for music and most phones; featuring Wireless Apple CarPlay and Wireless Android Auto capability for compatible phones, advanced voice recognition, in-vehicle apps, personalized profiles for infotainment and vehicle settings (STD)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23186. Data Updated: 14-Jan-2024 6:42:00 PST PM.



Entertainment	
	SiriusXM Radio
	SiriusXM with 360L includes a trial subscription to the Platinum Plan. Experience more channels in the vehicle, a more personalized experience and easier navigation. (Trial subscription subject to the SiriusXM Customer Agreement and privacy policy, visit www.siriusxm.ca which includes full terms and how to cancel. All fees, content, features, and availability are subject to change. Some features require GM connected vehicle services.)
	Audio system feature, 6-speaker system, (Requires Crew Cab or Double Cab model.)
	Wireless phone projection for Apple CarPlay and Android Auto
	Steering wheel audio controls
	Bluetooth for phone connectivity to vehicle infotainment system
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD) (On Crew Cab and Double Cab models, not available with (PCM) Convenience Package II unless (PCL) LT Convenience Package I is ordered.)
	Cloth seat trim
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab or Double Cab model.)
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)
	Floor mats, rubberized-vinyl rear (Not available with Regular Cab models. Deleted when LPO floor liners are ordered.)
	Steering wheel, wrapped
	Driver Information Centre, enhanced, 12.3" diagonal reconfigurable multicolour digital display
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder (Requires Crew Cab or Double Cab model.)
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Windows, power rear, express down (Not available with Regular Cab models.)
	Door locks, power
	Keyless Open and Start



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23186. Data Updated: 14-Jan-2024 6:42:00 PST PM.



Interior	
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	USB Ports, 2, Charge/Data ports located on instrument panel
	Air conditioning, single-zone
	Air vents, rear, heating/cooling (Not available on Regular Cab models.)
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	Automatic Emergency Braking
	Front Pedestrian Braking
	StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	HD Rear Vision Camera (Deleted when (ZW9) pickup bed delete is ordered.)
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching (Deleted with (ZW9) pickup bed delete.)
	Lane Departure Warning
	Following Distance Indicator
	Forward Collision Alert
	Seat Belt Adjustable Guide Loops, front row only (Included and only available on Crew Cab and Double Cab models.)
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu
	Rear Seat Belt Indicator (Requires Crew Cab or Double Cab model.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23186. Data Updated: 14-Jan-2024 6:42:00 PST PM.





Safety-Interior

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob. to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System

3 Years of Remote Access. The Remote Access Plan gives you simplified remote control of your properly equipped vehicle and unlocks a variety of great features in your myChevrolet mobile app. See dealer for details. (Does not include emergency or security services. 3 years begins from the date of vehicle delivery. Requires a working vehicle electrical system (including battery), wireless reception and device data connection. See onstar.ca for details and limitations. Features and functionality vary by vehicle. Available on select Apple and Android devices. Device data connection required. Non-refundable and no cash value.)

Processing-Other

Trailering Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering (Not available with (ZW9) pickup bed delete.)

WARRANTY

Warranty Note: <<< Preliminary 2024 Warranty >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100.000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5

years/160,000 km

Technical Specifications

Powertrain Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MKM
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	N/A
Second Gear Ratio (:1)	N/A	Third Gear Ratio (:1)	N/A
Fourth Gear Ratio (:1)	N/A	Fifth Gear Ratio (:1)	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23186. Data Updated: 14-Jan-2024 6:42:00 PST PM.



nsmission			
Sixth Gear Ratio (:1)	N/A	Reverse Ratio (:1)	N/A
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	N/A
Eighth Gear Ratio (:1)	N/A	Ninth Gear Ratio (:1)	N/A
Tenth Gear Ratio (:1)	N/A		
eage			
EnerGuide Estimate - City	N/A	EnerGuide Estimate - Hwy	N/A
Cruising Range - City	N/A	Cruising Range - Hwy	N/A
Estimated Battery Range	N/A		
gine			
Engine Order Code	L8T	Engine Type	Gas V8
Displacement	6.6L/-TBD-	Fuel System	Direct Injectio
SAE Net Horsepower @ RPM	401 @ 5200	SAE Net Torque @ RPM	464 @ 4000
Engine Oil Cooler	Yes		
ectrical			
Cold Cranking Amps @ 0° F (Primary)	720	Cold Cranking Amps @ 0° F (2nd)	700
Maximum Alternator Capacity (amps)	220 & 170	Cold Cranking Amps @ 0° F (3rd)	N/A
oling System			
Total Cooling System Capacity	N/A		
nicle			



Kg/yr of CO2 Emissions @ 20K km/year

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23186. Data Updated: 14-Jan-2024 6:42:00 PST PM.

G/km Of CO2 Emissions

N/A

15-Jan-2024 Page 9

N/A





N/A

3.73

51 mm

Chassis **Weight Information** Standard Weight - Front 0 kg Standard Weight - Rear 0 kg N/A Gross Axle Wt Rating - Front N/A Gross Axle Wt Rating - Rear Curb Weight - Front N/A Curb Weight - Rear N/A Option Weight - Front 0 kg Option Weight - Rear 0 kg Reserve Axle Capacity - Front N/A Reserve Axle Capacity - Rear N/A As Spec'd Curb Weight N/A As Spec'd Payload N/A Maximum Payload Capacity N/A **Gross Combined Wt Rating** 11,113.2 kg Gross Axle Weight Rating N/A Curb Weight N/A **Total Option Weight** Reserve Axle Capacity N/A 0 kg Payload Weight Front Payload Weight Rear 0 kg 0 kg Gross Vehicle Weight Rating 4,876.2 kg **Trailering** Dead Weight Hitch - Max Trailer Wt. Dead Weight Hitch - Max Tongue Wt. 2,268 kg 226.8 kg Wt Distributing Hitch - Max Trailer Wt. 6,577.2 kg Wt Distributing Hitch - Max Tongue Wt. 657.72 kg Fifth Wheel Hitch - Max Trailer Wt. 8,255.52 kg Maximum Trailering Capacity 6,577.2 kg Fifth Wheel Hitch - Max Tongue Wt. 2,063.88 kg **Frame** Frame Type Hydroformed Sect Modulus Rails Only N/A Frame RBM N/A N/A Frame Strength Frame Thickness N/A Suspension Suspension Type - Front Short/Long Arm Suspension Type - Rear Multi-Leaf Springs Spring Capacity - Front N/A Spring Capacity - Rear N/A N/A N/A Axle Type - Front Axle Type - Rear

<u>GM</u>

Axle Capacity - Front

Axle Ratio (:1) - Front

Shock Absorber Diameter - Front

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23186. Data Updated: 14-Jan-2024 6:42:00 PST PM.

Axle Capacity - Rear

Axle Ratio (:1) - Rear

Shock Absorber Diameter - Rear

15-Jan-2024 Page 10

N/A

N/A

51 mm



uspension			
Stabilizer Bar Diameter - Front	35.05 mm	Stabilizer Bar Diameter - Rear	N/A
ires			
Front Tire Order Code	QF6	Rear Tire Order Code	QF6
Spare Tire Order Code	ZYG	Front Tire Size	LT275/70R18
Rear Tire Size	LT275/70R18	Spare Tire Size	LT275/70R18
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
/heels			
Front Wheel Size	18 x -TBD- in	Rear Wheel Size	18 x -TBD- in
Spare Wheel Size	18 x -TBD- in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	N/A
ta a vin e			
teering Steering Type	Pwr	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	15.09 m
Turning Diameter - Wall to Wall	N/A	Turning Diameter - Oalb to Oalb	13.03 111
running Diamotor Wan to Wan	14/7		
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	355.6 x 40.64 m
Rear Brake Rotor Diam x Thickness	358.14 x 33.02 mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	136 L	Aux Fuel Tank Capacity, Approx	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23186. Data Updated: 14-Jan-2024 6:42:00 PST PM.



eriicie. [itetalij 2024 Orieviole	t Silverado 25001 ID (CN20733) 4WD Double Cab 149 L	. i (V Complete)	
mensions				
nterior Dimensions				
Passenger Capacity	5	Front Head Room	1,092.96 mm	
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm	
Front Hip Room	1,553.97 mm	Second Head Room	1,012.95 mm	
Second Leg Room	895.1 mm	Second Shoulder Room	1,647.95 mm	
Second Hip Room	1,530.1 mm			
xterior Dimensions				
Wheelbase	3,784.6 mm	Length, Overall w/o rear bumper	N/A	
Length, Overall	6,108.95 mm	Width, Max w/o mirrors	2,078.99 mm	
Height, Overall	2,030.73 mm	Overhang, Front	N/A	
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A	
Cab to Axle	1,071.12 mm	Cab to End of Frame	N/A	
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A	
Frame Width, Rear	N/A	Ground Clearance, Front	258.06 mm	
Ground Clearance, Rear	258.06 mm	Body Length	0 m	
Cab to Body	N/A			
argo Area Dimensions				
Cargo Box Length @ Floor	2,089.15 mm	Cargo Box Width @ Top, Rear	N/A	
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,316.99 mm	
Cargo Box (Area) Height	533.4 mm	Tailgate Width	N/A	



Cargo Volume

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23186. Data Updated: 14-Jan-2024 6:42:00 PST PM.

Ext'd Cab Cargo Volume

N/A

15-Jan-2024 Page 12

1,968.02 L