



Window Sticker

SUMMARY

[Retail] 2024 Chevrolet Colorado (14F43) 4WD Crew Cab LT

MSRP:\$42,199.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, 2.7L TurboMax

Transmission, 8-speed automatic

O	PT	IO	NS

OF I	IONS			
	CODE	MODEL		MSRP
	14F43	[Retail] 2024 Chevrolet Colorado (14F43) 4WD Crew Cab LT		\$42,199.00
		OPTIONS		
	4LT	LT Preferred Equipment Group		\$0.00
	A28	Window, rear-sliding, manual	Inc.	
	A2X	Seat adjuster, driver 8-way power	Inc.	
	A50	Seats, front bucket		\$0.00
	AL9	Seat adjuster, power driver lumbar control	Inc.	
	B26	Safety Package		\$820.00
	BDR	Locking cylinder Tailgate, keyed cylinder lock	Inc.	
	BPC	StowFlex Tailgate, storage compartment, lockable	Inc.	
	BTV	Remote vehicle starter system	Inc.	
	C49	Defogger, rear-window electric	Inc.	
	C6X	GVWR, 6250 lbs. (2835 kg)		\$0.00
	CAC	Sunroof, power sliding glass with manual shade		\$1,150.00
	CJ2	Air conditioning, dual-zone automatic climate control	Inc.	
	DD8	Mirror, inside rearview auto-dimming	Inc.	
	DEG	Visors, driver and front passenger illuminated sliding vanity mirrors	Inc.	
	DLF	Mirrors, outside heated power-adjustable	Inc.	
	G80	Differential, automatic locking rear	Inc.	
	GBA	Black		\$0.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23186. Data Updated: 14-Jan-2024 6:42:00 PST PM.



GU6	Rear axle, 3.42 ratio		\$0.00
H2Z	Jet Black, Cloth seat trim		\$0.00
JL1	Trailer brake controller, integrated	Inc.	•
K34	Cruise control, electronic, automatic	Inc.	
K4C	Wireless Charging	Inc.	
KA1	Seats, heated driver and front passenger	Inc.	
KW5	Generator, 220 amp		\$175.0
L3B	Engine, 2.7L TurboMax	Inc.	
MFC	Transmission, 8-speed automatic	Inc.	
N37	Steering column, tilt and telescoping	Inc.	
PCV	LT Convenience Package II		\$2,860.0
PCZ	LT Convenience Package		\$1,695.0
PPA	Tailgate, EZ-Lift and Lower	Inc.	
Q5W	Wheels, 17" x 8" (43.2 cm x 20.3 cm), Argent Metallic alumino	um	\$0.0
QHR	Tires, 255/65R17 all-season, blackwall		\$0.0
RIA	LPO, All-weather Floor Liner, 1st and 2nd rows		\$260.0
RM7	Wheel, spare, 17 x 8" (43.2 cm x 20.3 cm) steel	Inc.	
SFE	LPO, Wheel locks		\$105.0
T40	Fog lamps, front LED	Inc.	
U1D	Trailering App	Inc.	
UD7	Rear Park Assist	Inc.	
UFB	Rear Cross Traffic Braking	Inc.	
UKW	Blind Zone Steering Assist with Trailering		\$0.0
URL	11.3" diagonal advanced colour LCD display with Google buil	t-In	\$0.0
VQK	LPO, Front and rear splash guards, custom-moulded with logo on rear		\$305.0
VQO	LPO, Black assist steps		\$560.0
Z82	Trailering Package, heavy-duty	Inc.	
ZAO	Tire, spare 255/65R17 all-season, blackwall	Inc.	
ZL6	Advanced Trailering Package		\$1,150.0
	Federal air conditioning excise tax		\$100.0



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23186. Data Updated: 14-Jan-2024 6:42:00 PST PM.



SUBTOTAL	\$51,279.00
Adjustments Total	\$0.00
Vehicle Tax	\$100.00
Destination Charge	\$2,200.00
TOTAL PRICE	\$53,579.00

FUEL ECONOMY

Est City:13 L/100 km

Est Highway:10.4 L/100 km

Est Highway Cruising Range:778.48 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23186. Data Updated: 14-Jan-2024 6:42:00 PST PM.



Standard Equipment

Chevrolet Safety Assist includes (UHY) Automatic Emergency Braking, (UKT) Front Pedestrian and Bicyclist Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator - (Requires a future software update), (UEU) Forward Collision Alert and (TQ5) IntelliBeam (Beginning at the start of production, Certain vehicles will not be equipped with (UE4) Following Distance Indicator functionality which will

	require a future software update to function.)
Mechanical	
	Engine, 2.7L Turbo (237 hp [177 kW] @ 5600 rpm, 260 lb-ft of torque [350 Nm] @ 1200-4000 rpm) (STD) (Requires (N8R) 8-speed Transmission.)
	Transmission, 8-speed automatic (STD) (Included with (L2R) 2.7L Turbo Engine.)
	Rear axle, 3.42 ratio
	GVWR, 6000 lbs. (2722 kg) (STD) (Requires (L2R) 2.7L Turbo engine.)
	Engine control, stop/start system disable button
	Engine air filtration monitor
	Push Button Start
	Automatic Stop/Start
	Transfer case, single speed electronic Autotrac with push button control
	Four wheel drive
	Battery, AGM, 800 cold-cranking amps with 80 amp hour rating, 12V
	Generator, 170 amp (Not available with (Z82) Trailering Package.)
	Radiator Grille Shutters, automatic
	Vehicle health management provides advanced warning of vehicle issues
	Hitch Guidance dynamic single line to aid in truck trailer alignment for hitching
	Recovery hooks, front, Black
	Frame, fully-boxed
	Pickup box
	Brakes, 4-wheel antilock, 4-wheel disc
	Capless fuel fill
Exterior	

Wheels, 17" x 8" (43.2 cm x 20.3 cm), Argent Metallic aluminum (STD)

Tires, 255/65R17 all-season, blackwall (STD) (Requires (Q5W) 17" aluminum wheels.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23186. Data Updated: 14-Jan-2024 6:42:00 PST PM.



Exterior	
	Tire, compact spare T175/90D18, blackwall (STD) (Requires (RTI) 18" x 4.5" (46.7cm x 11.4cm) steel, compact wheel.)
	Wheel, Compact Spare, 18" x 4.5" (45.7 cm x 11.4 cm) steel (Requires (L2R) 2.7L Turbo engine.)
	CornerStep, rear bumper
	Mouldings, Black beltline
	Exterior, B-pillar applique (Not available on (GBA) Black and (GXN) Harvest Bronze Metallic.)
	Headlamps, halogen with automatic exterior lamp control (Not available with (PDB) LT Convenience Package III.)
	IntelliBeam, automatic high beam on/off
	Headlamp control, automatic on and off with automatic delay
	Cargo box light, back of cab
	Mirrors, outside power-adjustable
	Mirror caps, painted (Painted Cool Anderson Metallic.)
	Glass, deep-tinted
	Glass, solar glazing front side windows
	Glass, privacy glazing rear side windows
	Windshield, solar absorbing
	Door handles, body-colour
	Tailgate, remote locking, (locks and unlocks with key fob)
Entertainment	
	11.3" diagonal advanced colour LCD display with Google built-In compatibility including navigation capability, connected apps, personalized profiles for each driver's settings, Natural Voice Recognition and Phone Integration for Wireless Apple CarPlay/Wireless Android Auto for compatible phones (STD) (Terms and limitations apply.)
	Audio system feature, 6-speaker system,
	SiriusXM with 360L Equipped with SiriusXM with 360L. Enjoy a trial subscription of the Platinum Plan for the full 360L experience, with a greater variety of SiriusXM content, a more personalized experience and easier navigation. With the Platinum Plan you can also enjoy your favourites everywhere you go, with the SiriusXM app, online and at home on compatible connected devices. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change. GM connected vehicle services vary by vehicle model and require active service plan, working electrical system, cell reception and GPS signal. See onstar.com/ca for details and limitations.)
	Wireless phone projection, for Apple CarPlay and Android Auto



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23186. Data Updated: 14-Jan-2024 6:42:00 PST PM.



Entertainment	
	Chevrolet Connected Services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front bucket (STD)
	Seat trim, Cloth
	Seat adjuster, driver 6-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 split-folding bench with storage
	Console, floor front compartment with cup holders and cell phone storage
	Floor covering, colour-keyed carpeting
	Floor mats, carpeted front
	Floor mats, carpeted rear
	Steering column, tilt, manual (Not available with (PCZ) LT Convenience Package.)
	Steering wheel, wrapped
	Steering wheel controls, mounted audio controls
	Speedometer, miles/kilometres
	Driver Information Centre, 11" diagonal fully-digital display
	Windows, power with driver express up/down
	Window, power front, passenger express down
	Windows, power rear, express down
	Windows, remote express down all windows
	Door locks, power
	Keyless Open and Start
	Theft-deterrent system, unauthorized entry
	USB Ports, 2 (first row) located on console
	USB Port, rear, single, charge only
	Power outlet, 12-volt located in centre console bin
	Air conditioning, single-zone manual climate control
	Air vents, rear
	Heater, air conditioning duct, rear passenger
	Handles, door release, front and rear, Chrome



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23186. Data Updated: 14-Jan-2024 6:42:00 PST PM.



Interior	
	Mirror, inside rearview manual day/night, (Not available with (PCV) LT Convenience Package II.)
	Visors, driver and front passenger vanity mirrors (Not available with (PCZ) LT Convenience Package.)
	Lighting, interior, dual reading
	Lighting, interior, centre dome
	Map pocket, front passenger seatback
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
	Automatic Emergency Braking
	Front Pedestrian and Bicyclist Braking
	Hitch View
Safety-Exterior	
	Daytime Running Lamps, Halogen (Not available with (PDB) LT Convenience Package III.)
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag
	Front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	HD Rear Vision Camera (Not available with (CWM) Technology Package.)
	Lane Keep Assist with Lane Departure Warning
	Forward Collision Alert
	Following Distance Indicator (Beginning at the start of production, Certain vehicles will not be equipped with (UE4) Following Distance Indicator functionality which will require a future software update to function.)
	LED Reflective Windshield Collision Alert
	Seat Belt, Black



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23186. Data Updated: 14-Jan-2024 6:42:00 PST PM.



Safety-Interior	
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Door locks, rear child security
	Rear Seat Reminder
	Rear Seat Belt Indicator
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu
	Tire Fill Alert provides an audible indication when tire pressure is added to a tire that is low. Aids to achieve optimal tire pressure
	Tire Pressure Monitoring System (does not apply to spare tire)
	3 Years of Onstar Remote Access. The Onstar Remote Access Plan gives you simplified remote control of your properly equipped vehicle and unlocks a variety of great features in your myChevrolet mobile app. See dealer for details. (OnStar and Connected Vehicle Services require a working vehicle electrical system (including battery), active service plan, cell reception and GPS satellite signal. OnStar links to emergency services. Services, connectivity and capabilities vary by model and/or vehicle configuration and conditions as well as geographical and technical restrictions and are subject to terms and limitations. See onstar.ca for coverage maps, terms, details and system limitations. Data plans are provided by AT&T or its local service provider; availability subject to change; not transferable to subsequent vehicle owners. Non-refundable and no cash value.)

WARRANTY

Warranty Note: <<< Preliminary 2024 Warranty >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications

Powertrain

Transmission

Drivetrain Four Wheel Drive Trans Order Code MFC



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23186. Data Updated: 14-Jan-2024 6:42:00 PST PM.



owertrain			
ransmission			
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.56
Second Gear Ratio (:1)	2.97	Third Gear Ratio (:1)	2.08
Fourth Gear Ratio (:1)	1.69	Fifth Gear Ratio (:1)	1.27
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	4.56
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Autotrac
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.65		
lileage			
EnerGuide Estimate - City	13 L/100 km	EnerGuide Estimate - Hwy	10.4 L/100 km
Cruising Range - City	622.78 km	Cruising Range - Hwy	778.48 km
Estimated Battery Range	N/A		
ingine			
Engine Order Code	L3B	Engine Type	Turbocharged Gas I4
Displacement	2.7L/-TBD-	Fuel System	Direct Injectio
SAE Net Horsepower @ RPM	310 @ 5600	SAE Net Torque @ RPM	430 @ 3000
Engine Oil Cooler	N/A		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	800	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	220	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23186. Data Updated: 14-Jan-2024 6:42:00 PST PM.



Vehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	277
Chassis			
Weight Information			
Standard Weight - Front	0 kg	Standard Weight - Rear	0 kg
Gross Axle Wt Rating - Front	1,587.6 kg	Gross Axle Wt Rating - Rear	1,632.96 kg
Curb Weight - Front	1,050.99 kg	Curb Weight - Rear	853.22 kg
Option Weight - Front	0 kg	Option Weight - Rear	0 kg
Reserve Axle Capacity - Front	536.61 kg	Reserve Axle Capacity - Rear	779.74 kg
As Spec'd Curb Weight	1,904.21 kg	As Spec'd Payload	930.79 kg
Maximum Payload Capacity	930.79 kg	Gross Combined Wt Rating	4,127.76 kg
Gross Axle Weight Rating	3,220.56 kg	Curb Weight	1,904.21 kg
Reserve Axle Capacity	1,316.35 kg	Total Option Weight	0 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	2,835 kg		
Trailering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	3,492.72 kg	Wt Distributing Hitch - Max Tongue Wt.	349.27 kg
Fifth Wheel Hitch - Max Trailer Wt.	N/A	Maximum Trailering Capacity	3,492.72 kg
Fifth Wheel Hitch - Max Tongue Wt.	N/A		
Frame			
Frame Type	Fully-boxed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
Suspension			
Suspension Type - Front	Independent	Suspension Type - Rear	Semi-Elliptic, 2- Stage, Multi-Leaf
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23186. Data Updated: 14-Jan-2024 6:42:00 PST PM.



Vehicle: [Retail] 2024 Chevrolet C	olorado (14F43) 4V	VD Crew Cab LT (Complete)	
Chassis			
Suspension			
Axle Type - Front	Independent	Axle Type - Rear	Semi-Floating
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
Tires			
Front Tire Order Code	QHR	Rear Tire Order Code	QHR
Spare Tire Order Code	ZAO	Front Tire Size	255/65R17
Rear Tire Size	255/65R17	Spare Tire Size	255/65R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Wheels			
Front Wheel Size	17 x 8 in	Rear Wheel Size	17 x 8 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
Steering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	N/A
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	340.36 x -TBD- mm



Rear Brake Rotor Diam x Thickness

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23186. Data Updated: 14-Jan-2024 6:42:00 PST PM.

Drum - Rear (Yes or)

N/A

15-Jan-2024 Page 11

337.82 x -TBD-

mm



hassis			
Brakes			
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	81 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
	IV/A	Aux Fuel Fally Education	IN//A
imensions			
nterior Dimensions			
Passenger Capacity	5	Front Head Room	1,023.37 mm
Front Leg Room	1,147.32 mm	Front Shoulder Room	1,457.96 mm
Front Hip Room	1,389.63 mm	Second Head Room	972.31 mm
Second Leg Room	881.38 mm	Second Shoulder Room	1,425.7 mm
Second Hip Room	1,348.49 mm		
. A. C. Brander			
Exterior Dimensions Wheelbase	2 226 F4 mm	Longth Overall w/o rear humper	N/A
Length, Overall	3,336.54 mm 5,415.53 mm	Length, Overall w/o rear bumper Width, Max w/o mirrors	74.91 w/Mirrors
Lengui, Overali	5,415.55 11111	Width, Max Wo millors	Folded, 84.4 w/Mirrors mm
Height, Overall	2,001.27 mm	Overhang, Front	876.55 mm
Overhang, Rear w/o bumper	1,201.67 mm	Front Bumper to Back of Cab	N/A
Cab to Axle	594.36 mm	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	200.66 mm
Ground Clearance, Rear	200.66 mm	Body Length	0 m
Cab to Body	N/A		
Cargo Area Dimensions			
Cargo Box Length @ Floor	1,567.18 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,493.52 mm	Cargo Box Width @ Wheelhousings	1,155.7 mm
Cargo Box (Area) Height	N/A	Tailgate Width	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23186. Data Updated: 14-Jan-2024 6:42:00 PST PM.



Vehicle: [Retail] 2024 Chevrolet Colorado (14F43) 4WD Crew Cab LT

(V Complete	(V	Complete)
--------------	---	---	----------	---

Dimensions Cargo Area Dimensions Cargo Volume Ext'd Cab Cargo Volume N/A 1,186.48 L



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23186. Data Updated: 14-Jan-2024 6:42:00 PST PM.