



Window Sticker

SUMMARY

[Retail] 2024 Chevrolet Colorado (14C43) 4WD Crew Cab WT

MSRP:\$39,299.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 2.7L TurboMax

Transmission, 8-speed automatic

OPTIONS

110110			
CODE	MODEL		MSRP
14C43	[Retail] 2024 Chevrolet Colorado (14C43) 4WD Crew Cab WT		\$39,299.00
	OPTIONS		
4WT	Work Truck Preferred Equipment Group		\$0.00
A28	Window, rear-sliding, manual	Inc.	
A2X	Seat adjuster, driver 8-way power	Inc.	
A50	Seats, front bucket		\$0.00
A91	Tailgate, remote locking, (locks and unlocks with key fob)	Inc.	
AL9	Seat adjuster, power driver lumbar control	Inc.	
BDR	Locking cylinder Tailgate, keyed cylinder lock	Inc.	
BPC	StowFlex Tailgate, storage compartment, lockable	Inc.	
C49	Defogger, rear-window electric	Inc.	
C59	Air vents, rear	Inc.	
C6X	GVWR, 6250 lbs. (2835 kg)		\$0.00
D07	Console, floor	Inc.	
G80	Differential, automatic locking rear		\$410.00
GAZ	Summit White		\$0.00
GU6	Rear axle, 3.42 ratio		\$0.00
H1T	Jet Black, Cloth seat trim		\$0.00
JL1	Trailer brake controller, integrated	Inc.	
K34	Cruise control, electronic, automatic	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23287. Data Updated: 26-Jan-2024 6:41:00 PST PM.



KW5	Generator, 220 amp		\$175.00
L3B	Engine, 2.7L TurboMax		\$1,210.00
MFC	Transmission, 8-speed automatic		\$0.00
PCU	WT Convenience Package II		\$630.00
PCY	WT Convenience Package		\$760.00
PPA	Tailgate, EZ-Lift and Lower	Inc.	
RIA	LPO, All-weather Floor Liner, 1st and 2nd rows		\$260.00
RM7	Wheel, spare, 17 x 8" (43.2 cm x 20.3 cm) steel		\$0.00
S6P	LPO, Remote start kit		\$500.00
SFE	LPO, Wheel locks		\$105.00
JRL	11.3" diagonal advanced colour LCD display with Google built-li	n	\$0.00
QK	LPO, Front and rear splash guards, custom-moulded with logo or rear	on	\$305.00
82	Trailering Package, heavy-duty		\$650.00
ZAO	Tire, spare 255/65R17 all-season, blackwall	Inc.	
	Federal air conditioning excise tax		\$100.00
	SUBTOTAL		\$44,304.00
	Adjustments Total		\$0.00
	Vehicle Tax		\$100.00
	Destination Charge		\$2,200.00
	TOTAL PRICE		\$46,604.00

FUEL ECONOMY

Est City:13 L/100 km

Est Highway:10.4 L/100 km

Est Highway Cruising Range:778.48 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23287. Data Updated: 26-Jan-2024 6:41:00 PST PM.





Standard Equipment

Chevrolet Safety Assist includes (UHY) Automatic Emergency Braking, (UKT) Front Pedestrian and Bicyclist Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator - (Requires a future software update), (UEU) Forward Collision Alert and (TQ5) IntelliBeam (Beginning at the start of production, Certain vehicles will not be equipped with (UE4) Following Distance Indicator functionality which will

	require a future software update to function.)
Mechanical	
	Engine, 2.7L Turbo (237 hp [177 kW] @ 5600 rpm, 260 lb-ft of torque [350 Nm] @ 1200-4000 rpm) (STD) (Requires (N8R) 8-speed Transmission.)
	Transmission, 8-speed automatic (STD) (Included with (L2R) 2.7L Turbo Engine.)
	Rear axle, 3.42 ratio
	GVWR, 6000 lbs. (2722 kg) (STD) (Requires (L2R) 2.7L Turbo engine.)
	Engine control, stop/start system disable button
	Engine air filtration monitor
	Push Button Start
	Automatic Stop/Start
	Transfer case, single speed electronic Autotrac with push button control
	Four wheel drive
	Battery, AGM, 800 cold-cranking amps with 80 amp hour rating, 12V
	Generator, 170 amp (Not available with (Z82) Trailering Package.)
	Radiator Grille Shutters, automatic
	Vehicle health management provides advanced warning of vehicle issues
	Hitch Guidance dynamic single line to aid in truck trailer alignment for hitching
	Recovery hooks, front, Black
	Frame, fully-boxed
	Pickup box
	Brakes, 4-wheel antilock, 4-wheel disc
	Capless fuel fill
Exterior	



Wheels, 17" X 8.0" (43.2 cm x 20.3 cm), Ultra Silver Metallic steel

Tires, 255/65R17 all-season, blackwall



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23287. Data Updated: 26-Jan-2024 6:41:00 PST PM.



Exterior	
	Tire, compact spare T175/90D18, blackwall (STD) (Requires (RTI) 18" x 4.5" (46.7cm x 11.4cm) steel, compact wheel.)
	Wheel, Compact Spare, 18" x 4.5" (45.7 cm x 11.4 cm) steel (Requires (L2R) 2.7L Turbo engine.)
	CornerStep, rear bumper
	Mouldings, Black beltline
	Headlamps, halogen with automatic exterior lamp control
	IntelliBeam, automatic high beam on/off
	Headlamp control, automatic on and off with automatic delay
	Cargo box light, back of cab
	Mirrors, outside power-adjustable
	Mirror caps, moulded with colour (Not available with (B26) Safety Package.)
	Glass, deep-tinted
	Glass, solar glazing front side windows
	Glass, privacy glazing rear side windows
	Windshield, solar absorbing
	Door handles, Black
	Tailgate handle, Black
Entertainment	
	11.3" diagonal advanced colour LCD display with Google built-In compatibility including navigation capability, connected apps, personalized profiles for each driver's settings, Natural Voice Recognition and Phone Integration for Wireless Apple CarPlay/Wireless Android Auto for compatible phones (STD) (Terms and limitations apply.)
	Audio system feature, 6-speaker system,
	SiriusXM with 360L Equipped with SiriusXM with 360L. Enjoy a trial subscription of the Platinum Plan for the full 360L experience, with a greater variety of SiriusXM content, a more personalized experience and easier navigation. With the Platinum Plan you can also enjoy your favourites everywhere you go, with the SiriusXM app, online and at home on compatible connected devices. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change. GM connected vehicle services vary by vehicle model and require active service plan, working electrical system, cell reception and GPS signal. See onstar.com/ca for details and limitations.)
	Wireless phone projection, for Apple CarPlay and Android Auto



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23287. Data Updated: 26-Jan-2024 6:41:00 PST PM.

Chevrolet Connected Services capable (Terms and limitations apply. See onstar.ca or dealer for details.)



Interior	
IIIGHOI	Conta front husbat (CTD)
	Seats, front bucket (STD)
	Seat trim, Cloth
	Seat adjuster, driver 6-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 split-folding bench with storage
	Storage compartment, front, without cover
	Floor covering, colour-keyed carpeting
	Steering column, tilt, manual
	Steering wheel, urethane
	Steering wheel controls, mounted audio controls
	Speedometer, miles/kilometres
	Driver Information Centre, 11" diagonal fully-digital display
	Windows, power front, driver express down
	Window, power front, passenger express down
	Windows, power rear, express down
	Door locks, power
	Remote Keyless Entry
	Theft-deterrent system, unauthorized entry
	USB Ports, 2 (first row) located on console
	Power outlet, 12-volt located in centre console bin
	Air conditioning, single-zone manual climate control
	Heater, air conditioning duct, rear passenger
	Handles, door release, front and rear, Jet Black
	Mirror, inside rearview manual day/night,
	Visors, driver and front passenger vanity mirrors
	Lighting, interior, centre dome
	Lighting, interior
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23287. Data Updated: 26-Jan-2024 6:41:00 PST PM.



	4	
1		C
	1	Complete
	~	Complete

Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
	Automatic Emergency Braking
	Front Pedestrian and Bicyclist Braking
	Hitch View
Safety-Exterior	
	Daytime Running Lamps, Halogen
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag
	Front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	HD Rear Vision Camera (Not available with (CWM) Technology Package.)
	Lane Keep Assist with Lane Departure Warning
	Forward Collision Alert
	Following Distance Indicator (Beginning at the start of production, Certain vehicles will not be equipped with (UE4) Following Distance Indicator functionality which will require a future software update to function.)
	LED Reflective Windshield Collision Alert
	Seat Belt, Black
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Door locks, rear child security
	Rear Seat Reminder
	Rear Seat Belt Indicator
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu (Not available with (T4Z) Buckle To Drive.)
	Tire Fill Alert provides an audible indication when tire pressure is added to a tire that is low. Aids to achieve optimal tire pressure
This do	perument contains information considered Confidential between CM and its Clients uniquely. The information provided is not intended for public



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23287. Data Updated: 26-Jan-2024 6:41:00 PST PM.



Safety-Interior

Tire Pressure Monitoring System (does not apply to spare tire)

3 Years of Onstar Remote Access. The Onstar Remote Access Plan gives you simplified remote control of your properly equipped vehicle and unlocks a variety of great features in your myChevrolet mobile app. See dealer for details. (OnStar and Connected Vehicle Services require a working vehicle electrical system (including battery), active service plan, cell reception and GPS satellite signal. OnStar links to emergency services. Services, connectivity and capabilities vary by model and/or vehicle configuration and conditions as well as geographical and technical restrictions and are subject to terms and limitations. See onstar.ca for coverage maps, terms, details and system limitations. Data plans are provided by AT&T or its local service provider; availability subject to change; not transferable to subsequent vehicle owners. Non-refundable and no cash value.)

WARRANTY

Warranty Note: <<< Preliminary 2024 Warranty >>>

Basic Years: 3

Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100.000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60.000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100.000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MFC
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.56
Second Gear Ratio (:1)	2.97	Third Gear Ratio (:1)	2.08
Fourth Gear Ratio (:1)	1.69	Fifth Gear Ratio (:1)	1.27
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	4.56
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Autotrac
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23287. Data Updated: 26-Jan-2024 6:41:00 PST PM.



,	V	Complete

owertrain			
Transmission			
Eighth Gear Ratio (:1)	0.65		
Mileage			
EnerGuide Estimate - City	13 L/100 km		EnerGuide Estimate - Hwy
Cruising Range - City	622.78 km		Cruising Range - Hwy
Estimated Battery Range	N/A		,
Engine			
Engine Order Code	L3B		Engine Type
Displacement	2.7L/-TBD-		Fuel System
SAE Net Horsepower @ RPM	310 @ 5600		SAE Net Torque @ RPM
Engine Oil Cooler	N/A		
Electrical			
	800		Cold Cronking Amps @ 0° E (2nd)
Cold Cranking Amps @ 0° F (Primary)	800 220		old Cranking Amps @ 0° F (2nd) old Cranking Amps @ 0° F (3rd)
Maximum Alternator Capacity (amps)	220	COIC	Cranking Amps & 0 F (Sid)
Cooling System			
Total Cooling System Capacity	N/A		
ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Er	nissions
	·		
Chassis			
Weight Information			
Standard Weight - Front	0 kg	Standard Weight - F	Rear
Gross Axle Wt Rating - Front	1,587.6 kg	Gross Axle Wt Ratin	g - Rear
Curb Weight - Front	1,048.27 kg	Curb Weight - Rear	
Option Weight - Front	0 kg	Option Weight - Rear	
		D 4 1 6	_



Reserve Axle Capacity - Front

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23287. Data Updated: 26-Jan-2024 6:41:00 PST PM.

Reserve Axle Capacity - Rear

792.44 kg

27-Jan-2024 Page 8

539.33 kg



	· · · · · · · · · · · · · · · · · · ·	
assis		
SIS		
ight Information		
As Spec'd Curb Weight	1,888.79 kg	As Spec'd Payload
Maximum Payload Capacity	946.21 kg	Gross Combined Wt R
Gross Axle Weight Rating	3,220.56 kg	Curb Weight
Reserve Axle Capacity	1,331.77 kg	Total Option Weight
Payload Weight Front	0 kg	Payload Weight Rear
Gross Vehicle Weight Rating	2,835 kg	
ailering		
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max To
Wt Distributing Hitch - Max Trailer Wt.	3,492.72 kg	Wt Distributing Hitch - Max T
Fifth Wheel Hitch - Max Trailer Wt.	N/A	Maximum Trailering Capacit
Fifth Wheel Hitch - Max Tongue Wt.	N/A	
ame		
Frame Type	Fully-boxed	Sect Modulus Rails Only
rame RBM	N/A	Frame Strength
Frame Thickness	N/A	
spension		
Suspension Type - Front	Independent	Suspension Type - Rear
Spring Capacity - Front	N/A	Spring Capacity - Rear
xle Type - Front	Independent	Axle Type - Rear
xle Capacity - Front	N/A	Axle Capacity - Rear
xle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear

Tires

• • • •					
	Front Tire Order Code	QHR	Rear Tire Order Code	QHR	
	Spare Tire Order Code	ZAO	Front Tire Size	255/65R17	

N/A

N/A



Shock Absorber Diameter - Front

Stabilizer Bar Diameter - Front

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23287. Data Updated: 26-Jan-2024 6:41:00 PST PM.

Shock Absorber Diameter - Rear

Stabilizer Bar Diameter - Rear

N/A

N/A



essis			
res			
Rear Tire Size	255/65R17	Spare Tire Size	255/65R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
heels			
Front Wheel Size	17 x 8 in	Rear Wheel Size	17 x 8 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel
eering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	N/A
Turning Diameter - Wall to Wall	N/A		
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	340.36 x -TBD mm
Rear Brake Rotor Diam x Thickness	337.82 x -TBD- mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	81 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
nensions			



Passenger Capacity

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23287. Data Updated: 26-Jan-2024 6:41:00 PST PM.

Front Head Room

1,023.37 mm

27-Jan-2024 Page 10

5



mensions			
nterior Dimensions			
Front Leg Room	1,147.32 mm	Front Shoulder Room	1,457.96 mm
Front Hip Room	1,389.63 mm	Second Head Room	972.31 mm
Second Leg Room	881.38 mm	Second Shoulder Room	1,425.7 mm
Second Hip Room	1,348.49 mm		
Exterior Dimensions			
Wheelbase	3,336.54 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,410.71 mm	Width, Max w/o mirrors	74.91 w/Mirrors Folded, 84.4 w/Mirrors mm
Height, Overall	2,001.27 mm	Overhang, Front	876.55 mm
Overhang, Rear w/o bumper	1,196.59 mm	Front Bumper to Back of Cab	N/A
Cab to Axle	594.36 mm	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	200.66 mm
Ground Clearance, Rear	200.66 mm Body L	Body Length	0 m
Cab to Body	N/A		
Cargo Area Dimensions			
Cargo Box Length @ Floor	1,567.18 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,493.52 mm	Cargo Box Width @ Wheelhousings	1,155.7 mm
Cargo Box (Area) Height	N/A	Tailgate Width	N/A
Cargo Volume	1,186.48 L	Ext'd Cab Cargo Volume	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23287. Data Updated: 26-Jan-2024 6:41:00 PST PM.