

### **Window Sticker**

#### **SUMMARY**

[Retail] 2024 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LTZ

MSRP:\$76,299.00

Interior: Jet Black, Perforated Leather-appointed front seat trim

Exterior 1:Sterling Grey Metallic

Exterior 2:No colour has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 10-speed automatic with Electronic Transmission Range Selector

### **OPTIONS**

CODE	MODEL		MSRP
CK10743	[Retail] 2024 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" LTZ		\$76,299.00
	OPTIONS		
1LZ	LTZ Preferred Equipment Group		\$0.00
A48	Window, power, rear sliding	Inc.	
A50	Seats, front bucket		\$0.00
AAK	LPO, All-weather floor liners, 1st and 2nd rows		\$315.00
BRS	Assist steps, power-retractable		\$2,295.00
C5Y	GVWR, 7100 lbs. (3221 kg)		\$0.00
CF5	Sunroof, power	Inc.	
CGN	Chevytec spray-on bedliner, Black		\$625.00
CWM	Technology Package		\$1,840.00
DRZ	Rear Camera Mirror, inside rearview auto-dimming	Inc.	
GU5	Rear axle, 3.23 ratio		\$0.00
GXD	Sterling Grey Metallic		\$0.00
H1Y	Jet Black, Perforated Leather-appointed front seat trim		\$0.00
IOK	Audio system, Chevrolet Infotainment 3 Premium system		\$0.00
JHD	Hill Descent Control	Inc.	
K47	Air filter, heavy-duty	Inc.	
KA6	Seats, heated second row outboard seats	Inc.	
KSG	Adaptive Cruise Control	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23395. Data Updated: 8-Feb-2024 6:53:00 PST PM.



\$0.00		Engine, 5.3L EcoTec3 V8	L84
\$0.00		Transmission, 10-speed automatic with Electronic Transmission Range Selector	MHS
	Inc.	Exhaust, dual with polished outlets	N10
	Inc.	Transfer case, two-speed	NQH
	Inc.	Skid Plates	NZZ
	Inc.	LTZ Convenience Package II	PCN
\$2,050.00		LTZ Premium Package	PDK
	Inc.	Tires, 275/60R20SL all-terrain, blackwall	QAE
\$0.00		Tire, spare 255/80R17SL all-season, blackwall	QAQ
\$325.00		Tailgate, Multi-Flex	QK2
\$0.00		Tailgate, gate function manual with EZ Lift	QT5
\$0.00		Wheels, 20" x 9" (50.8 cm x 22.9 cm) Sterling Silver painted Aluminum	RHO
\$100.00		LPO, Wheel locks, set of 4	SFE
\$275.00		LPO, Black Bowtie Emblem, front	SFZ
	Inc.	Universal Home Remote	UG1
	Inc.	Multicolour 15" Diagonal Head-Up Display	UV6
	Inc.	Bed View Camera	UVN
\$265.00		LPO, Moulded splash guards, Black	VQK
\$1,115.00		Z71 Off-Road Package	Z71
\$100.00		Federal air conditioning excise tax	
\$85,504.00		SUBTOTAL	
\$0.00		Adjustments Total	
\$100.00		Vehicle Tax	
\$2,200.00		Destination Charge	
\$87,804.00		TOTAL PRICE	

### **FUEL ECONOMY**

Est City:15.5 L/100 km

Est Highway:12.6 L/100 km

Est Highway Cruising Range:721.84 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23395. Data Updated: 8-Feb-2024 6:53:00 PST PM.





# **Standard Equipment**

Otaliaala Equip	
Package	
	Safety Package includes (UV2) HD Surround Vision, (UD5) Front and Rear Park Assist, (TRG) Trailer Camera Provisions, (UKV) Trailer Side Blind Zone Alert, (UFB) Rear Cross Traffic Braking, (UKK) Rear Pedestrian Alert and (U12) Perimeter Lighting (Includes (HS1) Safety Alert Seat.)
	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance
	LTZ Plus Package includes (PCZ) LTZ Convenience Package and (PQB) Safety Package
	LTZ Convenience Package includes (A50) bucket seats with (D07) centre console, (K4C) Wireless Charging, (KQV) heated and ventilated front seats, (N38) Power Tilt/Telescoping steering column, (UQA) Bose Premium Sound System and (UBC) 2 USB ports with auxiliary input
Mechanical	
	Durabed, pickup bed
	Engine, 5.3L EcoTec3 V8 (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm); featuring available Dynamic Fuel Management that enables the engine to operate in 17 different patterns between 2 and 8 cylinders, depending on demand, to optimize power delivery and efficiency (STD)
	Transmission, 10-speed automatic with Electronic Transmission Range Selector (ETRS), electronically controlled with overdrive, tow-haul mode and steering column paddle shifters. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)
	Rear axle, 3.23 ratio
	GVWR, 7100 lbs. (3221 kg) (STD) (Requires Crew Cab 4WD model with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine without (NHT) Max Trailering Package.)
	Automatic Stop/Start
	Push Button Start
	Shifter, Electronic Transmission Range Selector includes steering column paddle shifters
	Transfer case, single speed electronic Autotrac with push button control (4WD models only)
	Auto-locking rear differential
	Four wheel drive
	Cooling, external engine oil cooler (Not available with (LZ0) Duramax 3.0L Turbo-Diesel I6 engine.)
	Cooling, auxiliary external transmission oil cooler (Not available with (LZ0) Duramax 3.0L Turbo-Diesel I6 engine.)
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
	Alternator, 170 amps (Included and only available with (L84) 5.3L EcoTec3 V8 engine or (L87) 6.2L EcoTec3 V8 engine. Not available with (LZ0) Duramax 3.0L Turbo-Diesel I6 engine or (NHT) Max Trailering Package.)
	Trailer brake controller, integrated
	Frame, fully-boxed, hydroformed front section



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23395. Data Updated: 8-Feb-2024 6:53:00 PST PM.

Page 3 10-Feb-2024



<b>√</b>	Complete	,

Mechanical	
	Suspension Package, High Capacity
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet
Exterior	
	Wheels, 20" x 9" (50.8 cm x 22.9 cm) Sterling Silver painted Aluminum (STD)
	Tires, 275/60R20 all-season, blackwall (STD)
	Tire, spare 255/80R17SL all-season, blackwall (STD)
	Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front chrome
	Bumper, rear chrome
	CornerStep, rear bumper
	Recovery hooks, front, frame-mounted, Black
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Wheelhouse liners, rear
	Headlamps, LED reflector (high intensity) with LED signature curtain Daytime Running Lamps and White tracer animation
	IntelliBeam, automatic high beam on/off
	Fog lamps, front, LED
	Lighting, perimeter
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel (LED)
	LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob
	Taillamps, LED with signature, animation and incandescent reverse lights
	Mirrors, outside heated power-adjustable, power-folding and driver-side auto-dimming puddle lamps, side perimeter lighting and memory
	Mirror caps, chrome
	Glass, deep-tinted



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23395. Data Updated: 8-Feb-2024 6:53:00 PST PM.



Exterior	
EXTELLO	
	Wipers, front rain-sensing
	Door handles, chrome
	Tailgate and bed rail protection cap, top
	Tailgate, standard
	Tailgate, gate function power up/down with power lock and release (Not available with (QK2) Multi-Flex tailgate.)
Entertainment	
	Audio system, Chevrolet Infotainment 3 Premium system with Google built-in, 13.4" diagonal HD colour touchscreen, includes multi-touch display, AM/FM stereo, Bluetooth streaming audio for music and most phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones, advanced voice recognition, in-vehicle apps, personalized profiles for infotainment and vehicle settings (STD)
	SiriusXM
	SiriusXM with 360L includes a trial subscription to the Platinum Plan. Experience more channels in the vehicle, a more personalized experience and easier navigation (Trial subscription subject to the SiriusXM Customer Agreement and privacy policy, visit www.siriusxm.ca which includes full terms and how to cancel. All fees, content, features, and availability are subject to change. Some features require GM connected vehicle services.)
	Bose Sound System, premium 7-speaker system with Richbass woofer
	Wireless Phone Projection for Apple CarPlay and Android Auto
	Bluetooth for phone, connectivity to vehicle infotainment system
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front bucket with centre console (STD) (Includes (EPH) Electronic Transmission Range Selector (console mounted).)
	Seat trim, Perforated leather-appointed front
	Seat adjuster, driver 10-way power including lumbar
	Seat adjuster, passenger 10-way power including lumbar
	Seating, heated driver and front outboard passenger
	Seats, ventilated driver and front passenger
	Driver memory recalls driver "presets" for power driver seat and outside mirrors
	Seat, Up-level Rear with Storage Package 60/40 folding bench for Crew Cab models, includes full-length bench seat, seatback storage on left and right side, centre fold out armrest with 2 cupholders, full cab width underseat storage, (includes child seat top tether anchor)
	Centre Console, floor-mounted with cup holders, Wireless Charging, power cord management, hanging file folder capability; includes removable storage tray (Includes (EPH) Electronic Transmission Range Selector (console mounted).)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23395. Data Updated: 8-Feb-2024 6:53:00 PST PM.





Interior	
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when (BKF) Floor liners or LPO floor liners are ordered.)
	Floor mats, rubberized-vinyl rear (Deleted when (BKF) Floor liners or LPO floor liners are ordered.)
	Steering wheel, wrapped
	Steering wheel, heated
	Steering wheel audio controls
	Steering column, power tilt and telescoping
	Driver Information Centre, enhanced, 12.3" diagonal reconfigurable multicolour digital display
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder
	Window, power front, drivers express up/down
	Window, power front, passenger express up/down
	Windows, power rear, express down
	Door locks, power
	Remote vehicle starter system
	Keyless Open and Start
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Theft-deterrent system, unauthorized entry
	Wireless Charging (Not compatible with all phones. Compliant batteries include Qi and PMA technologies. Reference Mobile devices manual to confirm what type of battery it uses.)
	Power outlet, interior power outlet, 120-volt (400 watts shared with (KC9) bed mounted power outlet)
	USB Ports, 2, Charge/Data ports located on the instrument panel
	USB Ports, 2, Charge/Data ports located inside centre console
	USB Ports, rear, dual, charge-only
	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) interior power outlet)
	Air conditioning, dual-zone automatic climate control
	Air vents, rear, heating/cooling
	Defogger, rear-window electric
	Mirror, inside rearview auto-dimming
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23395. Data Updated: 8-Feb-2024 6:53:00 PST PM.



	4		
(	<b>V</b>	Complete	

Interior	
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	Automatic Emergency Braking
	Front Pedestrian Braking
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Interior	
	Rear Cross Traffic Braking
	Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Front and Rear Park Assist, ultrasonic
	HD Surround Vision
	Trailer Camera Provisions
	Trailering App
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching
	Hitch Guidance with hitch view
	Chevy Safety Assist includes (UHY) Automatic Emergency Braking, (UKJ) Front Pedestrian Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UEU) Forward Collision Alert and (TQ5) IntelliBeam
	Lane Keep Assist with Lane Departure Warning
	Following Distance Indicator
	Forward Collision Alert
	Trailer Side Blind Zone Alert
	Rear Pedestrian Alert
	Safety Alert Seat
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23395. Data Updated: 8-Feb-2024 6:53:00 PST PM.



### Safety-Interior

Rear Seat Belt Indicator

Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)

3 years of Remote Access. The Remote Access Plan gives you simplified remote control of your properly equipped vehicle and unlocks a variety of great features in your myChevrolet mobile app. See dealer for details. (Does not include emergency or security services. 3 years begins from the date of vehicle delivery. Requires a working vehicle electrical system (including battery), wireless reception and device data connection. See onstar.ca for details and limitations. Features and functionality vary by vehicle. Available on select Apple and Android devices. Device data connection required. Non-refundable and no cash value.)

#### Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control

### **WARRANTY**

Warranty Note: <<< Preliminary 2024 Warranty >>>

Basic Years: 3

Basic Miles/km: 60.000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5

years/160,000 km

# **Technical Specifications**

# **Powertrain**

#### **Transmission**

Drivetrain	Four Wheel Drive	Trans Order Code	MHS
Trans Type	10	Trans Description Cont.	Automatic w/Paddle Shifters
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.69
Second Gear Ratio (:1)	2.98	Third Gear Ratio (:1)	2.15
Fourth Gear Ratio (:1)	1.8	Fifth Gear Ratio (:1)	1.52
Sixth Gear Ratio (:1)	1.28	Reverse Ratio (:1)	4.86
Clutch Size	N/A	Trans Power Take Off	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23395. Data Updated: 8-Feb-2024 6:53:00 PST PM.



( 🎺	Complete
-----	----------

'O'	wertrain				
r	ansmission				
	Final Drive Axle Ratio (:1)	N/A		Transfer Case Model	
	Transfer Case Gear Ratio (:1), High	1.00		Transfer Case Gear Ratio (:1), Low	
	Transfer Case Power Take Off	N/A		Seventh Gear Ratio (:1)	
	Eighth Gear Ratio (:1)	0.85		Ninth Gear Ratio (:1)	
	Tenth Gear Ratio (:1)	0.63			
Mi	ileage				
	EnerGuide Estimate - City	15.5 L/100 km		EnerGuide Estimate - Hwy	
	Cruising Range - City	586.78 km		Cruising Range - Hwy	
	Estimated Battery Range	N/A			
Fr	ngine				
1	Engine Order Code	L84		Engine Type	
	Displacement	5.3L/325		Fuel System	
	SAE Net Horsepower @ RPM	355 @ 5600		SAE Net Torque @ RPM	
	Engine Oil Cooler	N/A		·	
브	ectrical  Cold Crapking Amps @ 0° E (Primary)	730		Cold Cronking Amos @ 0° E (2nd)	
	Cold Cranking Amps @ 0° F (Primary)  Maximum Alternator Capacity (amps)	170		Cold Cranking Amps @ 0° F (2nd)  Cold Cranking Amps @ 0° F (3rd)	
	maximum Alternator Capacity (amps)	170		Cold Cranking Amps & o i (Sid)	
Co	poling System				
	Total Cooling System Capacity	N/A			
√el	hicle				
Er	missions				
	Kg/yr of CO2 Emissions @ 20K km/year	N/A		G/km Of CO2 Emissions	
Ch					
Chassis					
W	eight Information				
	Standard Weight - Front	0 kg	5	Standard Weight - Rear	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23395. Data Updated: 8-Feb-2024 6:53:00 PST PM.





N/A

#### Chassis **Weight Information** Gross Axle Wt Rating - Front Gross Axle Wt Rating - Rear 1,723.68 kg 1,723.68 kg Curb Weight - Front 1,327.69 kg Curb Weight - Rear 887.24 kg Option Weight - Front 0 kg Option Weight - Rear 0 kg Reserve Axle Capacity - Front 395.99 kg Reserve Axle Capacity - Rear 836.44 kg As Spec'd Curb Weight As Spec'd Payload 1,005.63 kg 2,214.93 kg Maximum Payload Capacity 1,005.63 kg Gross Combined Wt Rating 6,804 kg Gross Axle Weight Rating 3,447.36 kg **Curb Weight** 2,214.93 kg Reserve Axle Capacity 1,232.43 kg **Total Option Weight** 0 kg Payload Weight Front 0 kg Payload Weight Rear 0 kg Gross Vehicle Weight Rating 3,220.56 kg **Trailering** Dead Weight Hitch - Max Trailer Wt. 2,268 kg Dead Weight Hitch - Max Tongue Wt. 226.8 kg Wt Distributing Hitch - Max Tongue Wt. Wt Distributing Hitch - Max Trailer Wt. 4,173.12 kg 417.31 kg Fifth Wheel Hitch - Max Trailer Wt. 3,900.96 kg Maximum Trailering Capacity 5,942.16 kg Fifth Wheel Hitch - Max Tongue Wt. 975.24 kg **Frame** Box Ladder Frame Type Sect Modulus Rails Only N/A Frame RBM N/A Frame Strength N/A Frame Thickness N/A Suspension Suspension Type - Front Suspension Type - Rear Solid Axle Independent Spring Capacity - Front 1,723.68 kg Spring Capacity - Rear 1,746.36 kg Axle Type - Front N/A Axle Type - Rear N/A Axle Capacity - Front 1,723.68 kg Axle Capacity - Rear 1,723.68 kg 3.23 3.23 Axle Ratio (:1) - Front Axle Ratio (:1) - Rear Shock Absorber Diameter - Front N/A Shock Absorber Diameter - Rear N/A



Stabilizer Bar Diameter - Front

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23395. Data Updated: 8-Feb-2024 6:53:00 PST PM.

Stabilizer Bar Diameter - Rear

10-Feb-2024 Page 10

33.02 mm



	4	
1	$\checkmark$	Complete
١		Complete

#### Chassis **Tires** Front Tire Order Code QAE Rear Tire Order Code QAE QAQ Front Tire Size 275/60R20SL Spare Tire Order Code Rear Tire Size 275/60R20SL Spare Tire Size 255/80R17SL Front Tire Capacity 1,723.68 kg Rear Tire Capacity 1,723.68 kg **Spare Tire Capacity** N/A Revolutions/Mile @ 45 mph - Front N/A Revolutions/Mile @ 45 mph - Rear N/A Revolutions/Mile @ 45 mph - Spare N/A Wheels Front Wheel Size 20 x 9 in Rear Wheel Size 20 x 9 in Spare Wheel Size 17 x 8 in Front Wheel Material Aluminum Rear Wheel Material Aluminum Spare Wheel Material Steel Steering Electric Rack & Steering Ratio (:1), On Centre N/A Steering Type Pinion Steering Ratio (:1), At Lock Turning Diameter - Curb to Curb N/A 15.3 m Turning Diameter - Wall to Wall N/A **Brakes** Brake ABS System 4-Wheel Brake Type Pwr Brake ABS System (Second Line) Disc - Front (Yes or ) N/A Yes Disc - Rear (Yes or ) Front Brake Rotor Diam x Thickness 342.9 x 29.97 mm Yes Rear Brake Rotor Diam x Thickness 345.44 x 20.07 Drum - Rear (Yes or ) N/A mm Rear Drum Diam x Width N/A **Fuel Tank** Fuel Tank Capacity, Approx 91 L Aux Fuel Tank Capacity, Approx N/A **Fuel Tank Location** N/A N/A Aux Fuel Tank Location



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23395. Data Updated: 8-Feb-2024 6:53:00 PST PM.



	4	
(	<b>V</b>	Complete

#### **Dimensions Interior Dimensions Passenger Capacity** 5 Front Head Room 1,092.96 mm Front Leg Room 1,131.06 mm Front Shoulder Room 1,676.91 mm Front Hip Room 1,553.97 mm Second Head Room 1,019.05 mm Second Leg Room 1,102.36 mm Second Shoulder Room 1,655.06 mm Second Hip Room 1,530.1 mm **Exterior Dimensions** Wheelbase 3,987.8 mm Length, Overall w/o rear bumper N/A Length, Overall 2,063.5 mm 6,131.81 mm Width, Max w/o mirrors Height, Overall 1,915.16 mm Overhang, Front N/A Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab N/A Cab to Axle N/A Cab to End of Frame N/A Ground to Top of Load Floor N/A Ground to Top of Frame N/A Frame Width, Rear N/A Ground Clearance, Front 201.93 mm Ground Clearance, Rear 201.93 mm 0 m Body Length N/A Cab to Body **Cargo Area Dimensions** Cargo Box Length @ Floor Cargo Box Width @ Top, Rear N/A 2,017.78 mm Cargo Box Width @ Floor 1,813.56 mm Cargo Box Width @ Wheelhousings 1,286 mm Cargo Box (Area) Height 568.96 mm Tailgate Width N/A Cargo Volume 2,030.32 L Ext'd Cab Cargo Volume N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23395. Data Updated: 8-Feb-2024 6:53:00 PST PM.