

Window Sticker

SUMMARY

OPTIONS

CODE

[Retail] 2024 Chevrolet Trax (1TR58) FWD 4dr LS

MSRP:\$21,699.00

MSRP

\$0.00

\$260.00

\$310.00

\$225.00

\$895.00

\$100.00

Inc.

Interior:Jet Black/Grey with Blue accents, Cloth seat trim

Exterior 1: Mosaic Black Metallic

Exterior 2:No colour has been selected.

Engine, ECOTEC 1.2L Turbo DOHC DI with Variable Valve Timing (VVT)

MODEL

Transmission, 6-speed automatic

1TR58	[Retail] 2024 Chevrolet Trax (1TR58) FWD 4dr LS		\$21,699.00
	OPTIONS		
1LS	LS Preferred Equipment Group		\$0.00
A50	Seats, front bucket		\$0.00
BTV	Remote Start	Inc.	
DLF	Mirrors, outside heated power-adjustable, manual-folding	Inc.	
DP6	Mirror caps, painted body-colour	Inc.	
FJM	Axle, 3.50 final drive ratio		\$0.00
GB0	Mosaic Black Metallic		\$495.00
H5D	Jet Black/Grey with Blue accents, Cloth seat trim		\$0.00
IOR	Audio system, Chevrolet Infotainment 3 system		\$0.00
LIH	Engine, ECOTEC 1.2L Turbo DOHC DI with Variable Valve Timing (VVT)		\$0.00

Transmission, 6-speed automatic

LS Convenience Package

Federal air conditioning excise tax

LPO, All-weather floor liners, front and rear

LPO, Black bowtie emblems, front and rear

Wheels, 17" (43.2 cm) Silver-painted aluminum

LPO, Front and rear splash guards, custom moulded



MNH

RIA

RSE

SFZ

VQK

ZFT

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23395. Data Updated: 8-Feb-2024 6:53:00 PST PM.



SUBTOTAL	\$23,884.00
Adjustments Total	\$0.00
Vehicle Tax	\$100.00
Destination Charge	\$2,000.00
TOTAL PRICE	\$25,984.00

FUEL ECONOMY

Est City:8.3 L/100 km

Est Highway: 7.4 L/100 km

Est Highway Cruising Range:675.37 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23395. Data Updated: 8-Feb-2024 6:53:00 PST PM.



Standard Equipment

Раскаде	
	Chevrolet Safety Assist includes (UHY) Automatic Emergency Braking, (UKJ) Front Pedestrian Braking, (UHX)
	Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UEU) Forward Collision

	Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UEU) Forward Collision Alert and (TQ5) IntelliBeam
Mechanical	
	Engine, ECOTEC 1.2L Turbo DOHC DI with Variable Valve Timing (VVT) (137 hp [102 kW] @ 5000 rpm, 162 lb-ft of torque [219 N-m] @ 2500 rpm) (STD)
	Transmission, 6-speed automatic (STD)
	GVWR, 4145 lbs. (1880 kg)
	Axle, 3.50 final drive ratio
	Engine air filtration monitor
	Drivetrain, front-wheel drive
	Coolant protection, engine
	Battery, 70AH, 12V, 760 cold-cranking amps
	Alternator, 130 amps
	Suspension, Ride and Handling
	Suspension, front MacPherson strut
	Suspension, rear, compound crank
	Steering, power, non-variable ratio, electric
	Brakes, 4-wheel antilock, 4-wheel disc
	Brake, electronic parking
	Brake lining, performance
	Brake rotor, FNC
	Mechanical jack with tools
	Capless fuel fill
Exterior	
	Wheels, 17" (43.2 cm) steel with wheel cover (STD)
	Tires, 225/60R17 all-season, blackwall
	Exhaust tip, turned down, hidden



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23395. Data Updated: 8-Feb-2024 6:53:00 PST PM.

10-Feb-2024 Page 3

Wheel, spare, 16" (40.6 cm) steel

Tire, spare, compact



Exterior	
	Shutters, front lower grille, active
	Spoiler, rear
	Mouldings, Black, side windows surround
	Mouldings, body-side, lower, extra wide, moulded in Black
	Headlamps, LED
	Headlamp control, automatic on and off
	IntelliBeam, auto high beam (Included with (PED) Chevrolet Safety Assist.)
	Lamp, centre high-mounted stop/brake (CHMSL)
	Mirrors, outside power-adjustable, manual-folding,
	Mirror caps, moulded in Black
	Glass, deep-tinted
	Wiper, rear, intermittent
	Wipers, front intermittent, variable speed
	Glass, tinted windshield
	Ornamentation, Trax lettering
	Liftgate, manual
	Door handles, body-colour
	Recovery hook, front
Entertainment	
	Audio system, Chevrolet Infotainment 3 system 8" diagonal HD colour touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wireless Apple CarPlay and wireless Android Auto compatibility (STD)
	Audio system feature, 4-speaker system
	SiriusXM, enjoy a Platinum Plan trial subscription (Trial subscription is subject to the SiriusXM Customer Agreement and privacy policy, visit www.siriusxm.ca which includes full terms and how to cancel. All fees, content, features, and availability are subject to change.)
	Antenna, roof-mounted
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Wireless Apple CarPlay/Wireless Android Auto
	Active Noise Cancellation

Seats, front bucket (STD)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23395. Data Updated: 8-Feb-2024 6:53:00 PST PM.



Interior	
	Seat trim, Cloth
	Seats, heated driver and front passenger
	Seat adjuster, driver 6-way manual
	Seat adjuster, front passenger 4-way manual
	Seat, rear 60/40 split-folding
	Head restraints, front, 2-way adjustable
	Head restraints, rear, height adjustable
	Knee bolster, driver and front passenger
	Console, floor with armrest
	Floor mats, carpeted front (Deleted when LPO floor mats or floor liners are ordered.)
	Steering wheel, polyurethane
	Steering column, tilt and telescoping
	Steering wheel controls, mounted audio, cruise control Driver Information centre, Forward Collision Alert gap adjust and phone interface controls
	Driver Information centre, 3.5" diagonal monochromatic display
	Vehicle health management
	Window, power, front passenger with express down
	Window, power, driver with express down
	Windows, power rear, express down
	Door locks, power
	Keys, (2) foldable
	Cruise control, electronic with set and resume speed
	Theft-deterrent system, unauthorized entry
	Theft-deterrent system, immobilizer
	Remote panic alarm
	USB ports, 2, one type-A and one type-C, located within the instrument panel
	Power outlet, 12-volt, located on instrument panel
	Air conditioning, single-zone manual
	Defogger, rear-window electric
	Air filter, pollutant
	Mirror, inside rearview manual day/night,



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23395. Data Updated: 8-Feb-2024 6:53:00 PST PM.



Interior	
	Visors, driver and front passenger vanity mirrors, covered
	Assist handle, front passenger
	Assist handles, rear outboard,
	Shift knob, urethane
	Lighting, interior, overhead courtesy lamp
	Lighting, interior, roof, rear courtesy
	Lighting, rear cargo compartment lamp
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	Automatic Emergency Braking (Included with (PED) Chevrolet Safety Assist.)
	Front Pedestrian Braking (Included with (PED) Chevrolet Safety Assist.)
	Braking control, ECM grade
Safety-Exterior	
	StabiliTrak, stability control system
	Daytime Running Lamps, reduced intensity low beam, LED
Safety-Interior	
	Airbags, frontal and seat-mounted side-impact for driver and front passenger; roof rail-mounted head-curtain for all outboard seating positions, and Passenger Sensing System for front passenger
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	HD Rear Vision Camera (Rear Vision Camera display is not HD with IOR audio system.)
	Forward Collision Alert (Included with (PED) Chevrolet Safety Assist.)
	Following Distance Indicator (Included with (PED) Chevrolet Safety Assist.)
	Lane Keep Assist with Lane Departure Warning (Included with (PED) Chevrolet Safety Assist.)
	Seat belts, 3-point, all seating positions with front tensioners
	LATCH system (Lower Anchors and Tethers for CHildren), for child restraint seats
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened, programmable
	Rear Seat Reminder
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23395. Data Updated: 8-Feb-2024 6:53:00 PST PM.



(<u>~</u>	

Safety-Interior

Tire Pressure Monitor, manual learn

Tire Fill Alert

3 Years of OnStar Remote Access The OnStar Remote Access Plan gives you simplified remote control of your properly equipped vehicle and unlocks a variety of great features in your myChevrolet mobile app. See dealer for details. (Does not include emergency or security services. 3 years begins from the date of vehicle delivery. Requires a working vehicle electrical system (including battery), wireless reception and device data connection. See onstar.ca for details and limitations. Features and functionality vary by vehicle. Available on select Apple and Android devices. Device data connection required. Non-refundable and no cash value.)

WARRANTY

Warranty Note: <<< Preliminary 2024 Warranty >>>

Basic Years: 3 Basic Miles/km: 60.000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications

Powertrain

_			
Tran	em	166	:ION
I I UI			

Drivetrain	Front Wheel Drive	Trans Order Code	MNH
Trans Type	6	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.58
Second Gear Ratio (:1)	2.96	Third Gear Ratio (:1)	1.91
Fourth Gear Ratio (:1)	1.44	Fifth Gear Ratio (:1)	1.00
Sixth Gear Ratio (:1)	0.74	Reverse Ratio (:1)	2.94
Clutch Size	N/A	Final Drive Axle Ratio (:1)	3.50
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A

Mileage

EnerGuide Estimate - City	8.3 L/100 km	EnerGuide Estimate - Hwy	7.4 L/100 km
Cruising Range - City	602.14 km	Cruising Range - Hwy	675.37 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23395. Data Updated: 8-Feb-2024 6:53:00 PST PM.



/lileage			
EnerGuide Estimate Equivalent - Combined	N/A	EnerGuide Estimate Equivalent - Hwy	N/A
EnerGuide Estimate Equivalent - City	N/A	Estimated Battery Range	N/A
Engine			
Engine Order Code	LIH	Engine Type	Turbocharge Gas 3-Cyl
Displacement	1.2L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	137 @ 5000	SAE Net Torque @ RPM	162 @ 2500
Electrical	NI/A	Maying Alternator Conseits (conse)	420
Cold Cranking Amps @ 0° F (Primary)	N/A	Maximum Alternator Capacity (amps)	130
Cooling System			
Total Cooling System Capacity	N/A		
ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	185
/ehicle			
EPA Classification	Small Sport Utility Vehicle		
hassis			
Weight Information			
Base Curb Weight	N/A	Curb Weight - Front	N/A
Curb Weight - Rear	N/A	Curb Weight	N/A
Total Option Weight	0 kg		
Frailering			
Dead Weight Hitch - Max Trailer Wt.	N/A	Dead Weight Hitch - Max Tongue Wt.	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23395. Data Updated: 8-Feb-2024 6:53:00 PST PM.



hassis			
railering			
Wt Distributing Hitch - Max Trailer Wt.	N/A	Wt Distributing Hitch - Max Tongue Wt.	N/A
Maximum Trailering Capacity	N/A		
Suspension			
Suspension Type - Front	MacPherson Strut	Suspension Type - Rear	Compound Crank
Suspension Type - Front (Cont.)	N/A	Suspension Type - Rear (Cont.)	N/A
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
ïres			
Front Tire Order Code	QA3	Rear Tire Order Code	QA3
Spare Tire Order Code	ZDC	Front Tire Size	225/60R17
Rear Tire Size	225/60R17	Spare Tire Size	Compact
Vheels			
Front Wheel Size	17 x -TBD- in	Rear Wheel Size	17 x -TBD- in
Spare Wheel Size	16 x -TBD- in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
teering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), Overall	N/A
Lock to Lock Turns (Steering)	N/A	Turning Diameter - Curb to Curb	N/A
Turning Diameter - Wall to Wall	N/A		
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23395. Data Updated: 8-Feb-2024 6:53:00 PST PM.



hassis			
uel Tank			
Fuel Tank Capacity, Approx	50.0 L	Aux Fuel Tank Capacity, Approx	N/A
mensions			
nterior Dimensions			
Passenger Capacity	5	Passenger Volume	2,826.03 L
Front Head Room	1,005.84 mm	Front Leg Room	1,064.26 mm
Front Shoulder Room	1,414.78 mm	Front Hip Room	1,323.34 mm
Second Head Room	967.74 mm	Second Leg Room	982.98 mm
Second Shoulder Room	1,379.22 mm	Second Hip Room	1,163.32 mm
Exterior Dimensions	0.000.4		4.500.44
Wheelbase	2,692.4 mm	Length, Overall	4,536.44 mm
Width, Max w/o mirrors	1,823.72 mm	Height, Overall	1,560.07 mm
Track Width, Front	1,562.1 mm	Track Width, Rear	1,578.1 mm
Min Ground Clearance	185.42 mm	Rear Door Opening Height	N/A
Rear Door Opening Width	N/A	Liftover Height	N/A
Cargo Area Dimensions			
Cargo Area Length @ Floor to Seat 1	N/A	Cargo Area Length @ Floor to Seat 2	N/A
Cargo Area Length @ Floor to Seat 3	N/A	Cargo Area Width @ Beltline	N/A
Cargo Box Width @ Wheelhousings	N/A	Cargo Box (Area) Height	N/A
Cargo Volume to Seat 1	1,531.94 L	Cargo Volume to Seat 2	724.91 L
Cargo volume to Seat 1	1,001.04 L	Odigo volume to Ocal 2	72 2



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23395. Data Updated: 8-Feb-2024 6:53:00 PST PM.