



Window Sticker

SUMMARY

[Retail] 2024 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" LTZ

MSRP:\$80,999.00

Interior: Jet Black, Perforated leather-appointed front outboard seat trim

Exterior 1:Radiant Red Tintcoat

Exterior 2:No colour has been selected.

Engine, Duramax 6.6L Turbo-Diesel V8

Transmission, Allison 10-Speed automatic

OPTIONS

O	10110			
	CODE	MODEL		MSRP
	CK20743	[Retail] 2024 Chevrolet Silverado 2500HD (CK20743) 4WD Crew Cab 159" LTZ		\$80,999.00
		OPTIONS		
	1LZ	LTZ Preferred Equipment Group		\$0.00
	A48	Window, power, rear sliding	Inc.	
	A50	Seats, front bucket	Inc.	
	AAK	LPO, All-weather floor liners	Inc.	
	BHP	Winter Grille Cover	Inc.	
	BRS	Assist steps, power-retractable, with bright trim		\$2,640.00
	CF5	Sunroof, power		\$1,325.00
	CGN	Chevytec spray-on bedliner	Inc.	
	CWM	Technology Package	Inc.	
	D07	Centre Console, floor-mounted	Inc.	
	DRZ	Rear Camera Mirror, inside rearview auto-dimming	Inc.	
	GNT	Radiant Red Tintcoat		\$595.00
	GU6	Rear axle, 3.42 ratio	Inc.	
	H1Y	Jet Black, Perforated leather-appointed front outboard seat trim		\$0.00
	HS1	Safety Alert Seat	Inc.	
	IOK	Audio system, Chevrolet Infotainment 3 Premium system		\$0.00
	JGL	GVWR, 11,350 lbs. (5148 kg)	Inc.	
	JHD	Hill Descent Control	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23439. Data Updated: 16-Feb-2024 6:54:00 PST PM.



K05 Engine block K40 Exhaust brai K4C Wireless Cha	ke arging d second row outboard seats	Inc. Inc. Inc. Inc.	
	arging d second row outboard seats	Inc.	
K4C Wireless Ch	d second row outboard seats		
		Inc.	
KA6 Seats, heate	ated driver and front necessary	-	
KQV Seats, ventil	ated driver and front passenger	Inc.	
KSG Adaptive Cru	ise Control	Inc.	
KW5 Alternator, 2	20 amps	Inc.	
L5P Engine, Dura	max 6.6L Turbo-Diesel V8		\$10,995.00
MGM Transmission	n, Allison 10-Speed automatic	Inc.	
NZZ Skid Plates		Inc.	
PCN LTZ Conven	ence Package II	Inc.	
PCZ LTZ Conven	ence Package	Inc.	
PDK LTZ Premiur	n Package		\$5,640.00
PDZ Z71 Off-Roa	d and Protection Package		\$1,075.00
PQB Safety Packa	age	Inc.	
PYV Wheels, 18"	(45.7 cm) machined aluminum		\$0.00
QF6 Tires, LT275	/70R18E all-terrain, blackwall		\$0.00
QK2 Tailgate, Mu	ti-Flex		\$510.00
SFZ LPO, Black I	Bowtie Emblem, front		\$255.00
TRG Trailer Came	ra Provisions	Inc.	
TRO LPO, Auxilia	ry Trailer Camera		\$870.00
U01 Lamps, Smo	ked Amber roof marker, (LED)		\$85.00
UBC USB Ports, 2	, Charge/Data ports located inside centre console	Inc.	
UD5 Front and Re	ear Park Assist, ultrasonic	Inc.	
UF2 LED Cargo A	rea Lighting	Inc.	
UF3 High idle swi	tch		\$240.00
UFG Rear Cross	Fraffic Alert	Inc.	
UG1 Universal Ho	me Remote	Inc.	
UKV Trailer Side	Blind Zone Alert	Inc.	
UQA Bose Sound	System, premium 7-speaker system	Inc.	
UV2 HD Surround	l Vision	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23439. Data Updated: 16-Feb-2024 6:54:00 PST PM.



Vehicle: [Retail] 2024 Chevrolet Silverado 2500HI	(CK20743) 4WD Crew Cab 159" LTZ (✓ c	Complete)
---	---------------------------------------	------------

UV6	Multicolour 15" Diagonal Head-Up Display	Inc.	
UVN	Bed View Camera	Inc.	
VQK	LPO, Moulded splash guards, Black		\$270
Z6A	Gooseneck/5th Wheel Prep Package		\$630
Z71	Z71 Off-Road Package	Inc.	
	Federal air conditioning excise tax		\$100
	Battery, heavy-duty dual 730 cold-cranking amps/70 Amp-hr	Inc.	
	Suspension, Off-Road	Inc.	
	Capped Fuel Fill	Inc.	
	SUBTOTAL		\$106,129
	Adjustments Total		\$0
	Vehicle Tax		\$100
	Destination Charge		\$2,200
	TOTAL PRICE		\$108,429

FUEL ECONOMY

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23439. Data Updated: 16-Feb-2024 6:54:00 PST PM.





Standard Equipment

•	•
Package	
	Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted when (ZW9) pickup bed delete is ordered.)
Mechanical	
	Durabed, pickup bed
	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb -ft of torque [629 N-m] @ 4000 rpm) (STD)
	Transmission, Allison 10-Speed automatic (STD) (Standard with (L8T) 6.6L V8 gas engine.)
	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)
	GVWR, 10,850 lbs. (4921 kg) (STD) (Included and only available with CK20743 model and (L8T) 6.6L V8 gas engine with 18", 20" or 22" wheels.)
	Push Button Start
	Air filter, heavy-duty
	Air filtration monitoring
	Transfer case, two-speed active electronic Autotrac with push button control (Requires 4WD models.)
	Auto-locking rear differential
	Four wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)
	Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)
	Trailer brake controller, integrated
	Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section
	Recovery hooks, front, frame-mounted, Black (Not available with (VLQ) Chrome recovery hooks.)
	Suspension Package
	Steering, Digital Variable Steering Assist this system automatically adjusts steering based on speed, road conditions, and other inputs to reduce driver effort and fatigue
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23439. Data Updated: 16-Feb-2024 6:54:00 PST PM.





Mechanical	
	Exhaust, single, side
Exterior	
	Wheels, 18" (45.7 cm) machined aluminum with Silver painted accents, 6-spoke (STD)
	Tires, LT275/70R18E all-terrain, blackwall (STD) (Not available with (ZW9) pickup bed delete.)
	Tire, spare LT275/70R18 all-terrain, blackwall (Included and only available with (QF6) LT275/70R18E all-terrain, blackwall tires, (QG3) LT275/70R18 mud-terrain, blackwall tire or (QF9) LT275/65R20 all-terrain, blackwall tires with (E63) Durabed, pickup bed. Included when (QFG) LT275/65R20 blackwall off-road tires are ordered without (ZW9) pickup bed delete. Available to order when (ZW9) pickup bed delete and (QF6) LT275/70R18E all-terrain, blackwall tires are ordered.)
	Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
	Bumper, front chrome
	Bumper, rear chrome
	CornerStep, rear bumper
	BedStep, Black integrated on forward portion of bed on driver and passenger side (Deleted when (ZW9) pickup bed delete is ordered.)
	Mouldings, beltline, stainless steel
	Wheelhouse liners, rear (Not available with (ZW9) pickup bed delete.)
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner (Deleted with (ZW9) pickup bed delete.)
	Headlamps, Animated LED projectors LED turn signals and Daytime Running Lamps
	IntelliBeam, automatic high beam on/off
	Taillamps, LED with signature, animated (Certain vehicles built on or after May 29, 2023 will be forced to include (09X) LED Taillamps with Fixed Signature. See dealer for details or the window label for the features on a specific vehicle.)
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel
	Fog lamps, front, LED
	Mirrors, outside power-adjustable vertical trailering with heated and auto-dimming upper glass, (driver and passenger) lower convex mirrors, turn signal indicators, puddle lamps, (U12) perimeter lighting, auxiliary lighting, power folding/extending (extends 3.31" [84.25mm])
	Mirror caps, chrome
	Glass, deep-tinted
	Wipers, front rain-sensing
	Tailgate, standard (Deleted with (ZW9) pickup bed delete.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23439. Data Updated: 16-Feb-2024 6:54:00 PST PM.





Exterior	
	Tailgate and bed rail protection cap, top
	Tailgate, gate function manual with EZ Lift includes power lock and release (Upgraded to (QT6) Power up/down tailgate when (PCZ) LTZ Convenience Package is ordered. Deleted when (ZW9) pickup bed delete is ordered. Note: When (QK2) Multi-Flex tailgate is ordered with (PCZ) LTZ Convenience Package, (QT5) EZ Lift power lock and release tailgate is retained.)
	Door handles, chrome
Entertainment	
	Audio system, Chevrolet Infotainment 3 Premium system with Google built-in compatibility (select service plan required, terms and limitations apply) including navigation capability, 13.4" diagonal HD colour touchscreen, includes multi-touch display, AM/FM stereo, Bluetooth streaming audio for music and most phones; featuring Wireless Apple CarPlay and Wireless Android Auto capability for compatible phones, advanced voice recognition, in-vehicle apps, personalized profiles for infotainment and vehicle settings (STD)
	SiriusXM Radio
	SiriusXM with 360L includes a trial subscription to the Platinum Plan. Experience more channels in the vehicle, a more personalized experience and easier navigation. (Trial subscription subject to the SiriusXM Customer Agreement and privacy policy, visit www.siriusxm.ca which includes full terms and how to cancel. All fees, content, features, and availability are subject to change. Some features require GM connected vehicle services.)
	Audio system feature, 6-speaker system,
	Wireless phone projection for Apple CarPlay and Android Auto
	Steering wheel audio controls
	Bluetooth for phone connectivity to vehicle infotainment system
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD) (Leather-appointed split-bench seats. Not available with (PCZ) LTZ Convenience Package, (PDF) LTZ Plus Package or (PDK) LTZ Premium Package.)
	Perforated leather-appointed front outboard seat trim
	Seating, heated driver and front outboard passenger
	Seat adjuster, driver 10-way power including lumbar
	Seat adjuster, passenger 10-way power including lumbar
	Driver memory recalls driver "presets" for power driver seat and outside mirrors
	Seat, Up-level Rear with Storage Package 60/40 Split rear seat with centre armrest, right, and left seat back storage, and under seat jack storage (Crew Cabs Only) Rear seat leather appointed (Rear seat features leather seating surfaces.)
	Floor covering, colour-keyed carpeting
	Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23439. Data Updated: 16-Feb-2024 6:54:00 PST PM.



	4		
(\	Complete	1

Interior	
	Floor mats, rubberized-vinyl rear (Deleted when LPO floor liners are ordered.)
	Steering wheel, wrapped
	Steering wheel, heated
	Steering column, manual tilt and telescoping
	Driver Information Centre, enhanced, 12.3" diagonal reconfigurable multicolour digital display
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder
	Window, power front, drivers express up/down
	Window, power front, passenger express up/down
	Windows, power rear, express down
	Door locks, power
	Remote vehicle starter system
	Keyless Open and Start
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Theft-deterrent system, unauthorized entry
	USB Ports, 2, Charge/Data ports located on instrument panel
	USB ports, rear, dual, charge-only
	Power outlet, interior, 120-volt (400 watts shared with (KC9) bed mounted power outlet)
	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) interior power outlet) (Deleted when (ZW9) pickup bed delete is ordered.)
	Air conditioning, dual-zone automatic climate control
	Air vents, rear, heating/cooling
	Defogger, rear-window electric
	Mirror, inside rearview auto-dimming
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	Automatic Emergency Braking
	Front Pedestrian Braking



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23439. Data Updated: 16-Feb-2024 6:54:00 PST PM.





Safety-Mechanical

StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control

Safety-Interior

Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag

OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for

HD Rear Vision Camera (Deleted when (ZW9) pickup bed delete is ordered.)

Hitch Guidance dynamic single line to aid in trailer alignment for hitching (Deleted with (ZW9) pickup bed delete.)

Hitch Guidance with Hitch View

In-Vehicle Trailering App

Lane Departure Warning

Following Distance Indicator

Forward Collision Alert

Seat Belt Adjustable Guide Loops, front row only

Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu

Rear Seat Belt Indicator

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System

3 Years of Remote Access. The Remote Access Plan gives you simplified remote control of your properly equipped vehicle and unlocks a variety of great features in your myChevrolet mobile app. See dealer for details. (Does not include emergency or security services. 3 years begins from the date of vehicle delivery. Requires a working vehicle electrical system (including battery), wireless reception and device data connection. See onstar.ca for details and limitations. Features and functionality vary by vehicle. Available on select Apple and Android devices. Device data connection required. Non-refundable and no cash value.)

Processing-Other

Trailering Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering (Not available with (ZW9) pickup bed delete.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23439. Data Updated: 16-Feb-2024 6:54:00 PST PM.





WARRANTY

Warranty Note: <<< Preliminary 2024 Warranty >>>

Basic Years: 3 Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5

years/160,000 km

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MGM
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.54
Second Gear Ratio (:1)	2.87	Third Gear Ratio (:1)	2.06
Fourth Gear Ratio (:1)	1.72	Fifth Gear Ratio (:1)	1.48
Sixth Gear Ratio (:1)	1.26	Reverse Ratio (:1)	4.54
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.69
Tenth Gear Ratio (:1)	0.63		

Mileage

EnerGuide Estimate - City	N/A	EnerGuide Estimate - Hwy	N/A
Cruising Range - City N/A		Cruising Range - Hwy	N/A
Estimated Battery Range	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23439. Data Updated: 16-Feb-2024 6:54:00 PST PM.





Powertrain						
Engine						
Engine Order Code	L5P	Engine Type	Turbocharged Diesel V8			
Displacement	6.6L/-TBD-	Fuel System	N/A			
SAE Net Horsepower @ RPM	470 @ 2800	SAE Net Torque @ RPM	975 @ 1600			
Engine Oil Cooler	Yes					
Electrical						
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	730			
Maximum Alternator Capacity (amps)	220	Cold Cranking Amps @ 0° F (3rd)	N/A			
Cooling System						
Total Cooling System Capacity	N/A					
Vehicle						
Emissions						
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	N/A			
Chassis						
Weight Information						
Standard Weight - Front	0 kg	Standard Weight - Rear	0 kg			
Gross Axle Wt Rating - Front	N/A	Gross Axle Wt Rating - Rear	N/A			
Curb Weight - Front	N/A	Curb Weight - Rear	N/A			
Option Weight - Front	0 kg	Option Weight - Rear	0 kg			
Reserve Axle Capacity - Front	N/A	Reserve Axle Capacity - Rear	N/A			
As Spec'd Curb Weight	N/A	As Spec'd Payload	N/A			
Maximum Payload Capacity	N/A	Gross Combined Wt Rating	12,474 kg			
Gross Axle Weight Rating	N/A	Curb Weight	N/A			
Reserve Axle Capacity	N/A	Total Option Weight	0 kg			
Payload Weight Front	0 kg	Payload Weight Rear	0 kg			
Gross Vehicle Weight Rating	5,148.36 kg					



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23439. Data Updated: 16-Feb-2024 6:54:00 PST PM.





Chassis **Trailering** Dead Weight Hitch - Max Trailer Wt. 2,268 kg Dead Weight Hitch - Max Tongue Wt. 226.8 kg Wt Distributing Hitch - Max Trailer Wt. 8,391.6 kg Wt Distributing Hitch - Max Tongue Wt. 839.16 kg Fifth Wheel Hitch - Max Trailer Wt. 8,663.76 kg Maximum Trailering Capacity 9,072 kg Fifth Wheel Hitch - Max Tongue Wt. 2,165.94 kg **Frame** Frame Type Hydroformed Sect Modulus Rails Only N/A Frame RBM N/A Frame Strength N/A Frame Thickness N/A Suspension Suspension Type - Front Short/Long Arm Suspension Type - Rear Multi-Leaf Springs Spring Capacity - Front Spring Capacity - Rear N/A N/A N/A N/A Axle Type - Front Axle Type - Rear Axle Capacity - Front N/A N/A Axle Capacity - Rear Axle Ratio (:1) - Front N/A Axle Ratio (:1) - Rear 3.42 Shock Absorber Diameter - Front 51 mm Shock Absorber Diameter - Rear 51 mm Stabilizer Bar Diameter - Front 35.05 mm Stabilizer Bar Diameter - Rear N/A **Tires** Front Tire Order Code Rear Tire Order Code QF6 QF6 ZYG Front Tire Size Spare Tire Order Code LT275/70R18 Rear Tire Size LT275/70R18 Spare Tire Size LT275/70R18 Front Tire Capacity Rear Tire Capacity N/A N/A Spare Tire Capacity N/A Revolutions/Mile @ 45 mph - Front N/A Revolutions/Mile @ 45 mph - Rear N/A Revolutions/Mile @ 45 mph - Spare N/A Wheels Front Wheel Size 18 x -TBD- in Rear Wheel Size 18 x -TBD- in Spare Wheel Size 18 x -TBD- in Front Wheel Material Aluminum Rear Wheel Material Aluminum Spare Wheel Material N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23439. Data Updated: 16-Feb-2024 6:54:00 PST PM.





Chassis			
Wheels			
Steering			
Steering Type	Pwr	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	16.06 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	355.6 x 40.64 mm
Rear Brake Rotor Diam x Thickness	358.14 x 33.02 mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	136 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
Dimensions			
Interior Dimensions			
Passenger Capacity	5	Front Head Room	1,092.96 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,658.62 mm
Second Hip Room	1,530.1 mm		
Exterior Dimensions			
Wheelbase	4,038.6 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	6,351.02 mm	Width, Max w/o mirrors	2,078.99 mm
Height, Overall	2,027.43 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23439. Data Updated: 16-Feb-2024 6:54:00 PST PM.





Dimensions Exterior Dimensions Cab to Axle Cab to End of Frame N/A 1,071.12 mm Ground to Top of Load Floor Ground to Top of Frame N/A N/A Frame Width, Rear N/A Ground Clearance, Front 257.05 mm Ground Clearance, Rear 257.05 mm Body Length 0 m Cab to Body N/A **Cargo Area Dimensions** Cargo Box Length @ Floor 2,089.15 mm Cargo Box Width @ Top, Rear N/A Cargo Box Width @ Floor Cargo Box Width @ Wheelhousings 1,316.99 mm 1,813.56 mm Cargo Box (Area) Height 533.4 mm Tailgate Width N/A N/A Cargo Volume 1,968.02 L Ext'd Cab Cargo Volume



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23439. Data Updated: 16-Feb-2024 6:54:00 PST PM.