



## **Window Sticker**

### **SUMMARY**

[Retail] 2024 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab 157" Custom

MSRP:\$59,499.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Red Hot

Exterior 2:No colour has been selected.

Engine, 2.7L TurboMax

Transmission, 8-speed automatic, electronically controlled

## **OPTIONS**

| OPI | OPTIONS |   |             |  |  |
|-----|---------|---|-------------|--|--|
|     | CODE    | MODEL   | MSRP        |  |  |
|     | CK10743 | [Retail] 2024 Chevrolet Silverado 1500 (CK10743) 4WD Crew Cab<br>157" Custom                | \$59,499.00 |  |  |
|     |         | OPTIONS   |             |  |  |
|     | 1CX     | Custom Preferred Equipment Group  | \$0.00      |  |  |
|     | AZ3     | Seats, front 40/20/40 split-bench   | \$0.00      |  |  |
|     | G7C     | Red Hot   | \$0.00      |  |  |
|     | G80     | Auto-locking rear differential  | \$450.00    |  |  |
|     | GU6     | Rear axle, 3.42 ratio   | \$0.00      |  |  |
|     | H0U     | Jet Black, Cloth seat trim  | \$0.00      |  |  |
|     | IOR     | Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo | \$0.00      |  |  |
|     | JL1     | Trailer brake controller, integrated  | \$350.00    |  |  |
|     | L3B     | Engine, 2.7L TurboMax   | \$0.00      |  |  |
|     | MFC     | Transmission, 8-speed automatic, electronically controlled                                  | \$0.00      |  |  |
|     | NZP     | Wheels, 20" x 9" (50.8 cm x 22.9 cm) Bright Silver painted aluminum                         | \$0.00      |  |  |
|     | QAB     | Tires, 275/60R20 all-season, blackwall  | \$0.00      |  |  |
|     | _       | Federal air conditioning excise tax   | \$100.00    |  |  |
|     |         | SUBTOTAL  | \$60,299.00 |  |  |
|     |         | Adjustments Total   | \$0.00      |  |  |
|     |         | Vehicle Tax   | \$100.00    |  |  |
|     |         | Destination Charge  | \$2,200.00  |  |  |
|     |         |   |             |  |  |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23522. Data Updated: 26-Feb-2024 6:43:00 PST PM.





**TOTAL PRICE** \$62,599.00

## **FUEL ECONOMY**

Est City:13.2 L/100 km

Est Highway:11.2 L/100 km

Est Highway Cruising Range:812.05 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23522. Data Updated: 26-Feb-2024 6:43:00 PST PM.





# **Standard Equipment**

| Package    |   |
|------------|---|
|            | Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance  |
|            | Custom Value Package includes (PCX) Custom Convenience Package and (Z82) Trailering Package   |
|            | Custom Convenience Package includes (BTV) Remote Start with (UTJ) content theft alarm, (C49) rear-window defogger, (UF2) bed LED cargo area lighting and (QT5) EZ Lift power lock and release tailgate (Included and only available with (PDX) Custom Value Package.) |
| Mechanical |   |
|            | Durabed, pickup bed   |
|            | Engine, 2.7L TurboMax (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (STD)   |
|            | Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)   |
|            | GVWR, 7000 lbs. (3175 kg) (Requires Crew Cab or Double Cab 4WD model and (L3B) 2.7L TurboMax engine.)   |
|            | Rear axle, 3.42 ratio   |
|            | Automatic Stop/Start  |
|            | Push Button Start   |
|            | Transfer case, single speed electronic Autotrac with push button control (4WD models only)  |
|            | Four wheel drive  |
|            | Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power   |
|            | Alternator, 220 amps  |
|            | Frame, fully-boxed, hydroformed front section   |
|            | Suspension Package, High Capacity   |
|            | Steering, Electric Power Steering (EPS) assist, rack-and-pinion   |
|            | Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors   |
|            | Brake lining wear indicator   |
|            | Capless Fuel Fill   |
|            | Exhaust, single outlet  |
| Exterior   |   |
|            | Wheels, 20" x 9" (50.8 cm x 22.9 cm) Bright Silver painted aluminum (STD)   |
|            | Tires, 275/60R20 all-season, blackwall (STD)  |
|            | Tire, spare 255/80R17SL all-season, blackwall   |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23522. Data Updated: 26-Feb-2024 6:43:00 PST PM.

Page 3 28-Feb-2024





| Exterior      |   |
|---------------|---|
| Exterior      |   |
|               | Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare  |
|               | Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door  |
|               | Bumper, front (Body-colour.)  |
|               | Bumper, rear (Body-colour.)   |
|               | CornerStep, rear bumper   |
|               | Recovery hooks, front, frame-mounted, Black   |
|               | Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner  |
|               | Headlamps, halogen reflector with halogen Daytime Running Lamps   |
|               | IntelliBeam, automatic high beam on/off   |
|               | Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel (LED)  |
|               | LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob   |
|               | Taillamps, with incandescent tail, stop and reverse lights  |
|               | Mirrors, outside heated power-adjustable  |
|               | Glass, deep-tinted  |
|               | Door handles, Black   |
|               | Tailgate and bed rail protection cap, top   |
|               | Tailgate, standard  |
|               | Tailgate, gate function manual with EZ Lift includes power lock and release   |
| Entertainment |   |
|               | Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wireless Apple CarPlay and Android Auto capable (STD) |
|               | SiriusXM enjoy a Platinum Plan trial subscription (Trial subscription is subject to the SiriusXM Customer Agreement and privacy policy, visit www.siriusxm.ca which includes full terms and how to cancel. All fees, content, features, and availability are subject to change.)          |
|               | Audio system feature, 6-speaker system,   |
|               | Wireless Phone Projection for Apple CarPlay and Android Auto  |
|               | Bluetooth for phone, connectivity to vehicle infotainment system  |
|               | Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)   |
| Interior      |   |
|               | Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)  |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23522. Data Updated: 26-Feb-2024 6:43:00 PST PM.



| Interior |   |
|----------|---|
| interior | Seat trim, Cloth  |
|          |   |
|          | Seat adjuster, driver 10-way power including lumbar   |
|          | Seat adjuster, passenger 4-way manual   |
|          | Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)  |
|          | Floor covering, colour-keyed carpeting  |
|          | Floor mats, rubberized vinyl, front (Deleted when LPO floor liners are ordered.)  |
|          | Floor mats, rubberized-vinyl rear (Deleted when LPO floor liners are ordered.)  |
|          | Steering wheel, urethane  |
|          | Steering column, Tilt-Wheel, manual with wheel locking security feature   |
|          | Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure                     |
|          | Driver Information Centre, 3.5" diagonal monochromatic display  |
|          | Exterior Temperature Display located in radio display   |
|          | Compass located in instrument cluster   |
|          | Rear Seat Reminder  |
|          | Window, power front, drivers express up/down  |
|          | Window, power front, passenger express down   |
|          | Windows, power rear, express down   |
|          | Door locks, power   |
|          | Remote Keyless Entry, with 2 transmitters   |
|          | Remote vehicle starter system   |
|          | Cruise control, electronic with set and resume speed, steering wheel-mounted  |
|          | Theft-deterrent system, unauthorized entry  |
|          | Power outlet, front auxiliary, 12-volt  |
|          | Power outlet, interior power outlet, 120-volt (400 watts shared with (KC9) bed mounted power outlet)  |
|          | USB Ports, 2, Charge/Data ports located on the instrument panel   |
|          | USB Ports, rear, dual, charge-only  |
|          | Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) interior power outlet)   |
|          | Air conditioning, single-zone manual  |
|          | Air vents, rear, heating/cooling  |
|          | Defogger, rear-window electric  |
|          | This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23522. Data Updated: 26-Feb-2024 6:43:00 PST PM.



| Э |
|---|
|   |

| Interior          |  |
|-------------------|--|
|                   | Mirror, inside rearview, manual tilt   |
|                   | Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted  |
|                   | Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)  |
| Safety-Mechanical |  |
|                   | Automatic Emergency Braking  |
|                   | Front Pedestrian Braking   |
|                   | StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist   |
| Safety-Exterior   |  |
|                   | Daytime Running Lamps with automatic exterior lamp control   |
| Safety-Interior   |  |
|                   | Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag  |
|                   | OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)  |
|                   | HD Rear Vision Camera  |
|                   | Hitch Guidance dynamic single line to aid in trailer alignment for hitching  |
|                   | Chevy Safety Assist includes (UHY) Automatic Emergency Braking, (UKJ) Front Pedestrian Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UEU) Forward Collision Alert and (TQ5) IntelliBeam  |
|                   | Lane Keep Assist with Lane Departure Warning   |
|                   | Following Distance Indicator   |
|                   | Forward Collision Alert  |
|                   | Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fobto help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver |
|                   | Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu   |
|                   | Rear Seat Belt Indicator   |
|                   | Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)  |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23522. Data Updated: 26-Feb-2024 6:43:00 PST PM.





## Safety-Interior

3 years of Remote Access. The Remote Access Plan gives you simplified remote control of your properly equipped vehicle and unlocks a variety of great features in your myChevrolet mobile app. See dealer for details. (Does not include emergency or security services. 3 years begins from the date of vehicle delivery. Requires a working vehicle electrical system (including battery), wireless reception and device data connection. See onstar.ca for details and limitations. Features and functionality vary by vehicle. Available on select Apple and Android devices. Device data connection required. Non-refundable and no cash value.)

#### WARRANTY

Warranty Note: <<< Preliminary 2024 Warranty >>>

Basic Years: 3

Basic Miles/km: 60.000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5

years/160,000 km

# **Technical Specifications**

# **Powertrain Transmission**

| Drivetrain                          | Four Wheel Drive | Trans Order Code                   | MFC       |
|-------------------------------------|------------------|------------------------------------|-----------|
|                                     |                  |                                    | Will G    |
| Trans Type                          | 8                | Trans Description Cont.            | Automatic |
| Trans Description Cont. Again       | N/A              | First Gear Ratio (:1)              | 4.56      |
| Second Gear Ratio (:1)              | 2.97             | Third Gear Ratio (:1)              | 2.08      |
| Fourth Gear Ratio (:1)              | 1.69             | Fifth Gear Ratio (:1)              | 1.27      |
| Sixth Gear Ratio (:1)               | 1.00             | Reverse Ratio (:1)                 | 3.82      |
| Clutch Size                         | N/A              | Trans Power Take Off               | N/A       |
| Final Drive Axle Ratio (:1)         | N/A              | Transfer Case Model                | Magna     |
| Transfer Case Gear Ratio (:1), High | 1.00             | Transfer Case Gear Ratio (:1), Low | N/A       |
| Transfer Case Power Take Off        | N/A              | Seventh Gear Ratio (:1)            | 0.85      |
| Eighth Gear Ratio (:1)              | 0.65             |                                    |           |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23522. Data Updated: 26-Feb-2024 6:43:00 PST PM.



| ( | <b></b>      | Complete |
|---|--------------|----------|
| 1 | $\checkmark$ | Complete |

| Powertrain                           |               |                                 |                        |
|--------------------------------------|---------------|---------------------------------|------------------------|
| Mileage                              |               |                                 |                        |
| EnerGuide Estimate - City            | 13.2 L/100 km | EnerGuide Estimate - Hwy        | 11.2 L/100 km          |
| Cruising Range - City                | 689.02 km     | Cruising Range - Hwy            | 812.05 km              |
| Estimated Battery Range              | N/A           |                                 |                        |
| Engine                               |               |                                 |                        |
| Engine Order Code                    | L3B           | Engine Type                     | Turbocharged<br>Gas I4 |
| Displacement                         | 2.7L/166      | Fuel System                     | Direct Injection       |
| SAE Net Horsepower @ RPM             | 310 @ 5600    | SAE Net Torque @ RPM            | 430 @ 3000             |
| Engine Oil Cooler                    | N/A           |                                 |                        |
| Electrical                           |               |                                 |                        |
| Cold Cranking Amps @ 0° F (Primary)  | 730           | Cold Cranking Amps @ 0° F (2nd) | N/A                    |
| Maximum Alternator Capacity (amps)   | 220           | Cold Cranking Amps @ 0° F (3rd) | N/A                    |
| Cooling System                       |               |                                 |                        |
| Total Cooling System Capacity        | N/A           |                                 |                        |
| ehicle                               |               |                                 |                        |
| Emissions                            |               |                                 |                        |
| Kg/yr of CO2 Emissions @ 20K km/year | N/A           | G/km Of CO2 Emissions           | 289                    |
| Chassis                              |               |                                 |                        |
| Weight Information                   |               |                                 |                        |
| Standard Weight - Front              | 21.32 kg      | Standard Weight - Rear          | 32.21 kg               |
| Gross Axle Wt Rating - Front         | 1,723.68 kg   | Gross Axle Wt Rating - Rear     | 1,723.68 kg            |
| Curb Weight - Front                  | 1,327.69 kg   | Curb Weight - Rear              | 887.24 kg              |
| Option Weight - Front                | 1.36 kg       | Option Weight - Rear            | 2.27 kg                |
| Reserve Axle Capacity - Front        | 373.31 kg     | Reserve Axle Capacity - Rear    | 801.96 kg              |
| As Spec'd Curb Weight                | 2,272.08 kg   | As Spec'd Payload               | 903.12 kg              |
| Maximum Payload Capacity             | 960.27 kg     | Gross Combined Wt Rating        | 6,577.2 kg             |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23522. Data Updated: 26-Feb-2024 6:43:00 PST PM.

Page 8 28-Feb-2024



| <b>1</b> | Complete |
|----------|----------|
| ~        | Compice  |

#### Chassis **Weight Information** Curb Weight Gross Axle Weight Rating 3,447.36 kg 2,214.93 kg **Total Option Weight** Reserve Axle Capacity 1,175.28 kg 3.63 kg Payload Weight Front 0 kg Payload Weight Rear 0 kg Gross Vehicle Weight Rating 3,175.2 kg **Trailering** Dead Weight Hitch - Max Trailer Wt. Dead Weight Hitch - Max Tongue Wt. 2,268 kg 226.8 kg Wt Distributing Hitch - Max Trailer Wt. Wt Distributing Hitch - Max Tongue Wt. 408.24 kg 4,082.4 kg Fifth Wheel Hitch - Max Trailer Wt. 4,037.04 kg Maximum Trailering Capacity 4,082.4 kg Fifth Wheel Hitch - Max Tongue Wt. 1,009.26 kg **Frame** Box Ladder Sect Modulus Rails Only Frame Type N/A Frame RBM N/A Frame Strength N/A Frame Thickness N/A Suspension Suspension Type - Front Suspension Type - Rear Solid Axle Independent Spring Capacity - Front 1,723.68 kg Spring Capacity - Rear 1,746.36 kg Axle Type - Front Axle Type - Rear N/A N/A Axle Capacity - Front 1,723.68 kg Axle Capacity - Rear 1,723.68 kg 3.42 3.42 Axle Ratio (:1) - Front Axle Ratio (:1) - Rear Shock Absorber Diameter - Front Shock Absorber Diameter - Rear N/A N/A Stabilizer Bar Diameter - Front 33.02 mm Stabilizer Bar Diameter - Rear N/A **Tires** Front Tire Order Code QAB Rear Tire Order Code QAB Spare Tire Order Code QAQ Front Tire Size 275/60R20 Rear Tire Size 275/60R20 Spare Tire Size 255/80R17SL Front Tire Capacity Rear Tire Capacity 1,723.68 kg 1,723.68 kg



Spare Tire Capacity

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23522. Data Updated: 26-Feb-2024 6:43:00 PST PM.

Revolutions/Mile @ 45 mph - Front

N/A

28-Feb-2024 Page 9

N/A



|   | 4        |          |
|---|----------|----------|
| ( | <b>V</b> | Complete |
| ١ | ~        | Complete |

| hassis                            |                        |                                    |                 |
|-----------------------------------|------------------------|------------------------------------|-----------------|
| Fires                             |                        |                                    |                 |
| Revolutions/Mile @ 45 mph - Rear  | N/A                    | Revolutions/Mile @ 45 mph - Spare  | N/A             |
| Vheels                            |                        |                                    |                 |
| Front Wheel Size                  | 20 x 9 in              | Rear Wheel Size                    | 20 x 9 in       |
| Spare Wheel Size                  | 17 x 8 in              | Front Wheel Material               | Aluminum        |
| Rear Wheel Material               | Aluminum               | Spare Wheel Material               | Steel           |
| teering                           |                        |                                    |                 |
| Steering Type                     | Electric Rack & Pinion | Steering Ratio (:1), On Centre     | N/A             |
| Steering Ratio (:1), At Lock      | N/A                    | Turning Diameter - Curb to Curb    | 15.3 m          |
| Turning Diameter - Wall to Wall   | N/A                    |                                    |                 |
| Brakes                            |                        |                                    |                 |
| Brake Type                        | Pwr                    | Brake ABS System                   | 4-Wheel         |
| Brake ABS System (Second Line)    | N/A                    | Disc - Front (Yes or )             | Yes             |
| Disc - Rear (Yes or )             | Yes                    | Front Brake Rotor Diam x Thickness | 342.9 x 29.97 n |
| Rear Brake Rotor Diam x Thickness | 345.44 x 20.07<br>mm   | Drum - Rear (Yes or )              | N/A             |
| Rear Drum Diam x Width            | N/A                    |                                    |                 |
| uel Tank                          |                        |                                    |                 |
| Fuel Tank Capacity, Approx        | 91 L                   | Aux Fuel Tank Capacity, Approx     | N/A             |
| Fuel Tank Location                | N/A                    | Aux Fuel Tank Location             | N/A             |
| mensions                          |                        |                                    |                 |
| nterior Dimensions                |                        |                                    |                 |
| Passenger Capacity                | 6                      | Front Head Room                    | 1,092.96 mm     |
| Front Leg Room                    | 1,131.06 mm            | Front Shoulder Room                | 1,676.91 mm     |
| Front Hip Room                    | 1,553.97 mm            | Second Head Room                   | 1,019.05 mm     |
| Second Leg Room                   | 1,102.36 mm            | Second Shoulder Room               | 1,655.06 mm     |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23522. Data Updated: 26-Feb-2024 6:43:00 PST PM.





## **Dimensions**

| Interior | I )ımen | enone |
|----------|---------|-------|
|          |         |       |

Second Hip Room 1,530.1 mm

#### **Exterior Dimensions**

| Wheelbase                   | 3,987.8 mm  | Length, Overall w/o rear bumper | N/A        |
|-----------------------------|-------------|---------------------------------|------------|
| Length, Overall             | 6,131.81 mm | Width, Max w/o mirrors          | 2,063.5 mm |
| Height, Overall             | 1,915.16 mm | Overhang, Front                 | N/A        |
| Overhang, Rear w/o bumper   | N/A         | Front Bumper to Back of Cab     | N/A        |
| Cab to Axle                 | N/A         | Cab to End of Frame             | N/A        |
| Ground to Top of Load Floor | N/A         | Ground to Top of Frame          | N/A        |
| Frame Width, Rear           | N/A         | Ground Clearance, Front         | 201.93 mm  |
| Ground Clearance, Rear      | 201.93 mm   | Body Length                     | 0 m        |
| Cab to Body                 | N/A         |                                 |            |

## **Cargo Area Dimensions**

| Cargo Box Length @ Floor | 2,017.78 mm | Cargo Box Width @ Top, Rear     | N/A      |
|--------------------------|-------------|---------------------------------|----------|
| Cargo Box Width @ Floor  | 1,813.56 mm | Cargo Box Width @ Wheelhousings | 1,286 mm |
| Cargo Box (Area) Height  | 568.96 mm   | Tailgate Width                  | N/A      |
| Cargo Volume             | 2,030.32 L  | Ext'd Cab Cargo Volume          | N/A      |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23522. Data Updated: 26-Feb-2024 6:43:00 PST PM.