

Window Sticker

SUMMARY				
	24 Chevrolet Silverado 1500 (CK10	0543) 4WD Crew Cab 147" LT Trail	Boss	MSRP:\$67,199.00
	Black, Leather-appointed front sea	at trim		
	Slate Grey Metallic			
	No colour has been selected.			
	3L EcoTec3 V8			
	ion, 10-speed automatic with Elect	ronic Transmission Range Selector		
OPTIONS				
CODE	MODEL			MSRP
CK10543	[Retail] 2024 Ch 147" LT Trail Bo	evrolet Silverado 1500 (CK10543) 4 ss	4WD Crew Cab	\$67,199.00
	OPTIONS			
2LT	LT Trail Boss Pr	eferred Equipment Group		\$0.00
A48	Window, power,	rear sliding	Inc.	
A50	Seats, front buch	ket		\$715.00
B1J	Wheelhouse line	ers, rear	Inc.	
C5Y	GVWR, 7100 lbs	s. (3221 kg)	Inc.	
CF5	Sunroof, power			\$1,325.00
CGN	Chevytec spray-	on bedliner, Black	Inc.	
СХН	Leather Package	e		\$1,255.00
D07	Centre Console,	floor-mounted	Inc.	
EPH	Shifter, Electron	ic Transmission Range Selector	Inc.	
GNO	Slate Grey Meta	llic		\$495.00
GU5	Rear axle, 3.23	ratio	Inc.	
H0Y	Jet Black, Leath	er-appointed front seat trim		\$0.00
IOK	Audio system, C	hevrolet Infotainment 3 Premium sy	ystem	\$0.00
JL1	Trailer brake cor	ntroller, integrated	Inc.	
K4C	Wireless Chargi	ng	Inc.	
KW7	Alternator, 170 a	amps	Inc.	





L84	Engine, 5.3L EcoTec3 V8		\$3,225.00
MHS	Transmission, 10-speed automatic with Electronic Transmission Range Selector	Inc.	
N10	Exhaust, dual with polished outlets	Inc.	
PCM	Convenience Package II		\$1,695.00
PDB	LPO, Dark Essentials Package		\$525.00
PZ8	Hitch Guidance with hitch view	Inc.	
QK2	Tailgate, Multi-Flex		\$510.00
R30	Tires, LT275/65R18C blackwall Goodyear Wrangler Territory MT		\$0.00
RD1	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) High gloss Black painted aluminum		\$0.00
RIK	LPO, Black nameplates	Inc.	
RVS	LPO, Assist steps - 4" Black - round		\$1,015.00
SFE	LPO, Wheel locks, set of 4		\$100.00
SNR	Seat, Up-level Rear with Storage Package	Inc.	
UBC	USB Ports, 2, Charge/Data ports located inside centre console	Inc.	
UET	In-Vehicle Trailering App, System	Inc.	
UG1	Universal Home Remote	Inc.	
UQA	Bose Sound System, premium 7-speaker system	Inc.	
VQK	LPO, Moulded splash guards, Black		\$265.00
WPQ	Protection Package		\$805.00
XCQ	Tire, spare 265/70R17SL all-season, blackwall	Inc.	
	Federal air conditioning excise tax		\$100.00
	SUBTOTAL		\$79,129.00
	Adjustments Total		\$0.00
	Vehicle Tax		\$100.00
	Destination Charge		\$2,200.00
	TOTAL PRICE		\$81,429.00

FUEL ECONOMY

Est City:15.8 L/100 km

Est Highway:13.1 L/100 km





Est Highway Cruising Range:694.28 km





Standard Equipment

Package	
	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance
	Convenience Package includes (CJ2) dual-zone automatic climate control, (A2X) 10-way power driver seat including power lumbar, (KA1) heated driver and passenger seats, (N57) wrapped steering wheel, (KI3) heated steering wheel, (KI4) 120-volt power outlet, (KC9) 120-volt bed-mounted power outlet, (UBI) 2 charge-only USE ports for second row, (C49) rear-window defogger, (AVJ) Keyless Open and Start, (BTV) Remote Start and (UTJ) content theft alarm (Upgradeable to (A50) bucket seats and includes (D07) centre console.)
Mechanical	
	Durabed, pickup bed
	Engine, 2.7L TurboMax (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (STD)
	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L3B) 2.7L TurboMax engine. Requires (AZ3) front 40/20/40 split-bench seats.)
	Rear axle, 3.42 ratio (Included and only available with (L3B) 2.7L TurboMax engine.)
	GVWR, 7000 lbs. (3175 kg) (STD) (Requires (L3B) 2.7L TurboMax engine.)
	Automatic Stop/Start
	Push Button Start
	Hill Descent Control
	Transfer case, two-speed electronic Autotrac with push button control (4WD models only)
	Auto-locking rear differential
	Four wheel drive
	Cooling, external engine oil cooler (Included and only available with V8 engines.)
	Cooling, auxiliary external transmission oil cooler (Included and only available with V8 engines.)
	Air filter, heavy-duty
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retaine accessory power
	Alternator, 220 amps (Included and only available with (L3B) 2.7L TurboMax engine or (LZ0) Duramax 3.0L Turbo-Diesel I6 engine.)
	Skid Plates
	Frame, fully-boxed, hydroformed front section
	Suspension Package, Z71 Off-Road equipment with 2" lift. Includes (Z7X) Off-Road suspension with 2" lift and monotube shocks, (JHD) Hill Descent Control, (NZZ) skid plates, (K47) heavy-duty air filter and Z71 hard badge
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public





Mechanical	
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet
Exterior	
	Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) High gloss Black painted aluminum (STD)
	Tires, LT275/65R18C blackwall Goodyear Wrangler Territory MT (STD)
	Tire, spare 265/70R17SL all-season, blackwall (STD)
	Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front (High gloss Black.)
	Bumper, rear (High gloss Black.)
	CornerStep, rear bumper
	Recovery hooks, performance Red
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Black Bowtie, (front grille)
	Headlamps, LED reflector with LED signature Daytime Running Lamps and Amber tracer animation
	IntelliBeam, automatic high beam on/off
	Fog lamps, front, LED
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch in bank on left side of steering wheel (LED)
	LED Cargo Area Lighting located in pickup bed, activated with switch on centre switch bank or key fob
	Taillamps, LED with signature, animation and incandescent reverse lights
	Mirrors, outside heated power-adjustable (When (PQB) Safety Package is ordered, includes (U12) Perimeter Lighting.)
	Mirror caps, painted (High gloss Black. Not available with (DPO) trailering mirrors.)
	Glass, deep-tinted
	Door handles, body-colour (High gloss Black.)
	Tailgate and bed rail protection cap, top
	Tailgate, standard





Exterior	
	Tailgate, gate function manual with EZ Lift includes power lock and release
Entertainment	
	Audio system, Chevrolet Infotainment 3 Premium system with Google built-in, 13.4" diagonal HD colour touchscreen, includes multi-touch display, AM/FM stereo, Bluetooth streaming audio for music and most phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones, advanced voice recognition, in-vehicle apps, personalized profiles for infotainment and vehicle settings (STD)
	SiriusXM
	SiriusXM with 360L includes a trial subscription to the Platinum Plan. Experience more channels in the vehicle, a more personalized experience and easier navigation (Trial subscription subject to the SiriusXM Customer Agreement and privacy policy, visit www.siriusxm.ca which includes full terms and how to cancel. All fees, content, features, and availability are subject to change. Some features require GM connected vehicle services.)
	Audio system feature, 6-speaker system,
	Wireless Phone Projection for Apple CarPlay and Android Auto
	Bluetooth for phone, connectivity to vehicle infotainment system
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
	Seat trim, Cloth
	Seat adjuster, driver 10-way power including lumbar
	Seat adjuster, passenger 4-way manual
	Seating, heated driver and front outboard passenger
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
	Floor covering, colour-keyed carpeting
	LPO, All-weather floor liners, 1st and 2nd rows (includes Z71 logo on front mats), [Replaces factory floor mats]
	Steering wheel, wrapped
	Steering wheel, heated
	Steering wheel audio controls
	Steering column, manual tilt and telescoping
	Driver Information Centre, enhanced, 12.3" diagonal reconfigurable multicolour digital display
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Rear Seat Reminder





nterior	
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Windows, power rear, express down
	Door locks, power
	Remote vehicle starter system
	Keyless Open and Start
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Theft-deterrent system, unauthorized entry
	Power outlet, interior power outlet, 120-volt (400 watts shared with (KC9) bed mounted power outlet)
	USB Ports, 2, Charge/Data ports located on the instrument panel
	USB Ports, rear, dual, charge-only
	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) interior power outlet)
	Air conditioning, dual-zone automatic climate control
	Air vents, rear, heating/cooling
	Defogger, rear-window electric
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	Automatic Emergency Braking
	Front Pedestrian Braking
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic traile sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)





HD Rear Vision Camera
Hitch Guidance dynamic single line to aid in trailer alignment for hitching
Chevy Safety Assist includes (UHY) Automatic Emergency Braking, (UKJ) Front Pedestrian Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UEU) Forward Collision Alert and (TQ5) IntelliBeam
Lane Keep Assist with Lane Departure Warning
Following Distance Indicator
Forward Collision Alert
Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key for to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and help you to continue to coach your new driver
Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu
Rear Seat Belt Indicator
Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)
3 years of Remote Access. The Remote Access Plan gives you simplified remote control of your properly equipped vehicle and unlocks a variety of great features in your myChevrolet mobile app. See dealer for details (Does not include emergency or security services. 3 years begins from the date of vehicle delivery. Requires a working vehicle electrical system (including battery), wireless reception and device data connection. See onstar.ca for details and limitations. Features and functionality vary by vehicle. Available on select Apple and Android devices. Device data connection required. Non-refundable and no cash value.)
Warranty Note: <<< Preliminary 2024 Warranty >>> Basic Years: 3 Basic Miles/km: 60,000 Drivetrain Years: 5 Drivetrain Miles/km: 100,000 Drivetrain Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6I Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5 years/160,000 km Corrosion Years (Rust-Through): 6 Corrosion Years: 3 Corrosion Miles/km (Rust-Through): 160,000 Corrosion Miles/km: 60,000 Roadside Assistance Years: 5 Roadside Assistance Miles/km: 100,000 Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles and vehicles factory equipped with 6.6L Duramax Turbo-Diesel Engine or equipped with a 3.0L Duramax Turbo-Diesel Engine: 5

Technical Specifications





Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MHS
Trans Type	10	Trans Description Cont.	Automatic w/Paddle Shifters
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.69
Second Gear Ratio (:1)	2.98	Third Gear Ratio (:1)	2.15
Fourth Gear Ratio (:1)	1.8	Fifth Gear Ratio (:1)	1.52
Sixth Gear Ratio (:1)	1.28	Reverse Ratio (:1)	4.86
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP3023/4
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.69
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.69
Tenth Gear Ratio (:1)	0.63		

Mileage

EnerGuide Estimate - City	15.8 L/100 km	EnerGuide Estimate - Hwy	13.1 L/100 km
Cruising Range - City	575.63 km	Cruising Range - Hwy	694.28 km
Estimated Battery Range	N/A		

Engine

Engine Order Code	L84	Engine Type	Gas V8
Displacement	5.3L/325	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	N/A		
lectrical			
Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A





ling System			
Total Cooling System Capacity	N/A		
hicle			
missions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	342
assis			
eight Information			
Standard Weight - Front	41.73 kg	Standard Weight - Rear	48.08 kg
Gross Axle Wt Rating - Front	1,723.68 kg	Gross Axle Wt Rating - Rear	1,723.68 kg
Curb Weight - Front	1,290.49 kg	Curb Weight - Rear	898.58 kg
Option Weight - Front	78.93 kg	Option Weight - Rear	80.29 kg
Reserve Axle Capacity - Front	312.53 kg	Reserve Axle Capacity - Rear	696.73 kg
As Spec'd Curb Weight	2,438.1 kg	As Spec'd Payload	782.46 kg
Maximum Payload Capacity	1,031.49 kg	Gross Combined Wt Rating	6,804 kg
Gross Axle Weight Rating	3,447.36 kg	Curb Weight	2,189.07 kg
Reserve Axle Capacity	1,009.26 kg	Total Option Weight	159.21 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,220.56 kg		
ailering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	4,218.48 kg	Wt Distributing Hitch - Max Tongue Wt.	421.85 kg
Fifth Wheel Hitch - Max Trailer Wt.	3,946.32 kg	Maximum Trailering Capacity	4,218.48 kg
Fifth Wheel Hitch - Max Tongue Wt.	986.58 kg		
ame			
Frame Type	Box Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		





Chassis

Suspension			
Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	1,723.68 kg	Spring Capacity - Rear	1,746.36 kg
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	1,723.68 kg	Axle Capacity - Rear	1,723.68 kg
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	33.02 mm	Stabilizer Bar Diameter - Rear	N/A
Tires			
Front Tire Order Code	R30	Rear Tire Order Code	R30
Spare Tire Order Code	XCQ	Front Tire Size	LT275/65R18
Rear Tire Size	LT275/65R18C	Spare Tire Size	265/70R17SL
Front Tire Capacity	1,723.68 kg	Rear Tire Capacity	1,723.68 kg
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Wheels			
Front Wheel Size	18 x 8.5 in	Rear Wheel Size	18 x 8.5 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
Steering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.36 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes





rakes			
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	342.9 x 29.97 mr
Rear Brake Rotor Diam x Thickness	345.44 x 20.07 mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
mensions			
terior Dimensions			
Passenger Capacity	5	Front Head Room	1,092.96 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,019.05 mm
Second Leg Room	1,102.36 mm	Second Shoulder Room	1,655.06 mm
Second Hip Room	1,530.1 mm		
xterior Dimensions			
Wheelbase	3,746.5 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,914.9 mm	Width, Max w/o mirrors	2,063.5 mm
Height, Overall	1,990.09 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	281.94 mm
Ground Clearance, Rear	281.94 mm	Body Length	0 m
Cab to Body	N/A		
argo Area Dimensions			
Cargo Box Length @ Floor	1,775.97 mm	Cargo Box Width @ Top, Rear	N/A





Dimensions

Cargo Area Dimensions

Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,286 mm
Cargo Box (Area) Height	568.96 mm	Tailgate Width	N/A
Cargo Volume	1,781.13 L	Ext'd Cab Cargo Volume	N/A

