

Window Sticker

SUMMARY

[Retail] 2024 Chevrolet Colorado (14G43) 4WD Crew Cab Z71

Interior:Jet Black/Adrenaline Red, Cloth/Evotex seat trim

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, 2.7L TurboMax

Transmission, 8-speed automatic

OPTIONS

THONG			
CODE	MODEL		MSRP
14G43	[Retail] 2024 Chevrolet Colorado (14G43) 4WD Crew Cab Z71		\$48,199.00
	OPTIONS		
4Z7	Z71 Preferred Equipment Group		\$0.00
A2X	Seat adjuster, driver 8-way power	Inc.	
A50	Seats, front bucket		\$0.00
AL9	Seat adjuster, power driver lumbar control	Inc.	
B26	Safety Package		\$690.00
BDR	Locking cylinder Tailgate, keyed cylinder lock	Inc.	
BPC	StowFlex Tailgate, storage compartment, lockable	Inc.	
BTV	Remote vehicle starter system	Inc.	
CAC	Sunroof, power sliding glass with manual shade		\$1,150.00
CGN	Bedliner, Spray-on, Black with Chevrolet logo		\$600.00
CJ2	Air conditioning, dual-zone automatic climate control	Inc.	
CWM	Technology Package		\$1,095.00
DD8	Mirror, inside rearview auto-dimming	Inc.	
GBA	Black		\$0.00
GU6	Rear axle, 3.42 ratio		\$0.00
HZY	Jet Black/Adrenaline Red, Cloth/Evotex seat trim		\$0.00
JL1	Trailer brake controller, integrated	Inc.	
K4C	Wireless Charging	Inc.	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23807. Data Updated: 31-Mar-2024 6:41:00 PDT PM.

MSRP:\$48,199.00



		ψ0.00
		\$56,554.00 \$0.00
- 		\$56,554.00
		\$100.00
	IIIC.	\$750.00
	Inc	φυ.υυ
		\$560.00
rear		\$560.00
LPO, Front and rear splash guards, custom-moulded with logo on		\$305.00
HD Surround Vision	Inc.	
11.3" diagonal advanced colour LCD display with Google built-In		\$0.00
Audio system feature, Bose premium 7-speaker system		\$685.00
Blind Zone Steering Assist with Trailering		\$0.00
Rear Pedestrian Alert	Inc.	
	Inc.	
	Inc.	
		\$105.00
		\$260.00
		\$0.00
Wheels, 18" X 8.5" (45.7 cm x 21.6 cm) Android Dark full gloss aluminum		\$0.00
Tailgate, EZ-Lift and Lower	Inc.	
Z71 Convenience Package II		\$1,980.00
Steering column, tilt and telescoping	Inc.	
Transmission, 8-speed automatic		\$0.00
Engine, 2.7L TurboMax		\$0.00
Generator, 220 amp		\$175.00
Adaptive Cruise Control	Inc.	
Seats, heated driver and front passenger	Inc.	
	Adaptive Cruise ControlGenerator, 220 ampEngine, 2.7L TurboMaxTransmission, 8-speed automaticSteering column, tilt and telescopingZ71 Convenience Package IITailgate, EZ-Lift and LowerWheels, 18" X 8.5" (45.7 cm x 21.6 cm) Android Dark full gloss aluminumTires, 265/65R18 all-terrain, blackwall, 32" ODLPO, All-weather Floor Liner, 1st and 2nd rowsLPO, Wheel locksTrailering AppRear Park AssistRear Cross Traffic BrakingRear Pedestrian AlertBlind Zone Steering Assist with TraileringAudio system feature, Bose premium 7-speaker system11.3" diagonal advanced colour LCD display with Google built-InHD Surround VisionLPO, Front and rear splash guards, custom-moulded with logo on	Adaptive Cruise Control Inc. Generator, 220 amp Engine, 2.7L TurboMax Transmission, 8-speed automatic Inc. Steering column, tilt and telescoping Inc. Z71 Convenience Package II Inc. Tailgate, EZ-Lift and Lower Inc. Wheels, 18" X 8.5" (45.7 cm x 21.6 cm) Android Dark full gloss aluminum Inc. Tires, 265/65R18 all-terrain, blackwall, 32" OD LPO, All-weather Floor Liner, 1st and 2nd rows LPO, Wheel locks Inc. Trailering App Inc. Rear Park Assist Inc. Rear Cross Traffic Braking Inc. Blind Zone Steering Assist with Trailering Inc. Audio system feature, Bose premium 7-speaker system Inc. LPO, Front and rear splash guards, custom-moulded with logo on rear Inc. LPO, Black assist steps Inc. Tre, spare 265/70R17SL all-season, blackwall Inc. Advanced Trailering Package Federal air conditioning excise tax

Vehicle Tax\$100.00Destination Charge\$2,200.00





TOTAL PRICE

FUEL ECONOMY

Est City:13 L/100 km

Est Highway:10.4 L/100 km

Est Highway Cruising Range:778.48 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23807. Data Updated: 31-Mar-2024 6:41:00 PDT PM.

\$58,854.00



Standard Equipment

Package	
	Chevrolet Safety Assist includes (UHY) Automatic Emergency Braking, (UKT) Front Pedestrian and Bicyclist Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator - (Requires a future software update), (UEU) Forward Collision Alert and (TQ5) IntelliBeam (Beginning at the start of production, Certain vehicles will not be equipped with (UE4) Following Distance Indicator functionality which will require a future software update to function.)
Mechanical	
	Engine, 2.7L TurboMax (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (STD)
	Transmission, 8-speed automatic (STD)
	GVWR, 6250 lbs. (2835 kg)
	Rear axle, 3.42 ratio
	Engine control, stop/start system disable button
	Engine air filtration monitor
	Push Button Start
	Automatic Stop/Start
	Hill Descent Control
	Transfer case, two-speed, electronic Autotrac with push button control includes transfer case shield
	Four wheel drive
	Differential, automatic locking rear
	Battery, AGM, 800 cold-cranking amps with 80 amp hour rating, 12V
	Generator, 170 amp (Not available with (Z82) Trailering Package.)
	Radiator Grille Shutters, automatic
	Vehicle health management provides advanced warning of vehicle issues
	Hitch Guidance dynamic single line to aid in truck trailer alignment for hitching
	Red Recovery Hooks, front
	Frame, fully-boxed
	Pickup box
	Switch, Flexride mode system
	Brakes, 4-wheel antilock, 4-wheel disc
	Capless fuel fill





Exterior	
	Wheels, 18" X 8.5" (45.7 cm x 21.6 cm) Android Dark full gloss aluminum (STD)
	Tires, 265/65R18 all-terrain, blackwall, 32" OD (STD) (Will have (XCQ) 265/70R17SL all-season, blackwall spare tire and (RM7) 17 x 8" (43.2 cm x 20.3 cm) steel spare wheel.)
	Tire, spare 265/70R17SL all-season, blackwall
	Wheel, spare, 17 x 8" (43.2 cm x 20.3 cm) steel
	Engine cover, appearance
	CornerStep, rear bumper
	Mouldings, Black beltline
	Exterior, B-pillar applique (Not available on (GBA) Black and (GXN) Harvest Bronze Metallic.)
	Headlamps, LED
	IntelliBeam, automatic high beam on/off
	Headlamp control, automatic on and off with automatic delay
	Fog lamps, front LED
	Cargo box light, back of cab
	LEDS Tail lamp, Stop
	Mirrors, outside heated power-adjustable
	Mirror caps, painted (Painted Black.)
	Glass, deep-tinted
	Glass, solar glazing front side windows
	Glass, privacy glazing rear side windows
	Windshield, solar absorbing
	Door handles, body-colour
	Tailgate, remote locking, (locks and unlocks with key fob)
Entertainment	
	11.3" diagonal advanced colour LCD display with Google built-In compatibility including navigation capability, connected apps, personalized profiles for each driver's settings, Natural Voice Recognition and Phone

Audio system feature, 6-speaker system,

limitations apply.)



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23807. Data Updated: 31-Mar-2024 6:41:00 PDT PM.

Integration for Wireless Apple CarPlay/Wireless Android Auto for compatible phones (STD) (Terms and



Entertainment	
	SiriusXM with 360L Equipped with SiriusXM with 360L. Enjoy a trial subscription of the Platinum Plan for the full 360L experience, with a greater variety of SiriusXM content, a more personalized experience and easier navigation. With the Platinum Plan you can also enjoy your favourites everywhere you go, with the SiriusXM app, online and at home on compatible connected devices. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change. GM connected vehicle services vary by vehicle model and require active service plan, working electrical system, cell reception and GPS signal. See onstar.com/ca for details and limitations.)
	Wireless phone projection, for Apple CarPlay and Android Auto
	Chevrolet Connected Services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front bucket (STD)
	Seat trim, Cloth/Evotex
	Seat adjuster, driver 6-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 split-folding bench with storage
	Console, floor front compartment with cup holders and cell phone storage
	Floor covering, colour-keyed carpeting
	Floor mats, carpeted front
	Floor mats, carpeted rear
	Steering column, tilt, manual (Not available with (PCX) Z71 Convenience Package II.)
	Steering wheel, wrapped
	Steering wheel controls, mounted audio controls
	Speedometer, miles/kilometres
	Driver Information Centre, 11" diagonal fully-digital display
	Windows, power with driver express up/down
	Window, power front, passenger express down
	Windows, power rear, express down
	Windows, remote express down all windows
	Window, rear-sliding, manual
	Door locks, power
	Keyless Open and Start





Interior	
	Cruise control, electronic, automatic (Not available with (CWM) Technology Package.)
	Theft-deterrent system, unauthorized entry
	USB Ports, 2 (first row) located on console
	USB Ports, rear, dual, charge-only
	Power outlet, 12-volt located in centre console bin
	Power outlet, 120-volt, located in the rear of centre console
	Power outlet, 120-volt, bed mounted
	Air conditioning, single-zone manual climate control
	Air vents, rear
	Heater, air conditioning duct, rear passenger
	Defogger, rear-window electric
	Handles, door release, front and rear, Chrome
	Mirror, inside rearview manual day/night, (Not available with (PCX) Z71 Convenience Package II.)
	Visors, driver and front passenger illuminated sliding vanity mirrors
	Lighting, interior, dual reading
	Lighting, interior, centre dome
	Map pocket, front passenger seatback
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
	Automatic Emergency Braking
	Front Pedestrian and Bicyclist Braking
	Hitch View
Safety-Exterior	
	Daytime Running Lamps, LED
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23807. Data Updated: 31-Mar-2024 6:41:00 PDT PM.

outboard Passenger Sensing System for frontal passenger airbag



Safety-Interior	
	Front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	HD Rear Vision Camera (Not available with (CWM) Technology Package.)
	Lane Keep Assist with Lane Departure Warning
	Forward Collision Alert
	Following Distance Indicator (Beginning at the start of production, Certain vehicles will not be equipped with (UE4) Following Distance Indicator functionality which will require a future software update to function.)
	LED Reflective Windshield Collision Alert
	Seat Belt, Black
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Door locks, rear child security
	Rear Seat Reminder
	Rear Seat Belt Indicator
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu
	Tire Fill Alert provides an audible indication when tire pressure is added to a tire that is low. Aids to achieve optimal tire pressure
	Tire Pressure Monitoring System (does not apply to spare tire)
	3 Years of Onstar Remote Access. The Onstar Remote Access Plan gives you simplified remote control of your properly equipped vehicle and unlocks a variety of great features in your myChevrolet mobile app. See dealer for details. (OnStar and Connected Vehicle Services require a working vehicle electrical system (including battery), active service plan, cell reception and GPS satellite signal. OnStar links to emergency services. Services, connectivity and capabilities vary by model and/or vehicle configuration and conditions as well as geographical and technical restrictions and are subject to terms and limitations. See onstar.ca for coverage maps, terms, details and system limitations. Data plans are provided by AT&T or its local service provider; availability subject to change; not transferable to subsequent vehicle owners. Non-refundable and no cash value.)





WARRANTY

Warranty Note: <<< Preliminary 2024 Warranty >>> Basic Years: 3 Basic Miles/km: 60,000 Drivetrain Years: 5 Drivetrain Miles/km: 100,000 Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km Corrosion Years: 3 Corrosion Years: 3 Corrosion Miles/km (Rust-Through): 160,000 Corrosion Miles/km: 60,000 Roadside Assistance Years: 5 Roadside Assistance Miles/km: 100,000 Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications

Powertrain

Transmission

Engine Order Code	L3B	Engine Type	Turbocharged
gine			
Estimated Battery Range	N/A		
Cruising Range - City	622.78 km	Cruising Range - Hwy	778.48 km
EnerGuide Estimate - City	13 L/100 km	EnerGuide Estimate - Hwy	10.4 L/100 km
eage			
Eighth Gear Ratio (:1)	0.65		
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Autotrac
Clutch Size	N/A	Trans Power Take Off	N/A
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	4.56
Fourth Gear Ratio (:1)	1.69	Fifth Gear Ratio (:1)	1.27
Second Gear Ratio (:1)	2.97	Third Gear Ratio (:1)	2.08
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.56
Trans Type	8	Trans Description Cont.	Automatic
Drivetrain	Four Wheel Drive	Trans Order Code	MFC





2.7L/-TBD-		
2.7L/-TBD-		
2.7L/-TBD-		Gas I4
	Fuel System	Direct Injection
310 @ 5600	SAE Net Torque @ RPM	430 @ 3000
N/A		
800	Cold Cranking Amps @ 0° F (2nd)	N/A
220	Cold Cranking Amps @ 0° F (3rd)	N/A
N/A		
N/A	G/km Of CO2 Emissions	277
0 kg	Standard Weight - Rear	0 kg
1,587.6 kg	Gross Axle Wt Rating - Rear	1,632.96 kg
1,161.22 kg	Curb Weight - Rear	894.05 kg
32.66 kg	Option Weight - Rear	53.98 kg
393.72 kg	Reserve Axle Capacity - Rear	684.94 kg
2,141.9 kg	As Spec'd Payload	693.1 kg
779.74 kg	Gross Combined Wt Rating	4,127.76 kg
3,220.56 kg	Curb Weight	2,055.26 kg
1,078.66 kg	Total Option Weight	86.64 kg
0 kg	Payload Weight Rear	0 kg
	800 220 N/A N/A N/A 0 kg 1,587.6 kg 1,161.22 kg 32.66 kg 393.72 kg 2,141.9 kg 2,141.9 kg 779.74 kg 3,220.56 kg	800Cold Cranking Amps @ 0° F (2nd)220Cold Cranking Amps @ 0° F (3rd)220Cold Cranking Amps @ 0° F (3rd)N/AN/AN/AG/km Of CO2 Emissions0 kgStandard Weight - Rear1,587.6 kgGross Axle Wt Rating - Rear1,161.22 kgCurb Weight - Rear32.66 kgOption Weight - Rear393.72 kgReserve Axle Capacity - Rear2,141.9 kgAs Spec'd Payload779.74 kgGross Combined Wt Rating3,220.56 kgCurb Weight1,078.66 kgTotal Option Weight Rear0 kgPayload Weight Rear





ering		
ead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead We
Wt Distributing Hitch - Max Trailer Wt.	3,492.72 kg	Wt Distributir
Fifth Wheel Hitch - Max Trailer Wt.	N/A	Maximum Traile
Fifth Wheel Hitch - Max Tongue Wt.	N/A	
ame		
Frame Type	Fully-boxed	Sect Modulus Rails On
Frame RBM	N/A	Frame Strength
Frame Thickness	N/A	
uspension		
Suspension Type - Front	Independent	Suspension Type - Rear
Spring Capacity - Front	N/A	Spring Capacity - Rear
Axle Type - Front	N/A	Axle Type - Rear
Axle Capacity - Front	N/A	Axle Capacity - Rear
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - I
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rea
ires		
Front Tire Order Code	Q2P	Rear Tire Order Code
Spare Tire Order Code	XCQ	Front Tire Size
Rear Tire Size	265/65R18	Spare Tire Size
Front Tire Capacity	N/A	Rear Tire Capacity
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph -
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph

Wheels

Front Wheel Size	18 x 8.5 in	Rear Wheel Size	18 x 8.5 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Aluminum





assis			
/heels			
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
teering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	N/A
Turning Diameter - Wall to Wall	N/A		
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	340.36 x -TBD- mm
Rear Brake Rotor Diam x Thickness	337.82 x -TBD- mm	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	81 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
mensions			
terior Dimensions			
Passenger Capacity	5	Front Head Room	1,023.37 mm
Front Leg Room	1,147.32 mm	Front Shoulder Room	1,457.96 mm
Front Hip Room	1,389.63 mm	Second Head Room	972.31 mm
Second Leg Room	881.38 mm	Second Shoulder Room	1,425.7 mm
Second Hip Room	1,348.49 mm		
xterior Dimensions			
Wheelbase	3,336.54 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,415.53 mm	Width, Max w/o mirrors	76.32 w/Mirrors Folded, 84.4





Dimensions

Exterior Dimensions

			w/Mirrors mm
Height, Overall	2,021.33 mm	Overhang, Front	876.3 mm
Overhang, Rear w/o bumper	1,201.67 mm	Front Bumper to Back of Cab	N/A
Cab to Axle	594.36 mm	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	226.06 mm
Ground Clearance, Rear	226.06 mm	Body Length	0 m
Cab to Body	N/A		
argo Area Dimensions			
Cargo Box Length @ Floor	1,567.18 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,493.52 mm	Cargo Box Width @ Wheelhousings	1,155.7 mm
Cargo Box (Area) Height	N/A	Tailgate Width	N/A
Cargo Volume	1,186.48 L	Ext'd Cab Cargo Volume	N/A

