



### **Window Sticker**

#### **SUMMARY**

[Retail] 2024 Chevrolet Colorado (14E43) 4WD Crew Cab Trail Boss

MSRP:\$44,699.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No colour has been selected.

Engine, 2.7L TurboMax

Transmission, 8-speed automatic

OPTIONS					
	<b>^</b>	рΤ	10	N	0

	_			
CO	DDE	MODEL		MSRP
148	E43	[Retail] 2024 Chevrolet Colorado (14E43) 4WD Crew Cab Trail Boss		\$44,699.00
		OPTIONS		
0TI	R	Trail Boss Preferred Equipment Group		\$0.00
A28	28	Window, rear-sliding, manual	Inc.	
A2	2X	Seat adjuster, driver 8-way power	Inc.	
A50	50	Seats, front bucket		\$0.00
AL:	.9	Seat adjuster, power driver lumbar control	Inc.	
BD	DR	Locking cylinder Tailgate, keyed cylinder lock	Inc.	
ВР	PC	StowFlex Tailgate, storage compartment, lockable	Inc.	
C4	19	Defogger, rear-window electric	Inc.	
GA	AΖ	Summit White		\$0.00
GU	J6	Rear axle, 3.42 ratio		\$0.00
H1	IT	Jet Black, Cloth seat trim		\$0.00
JL1	1	Trailer brake controller, integrated	Inc.	
K3-	34	Cruise control, electronic, automatic	Inc.	
KW	V5	Generator, 220 amp		\$175.00
L3F	В	Engine, 2.7L TurboMax		\$0.00
MF	FC	Transmission, 8-speed automatic		\$0.00
PC	CW	Trail Boss Convenience Package II		\$630.00
PD	DA .	Trail Boss Convenience Package		\$675.00



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23807. Data Updated: 31-Mar-2024 6:41:00 PDT PM.



PPA	Tailgate, EZ-Lift and Lower	Inc.	
PZX	Wheels, 18" X 8.5" (45.7 cm x 21.6 cm), Black High Gloss alumir	num	\$0.00
Q2P	Tires, 265/65R18 all-terrain, blackwall, 32" OD		\$0.00
RIA	LPO, All-weather Floor Liner, 1st and 2nd rows		\$260.00
S6P	LPO, Remote start kit		\$500.00
SFE	LPO, Wheel locks		\$105.00
SQI	LPO, Suspension Lift Kit		\$1,170.00
U1D	Trailering App	Inc.	
URL	11.3" diagonal advanced colour LCD display with Google built-In		\$0.00
XCQ	Tire, spare 265/70R17SL all-season, blackwall		\$0.00
Z82	Trailering Package, heavy-duty	Inc.	
ZL6	Advanced Trailering Package		\$750.00
	Federal air conditioning excise tax		\$100.00
	SUBTOTAL		\$48,964.00
	Adjustments Total		\$0.00
	Vehicle Tax		\$100.00
	Destination Charge		\$2,200.00
	TOTAL PRICE		\$51,264.00

### **FUEL ECONOMY**

Est City:13 L/100 km

Est Highway:10.4 L/100 km

Est Highway Cruising Range:778.48 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23807. Data Updated: 31-Mar-2024 6:41:00 PDT PM.





# **Standard Equipment**

### **Package**

Chevrolet Safety Assist includes (UHY) Automatic Emergency Braking, (UKT) Front Pedestrian and Bicyclist Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator - (Requires a future software update), (UEU) Forward Collision Alert and (TQ5) IntelliBeam (Beginning at the start of production, Certain vehicles will not be equipped with (UE4) Following Distance Indicator functionality which will require a future software update to function.)

Mechanical	
	Engine, 2.7L TurboMax (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (STD)
	Transmission, 8-speed automatic (STD)
	GVWR, 6250 lbs. (2835 kg)
	Rear axle, 3.42 ratio
	Engine control, stop/start system disable button
	Engine air filtration monitor
	Push Button Start
	Automatic Stop/Start
	Hill Descent Control
	Transfer case, two-speed, electronic Autotrac with push button control includes transfer case shield
	Four wheel drive
	Differential, automatic locking rear
	Battery, AGM, 800 cold-cranking amps with 80 amp hour rating, 12V
	Generator, 170 amp (Not available with (Z82) Trailering Package.)
	Radiator Grille Shutters, automatic
	Vehicle health management provides advanced warning of vehicle issues
	Hitch Guidance dynamic single line to aid in truck trailer alignment for hitching
	Recovery hooks, front, Black
	Frame, fully-boxed
	Pickup box
	Suspension, Off-Road 2-inch factory-installed lift and wider chassis
	Switch, Flexride mode system
	Brakes, 4-wheel antilock, 4-wheel disc
	Capless fuel fill



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23807. Data Updated: 31-Mar-2024 6:41:00 PDT PM.



Exterior	
	Wheels, 18" X 8.5" (45.7 cm x 21.6 cm), Black High Gloss aluminum (STD)
	Tires, 265/65R18 all-terrain, blackwall, 32" OD (STD) (Will have (XCQ) 265/70R17SL all-season, blackwall spare tire and (RM7) 17 x 8" (43.2 cm x 20.3 cm) steel spare wheel.)
	Tire, spare 265/70R17SL all-season, blackwall (STD)
	Wheel, spare, 17 x 8" (43.2 cm x 20.3 cm) steel
	Engine cover, appearance
	CornerStep, rear bumper
	Wheel Flares
	Mouldings, Black beltline
	Headlamps, halogen with automatic exterior lamp control
	IntelliBeam, automatic high beam on/off
	Headlamp control, automatic on and off with automatic delay
	Cargo box light, back of cab
	Mirrors, outside power-adjustable
	Mirror caps, moulded with colour (Not available with (B26) Safety Package.)
	Glass, deep-tinted
	Glass, solar glazing front side windows
	Glass, privacy glazing rear side windows
	Windshield, solar absorbing
	Door handles, Black
	Tailgate, remote locking, (locks and unlocks with key fob)
Entertainment	
	11.3" diagonal advanced colour LCD display with Google built-In compatibility including navigation capability, connected apps, personalized profiles for each driver's settings, Natural Voice Recognition and Phone Integration for Wireless Apple CarPlay/Wireless Android Auto for compatible phones (STD) (Terms and limitations apply.)
	Audio system feature, 6-speaker system,



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23807. Data Updated: 31-Mar-2024 6:41:00 PDT PM.



Entertainment	
	SiriusXM with 360L Equipped with SiriusXM with 360L. Enjoy a trial subscription of the Platinum Plan for the full 360L experience, with a greater variety of SiriusXM content, a more personalized experience and easier navigation. With the Platinum Plan you can also enjoy your favourites everywhere you go, with the SiriusXM app, online and at home on compatible connected devices. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change. GM connected vehicle services vary by vehicle model and require active service plan, working electrical system, cell reception and GPS signal. See onstar.com/ca for details and limitations.)
	Wireless phone projection, for Apple CarPlay and Android Auto
	Chevrolet Connected Services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
Interior	
	Seats, front bucket (STD)
	Seat trim, Cloth
	Seat adjuster, driver 6-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 split-folding bench with storage
	Console, floor front compartment with cup holders and cell phone storage
	Floor covering, colour-keyed carpeting
	Floor mats, carpeted front
	Floor mats, carpeted rear
	Steering column, tilt, manual
	Steering wheel, urethane
	Steering wheel controls, mounted audio controls
	Speedometer, miles/kilometres
	Driver Information Centre, 11" diagonal fully-digital display
	Windows, power with driver express up/down
	Window, power front, passenger express down
	Windows, power rear, express down
	Door locks, power
	Remote Keyless Entry
	Theft-deterrent system, unauthorized entry
	USB Ports, 2 (first row) located on console



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23807. Data Updated: 31-Mar-2024 6:41:00 PDT PM.



Interior	
	Power outlet, 12-volt located in centre console bin
	Air conditioning, single-zone manual climate control
	Air vents, rear
	Heater, air conditioning duct, rear passenger
	Handles, door release, front and rear, Jet Black
	Mirror, inside rearview manual day/night,
	Visors, driver and front passenger vanity mirrors
	Lighting, interior, centre dome
	Lighting, interior
	Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
	Automatic Emergency Braking
	Front Pedestrian and Bicyclist Braking
	Hitch View
Safety-Exterior	
	Daytime Running Lamps, Halogen
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag
	Front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	HD Rear Vision Camera (Not available with (CWM) Technology Package.)
	Lane Keep Assist with Lane Departure Warning
	Forward Collision Alert
	Following Distance Indicator (Beginning at the start of production, Certain vehicles will not be equipped with (UE4) Following Distance Indicator functionality which will require a future software update to function.)
	LED Reflective Windshield Collision Alert



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23807. Data Updated: 31-Mar-2024 6:41:00 PDT PM.



Safety-Interior	
	Seat Belt, Black
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Door locks, rear child security
	Rear Seat Reminder
	Rear Seat Belt Indicator
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu
	Tire Fill Alert provides an audible indication when tire pressure is added to a tire that is low. Aids to achieve optimal tire pressure
	Tire Pressure Monitoring System (does not apply to spare tire)
	3 Years of Onstar Remote Access. The Onstar Remote Access Plan gives you simplified remote control of your properly equipped vehicle and unlocks a variety of great features in your myChevrolet mobile app. See dealer for details. (OnStar and Connected Vehicle Services require a working vehicle electrical system (including battery), active service plan, cell reception and GPS satellite signal. OnStar links to emergency services. Services, connectivity and capabilities vary by model and/or vehicle configuration and conditions as well as geographical and technical restrictions and are subject to terms and limitations. See onstar.ca for coverage maps, terms, details and system limitations. Data plans are provided by AT&T or its local service provider; availability subject to change; not transferable to subsequent vehicle owners. Non-refundable and no cash value.)

### **WARRANTY**

Warranty Note: <<< Preliminary 2024 Warranty >>>

Basic Years: 3 Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

## **Technical Specifications**



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23807. Data Updated: 31-Mar-2024 6:41:00 PDT PM.



owertrain			
Transmission			
Drivetrain	Four Wheel Drive	Trans Order Code	MFC
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.56
Second Gear Ratio (:1)	2.97	Third Gear Ratio (:1)	2.08
Fourth Gear Ratio (:1)	1.69	Fifth Gear Ratio (:1)	1.27
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	4.56
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Autotrac
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	0.85
Eighth Gear Ratio (:1)	0.65		
Mileage			
EnerGuide Estimate - City	13 L/100 km	EnerGuide Estimate - Hwy	10.4 L/100 km
Cruising Range - City	622.78 km	Cruising Range - Hwy	778.48 km
Estimated Battery Range	N/A		
Engine			
Engine Order Code	L3B	Engine Type	Turbocharged Gas I4
Displacement	2.7L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	310 @ 5600	SAE Net Torque @ RPM	430 @ 3000
Engine Oil Cooler	N/A		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	800	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	220	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	N/A		



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23807. Data Updated: 31-Mar-2024 6:41:00 PDT PM.



/ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	277
Chassis			
Weight Information			
Standard Weight - Front	0 kg	Standard Weight - Rear	0 kg
Gross Axle Wt Rating - Front	1,587.6 kg	Gross Axle Wt Rating - Rear	1,632.96 kg
Curb Weight - Front	1,157.59 kg	Curb Weight - Rear	894.95 kg
Option Weight - Front	10.43 kg	Option Weight - Rear	26.31 kg
Reserve Axle Capacity - Front	419.58 kg	Reserve Axle Capacity - Rear	711.7 kg
As Spec'd Curb Weight	2,089.28 kg	As Spec'd Payload	745.72 kg
Maximum Payload Capacity	782.46 kg	Gross Combined Wt Rating	4,127.76 kg
Gross Axle Weight Rating	3,220.56 kg	Curb Weight	2,052.54 kg
Reserve Axle Capacity	1,131.28 kg	Total Option Weight	36.74 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	2,835 kg		
Trailering			
Dead Weight Hitch - Max Trailer Wt.	2,268 kg	Dead Weight Hitch - Max Tongue Wt.	226.8 kg
Wt Distributing Hitch - Max Trailer Wt.	3,492.72 kg	Wt Distributing Hitch - Max Tongue Wt.	349.27 kg
Fifth Wheel Hitch - Max Trailer Wt.	N/A	Maximum Trailering Capacity	3,492.72 kg
Fifth Wheel Hitch - Max Tongue Wt.	N/A		
Frame			
Frame Type	Fully-boxed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
Suspension			
Suspension Type - Front	Independent	Suspension Type - Rear	Semi-Elliptic, 2- Stage, Multi-Leaf
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23807. Data Updated: 31-Mar-2024 6:41:00 PDT PM.



hassis			
Suspension			
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.42	Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
Fires .			
Front Tire Order Code	Q2P	Rear Tire Order Code	Q2P
Spare Tire Order Code	XCQ	Front Tire Size	265/65R18
Rear Tire Size	265/65R18	Spare Tire Size	265/70R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Wheels			
Front Wheel Size	18 x 8.5 in	Rear Wheel Size	18 x 8.5 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
Steering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	N/A
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	340.36 x -TBD- mm
Rear Brake Rotor Diam x Thickness	337.82 x -TBD- mm	Drum - Rear (Yes or )	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23807. Data Updated: 31-Mar-2024 6:41:00 PDT PM.





chassis			
Brakes			
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	81 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
Dimensions			
Interior Dimensions			
Passenger Capacity	5	Front Head Room	1,023.37 mm
Front Leg Room	1,147.32 mm	Front Shoulder Room	1,457.96 mm
Front Hip Room	1,389.63 mm	Second Head Room	972.31 mm
Second Leg Room	881.38 mm	Second Shoulder Room	1,425.7 mm
Second Hip Room	1,348.49 mm		
Exterior Dimensions			
Wheelbase	3,336.54 mm	Length, Overall w/o rear bumper	N/A
Length, Overall	5,415.53 mm	Width, Max w/o mirrors	78.09 w/Mirrors Folded, 84.4 w/Mirrors mm
Height, Overall	2,027.68 mm	Overhang, Front	876.55 mm
Overhang, Rear w/o bumper	1,201.67 mm	Front Bumper to Back of Cab	N/A
Cab to Axle	591.82 mm	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	241.55 mm
Ground Clearance, Rear	241.55 mm	Body Length	0 m
Cab to Body	N/A		
Cargo Area Dimensions			
Cargo Box Length @ Floor	1,567.18 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,493.52 mm	Cargo Box Width @ Wheelhousings	1,155.7 mm
Cargo Box (Area) Height	N/A	Tailgate Width	N/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23807. Data Updated: 31-Mar-2024 6:41:00 PDT PM.



Complete	(	V	Complete	)
----------	---	---	----------	---

Dimensions							
Cargo Area Dimensions							
Cargo Volume	1,186.48 L	Ext'd Cab Cargo Volume	N/A				



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23807. Data Updated: 31-Mar-2024 6:41:00 PDT PM.