

Window Sticker

SUMMARY

[Retail] 2024 Chevrolet Traverse (1LB56) AWD 4dr LT

Interior:Jet Black, Evotex seat trim

Exterior 1:Sterling Grey Metallic

Exterior 2:No colour has been selected.

Engine, 2.5L Turbo DOHC SIDI with Variable Valve Timing (VVT)

Transmission, 8-speed automatic

OPTIONS

MODEL		MSRP
[Retail] 2024 Chevrolet Traverse (1LB56) AWD 4dr LT	W/A	
OPTIONS		
LT Preferred Equipment Group		\$0.00
Seating, 7-passenger (2-2-3 seating configuration)		\$0.00
Seats, front bucket		\$0.00
Sterling Grey Metallic		\$0.00
Jet Black, Evotex seat trim		\$1,150.00
Audio system, 17.7" diagonal advanced colour high-contrast display	LCD	\$0.00
Engine, 2.5L Turbo DOHC SIDI with Variable Valve Timing (\	/VT)	\$0.00
Transmission, 8-speed automatic		\$0.00
LPO, Floor Liner Package	W/A	
Tires, 255/65R18 all-season blackwall		\$0.00
LPO, All-weather floor liners, first and second row	Inc.	
LPO, All-weather floor liner, third row	Inc.	
Wheels, 18" (45.7 cm) Grazen Metallic machined-face alumir	num	\$0.00
LPO, Moulded splash guards	W/A	
Federal air conditioning excise tax		\$100.00
SUBTOTAL	W/A	
Adjustments Total	W/A	
	 [Retail] 2024 Chevrolet Traverse (1LB56) AWD 4dr LT OPTIONS LT Preferred Equipment Group Seating, 7-passenger (2-2-3 seating configuration) Seats, front bucket Sterling Grey Metallic Jet Black, Evotex seat trim Audio system, 17.7" diagonal advanced colour high-contrast display Engine, 2.5L Turbo DOHC SIDI with Variable Valve Timing (Note: Transmission, 8-speed automatic LPO, Floor Liner Package Tires, 255/65R18 all-season blackwall LPO, All-weather floor liners, first and second row LPO, All-weather floor liner, third row Wheels, 18" (45.7 cm) Grazen Metallic machined-face alumint LPO, Moulded splash guards Federal air conditioning excise tax 	[Retail] 2024 Chevrolet Traverse (1LB56) AWD 4dr LTW/AOPTIONSW/ALT Preferred Equipment GroupSeating, 7-passenger (2-2-3 seating configuration)Seats, front bucketSeating Grey MetallicSterling Grey MetallicJet Black, Evotex seat trimAudio system, 17.7" diagonal advanced colour high-contrast LCD displayYEngine, 2.5L Turbo DOHC SIDI with Variable Valve Timing (VVT)Transmission, 8-speed automaticW/ALPO, Floor Liner PackageW/ATires, 255/65R18 all-season blackwallInc.LPO, All-weather floor liners, first and second rowInc.UPO, All-weather floor liner, third rowInc.UPO, Moulded splash guardsW/AFederal air conditioning excise taxW/A



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23807. Data Updated: 31-Mar-2024 6:41:00 PDT PM.

MSRP:W/A



FUEL

Vehicle: [Retail] 2024 Chevrolet Traverse (1LB56) AWD 4dr LT (
 Complete)

	Vehicle Tax		\$100.00
	Destination Charge	W/A	
	TOTAL PRICE	W/A	
ECONOMY			

Est City:13.8 (Est) L/100 km

Est Highway:9.6 (Est) L/100 km

Est Highway Cruising Range:N/A





Standard Equipment

Convenience Package includes (BTV) Remote Start, (KA1) heated driver and front passenger seats, (KI3) heated steering wheal and (NS3) wrapped steering wheal Convenience Package includes (SS0) Adgrive Cruise Control, (UKM) enhanced Lane Keep Assist with Lane Departure Warning, (UV2) HD Surround Vision, (UKK) Rear Pedestrian Alert, (UOW) Side Bicyclist Alert, (UVX) Triffic Sign Recognition, (UGN) Enhanced Automatic Erregency Braking, (CTP) Intersection Automatic Erregency Braking, (UV2) Reverse Automatic Braking and (IVE) 17.7° diagonal advanced colour high contrast LCD display with Google buil-in compatibility (Select service plan required, Lerme and limitations apply), including navigation capability (Also includes (Rif) 120-voto power outlet and (ISA) Speed Limit Assist.) Mechanical Engine, 2.51. Turbo DOHC SIDI with Variable Valve Timing (VVT) (328 hp [244 kW] @ 5500 rpm, 326 lb-ft of torque [442 N-m] @ 3500 rpm) (STD) Engine control, stop-start system Engine control, stop-start system Engine control, stop-start system override Engine control, stop-start system override Electronic Precision Shift, electronic transmission range selector All-wheel drive All-wheel drive Suspension, Ride and Handling Brakes, 4-wheel antilock, 4-wheel disc Erregine 2.55/65R18 all-season blackwall (STD) Tires, 255/65R18 all-season blackwall (STD) Tires, 255/65R18 all-season blackwall (STD) Tire, compact spare, 1135/70R18, blackwall Moulding, bright door upper and low gloss Black belt Mouldings, moulded colour Odoyside	Package	
Lane Departure Warning, (UV2) HD Surround Vision, (UKK) Rear Pedestrian Alert, (UCW) Side Bicyclis Alert, Lane Departure Warning, (UV2) Reverse Automatic Braking and (IVE) 177 diagonal advanced colour high-contrast LCD display with Google built-in compatibility [select service plan required, terms and limitations apply], including navigation capability (Also includes (Kl6) 120-volt power outlet and (ISA) Speed Limit Assist.) Mechanical Engine, 2.5L Turbo DOHC SIDI with Variable Valve Timing (VVT) (328 hp [244 kW] @ 5500 rpm, 326 lb-ft of torque [442 N-m] @ 3500 rpm) (STD) Transmission, 8-speed automatic (STD) Engine control, stop-start system Engine control, stop-start system override Electronic Precision Shift, electronic transmission range selector All-wheel drive All-wheel drive Suspension, R-deral requirements Suspension, Ride and Handling Exterior Brake, 4-wheel antilock, 4-wheel disc Exterior Wheels, 18' (45.7 cm) Grazen Metallic machined-face aluminum (STD) Tree, 255/65R18 all-season blackwall (STD) Wheel, spare, 18' (45.7 cm) steel Tree, compact spare, T135/70R18, blackwall Moulding, bright door upper and low gloss Black belt Moulding, moulded colour bodyside Mouldings, mould-in-colour Black		
Engine, 2.5L Turbo DOHC SIDI with Variable Valve Timing (VVT) (328 hp [244 kW] @ 5500 rpm, 326 lb-ft of torque [442 N-m] @ 3500 rpm) (STD) Transmission, 8-speed automatic (STD) Engine control, stop-start system Engine control, stop-start system override Electronic Precision Shift, electronic transmission range selector All-wheel drive Alternator, 170 amps Emissions, Federal requirements Suspension, Ride and Handling Brakes, 4-wheel antilock, 4-wheel disc Exterior Wheels, 18" (45.7 cm) Grazen Metallic machined-face aluminum (STD) Tires, 255/65R18 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall Roof rails, Black Moulding, bright door upper and low gloss Black belt Mouldings, moulded colour Mouldings, rocker, narrow, moulded colour Wheel mouldings, mould-in-colour Black		Lane Departure Warning, (UV2) HD Surround Vision, (UKK) Rear Pedestrian Alert, (UOW) Side Bicyclist Alert, (UVX) Traffic Sign Recognition, (UGN) Enhanced Automatic Emergency Braking, (CTB) Intersection Automatic Emergency Braking, (UVZ) Reverse Automatic Braking and (IVE) 17.7" diagonal advanced colour high-contrast LCD display with Google built-in compatibility [select service plan required, terms and limitations apply],
torque [442 N-m] @ 3500 rpm) (STD) Transmission, 8-speed automatic (STD) Engine control, stop-start system Engine control, stop-start system override Electronic Precision Shift, electronic transmission range selector All-wheel drive Alternator, 170 amps Emissions, Federal requirements Suspension, Ride and Handling Brakes Ining wear indicator Brakes, 4-wheel antilock, 4-wheel disc Exterior Wheels, 18" (45.7 cm) Grazen Metallic machined-face aluminum (STD) Tires, 255/65R18 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Miele, spare, 18" (45.7 cm) steel Miel, Black Moulding, bright door upper and low gloss Black belt Mouldings, moulded colour Mouldings, rocker, narrow, moulded colour Wheel mouldings, mould-in-colour Black	Mechanical	
Engine control, stop-start systemEngine control, stop-start system overrideElectronic Precision Shift, electronic transmission range selectorAll-wheel driveAll-wheel driveAlternator, 170 ampsEmissions, Federal requirementsSuspension, Ride and HandlingBrakes, Ining wear indicatorBrakes, 4-wheel antilock, 4-wheel discExteriorVheels, 18" (45.7 cm) Grazen Metallic machined-face aluminum (STD)Tires, 255/65R18 all-season blackwall (STD)Wheel, spare, 18" (45.7 cm) steelTire, compact spare, T135/70R18, blackwallRoof rails, BlackMoulding, bright door upper and low gloss Black beltMouldings, mould-in-colour BlackWheel mouldings, mould-in-colour Black		
Engine control, stop-start system overrideElectronic Precision Shift, electronic transmission range selectorAll-wheel driveAll-wheel driveAlternator, 170 ampsEmissions, Federal requirementsSuspension, Ride and HandlingBrake lining wear indicatorBrakes, 4-wheel antilock, 4-wheel discExteriorImage: Stop Stop Stop Stop Stop Stop Stop Stop		Transmission, 8-speed automatic (STD)
Electronic Precision Shift, electronic transmission range selector All-wheel drive Alternator, 170 amps Emissions, Federal requirements Suspension, Ride and Handling Brake lining wear indicator Brakes, 4-wheel antilock, 4-wheel disc Exterior Vheels, 18" (45.7 cm) Grazen Metallic machined-face aluminum (STD) Tires, 255/65R18 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, 1135/70R18, blackwall Roof rails, Black Moulding, bright door upper and low gloss Black belt Mouldings, moulded colour bodyside Mouldings, rocker, narrow, moulded colour Wheel mouldings, mould-in-colour Black		Engine control, stop-start system
All-wheel drive Alternator, 170 amps Emissions, Federal requirements Suspension, Ride and Handling Brake lining wear indicator Brakes, 4-wheel antilock, 4-wheel disc Exterior Wheels, 18" (45.7 cm) Grazen Metallic machined-face aluminum (STD) Tires, 255/65R18 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, 1135/70R18, blackwall Roof rails, Black Mouldings, bright door upper and low gloss Black belt Mouldings, noulded colour bodyside Mouldings, nould-in-colour Black		Engine control, stop-start system override
Alternator, 170 ampsEmissions, Federal requirementsSuspension, Ride and HandlingBrake lining wear indicatorBrakes, 4-wheel antilock, 4-wheel discExteriorExteriorVheels, 18" (45.7 cm) Grazen Metallic machined-face aluminum (STD)Tires, 255/65R18 all-season blackwall (STD)Wheel, spare, 18" (45.7 cm) steelTire, compact spare, T135/70R18, blackwallRoof rails, BlackMoulding, bright door upper and low gloss Black beltMouldings, moulded colourMouldings, rocker, narrow, moulded colourWheel mouldings, mould-in-colour Black		Electronic Precision Shift, electronic transmission range selector
Emissions, Federal requirementsSuspension, Ride and HandlingBrake lining wear indicatorBrakes, 4-wheel antilock, 4-wheel discExteriorImage: Star Star Star Star Star Star Star Star		All-wheel drive
Suspension, Ride and HandlingBrake lining wear indicatorBrakes, 4-wheel antilock, 4-wheel discExteriorVheels, 18" (45.7 cm) Grazen Metallic machined-face aluminum (STD)Tires, 255/65R18 all-season blackwall (STD)Wheel, spare, 18" (45.7 cm) steelWheel, spare, 18" (45.7 cm) steelTire, compact spare, T135/70R18, blackwallRoof rails, BlackMoulding, bright door upper and low gloss Black beltMouldings, moulded colour bodysideMouldings, rocker, narrow, moulded colourWheel mouldings, mould-in-colour Black		Alternator, 170 amps
Brake lining wear indicator Brakes, 4-wheel antilock, 4-wheel disc Exterior Wheels, 18" (45.7 cm) Grazen Metallic machined-face aluminum (STD) Tires, 255/65R18 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall Roof rails, Black Moulding, bright door upper and low gloss Black belt Mouldings, moulded colour bodyside Mouldings, rocker, narrow, moulded colour Wheel mouldings, mould-in-colour Black		Emissions, Federal requirements
Brakes, 4-wheel antilock, 4-wheel disc Exterior Wheels, 18" (45.7 cm) Grazen Metallic machined-face aluminum (STD) Tires, 255/65R18 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall Roof rails, Black Moulding, bright door upper and low gloss Black belt Mouldings, moulded colour bodyside Mouldings, rocker, narrow, moulded colour Wheel mouldings, mould-in-colour Black		Suspension, Ride and Handling
Exterior Wheels, 18" (45.7 cm) Grazen Metallic machined-face aluminum (STD) Tires, 255/65R18 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall Roof rails, Black Moulding, bright door upper and low gloss Black belt Mouldings, moulded colour bodyside Mouldings, rocker, narrow, moulded colour Wheel mouldings, mould-in-colour Black		Brake lining wear indicator
Wheels, 18" (45.7 cm) Grazen Metallic machined-face aluminum (STD) Tires, 255/65R18 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall Roof rails, Black Moulding, bright door upper and low gloss Black belt Mouldings, moulded colour bodyside Mouldings, rocker, narrow, moulded colour Wheel mouldings, mould-in-colour Black		Brakes, 4-wheel antilock, 4-wheel disc
Tires, 255/65R18 all-season blackwall (STD) Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall Roof rails, Black Moulding, bright door upper and low gloss Black belt Mouldings, moulded colour bodyside Mouldings, rocker, narrow, moulded colour Wheel mouldings, mould-in-colour Black	Exterior	
Wheel, spare, 18" (45.7 cm) steel Tire, compact spare, T135/70R18, blackwall Roof rails, Black Moulding, bright door upper and low gloss Black belt Mouldings, moulded colour bodyside Mouldings, rocker, narrow, moulded colour Wheel mouldings, mould-in-colour Black		Wheels, 18" (45.7 cm) Grazen Metallic machined-face aluminum (STD)
Tire, compact spare, T135/70R18, blackwall Roof rails, Black Moulding, bright door upper and low gloss Black belt Mouldings, moulded colour bodyside Mouldings, rocker, narrow, moulded colour Wheel mouldings, mould-in-colour Black		Tires, 255/65R18 all-season blackwall (STD)
Roof rails, Black Moulding, bright door upper and low gloss Black belt Mouldings, moulded colour bodyside Mouldings, rocker, narrow, moulded colour Wheel mouldings, mould-in-colour Black		Wheel, spare, 18" (45.7 cm) steel
Moulding, bright door upper and low gloss Black belt Mouldings, moulded colour bodyside Mouldings, rocker, narrow, moulded colour Wheel mouldings, mould-in-colour Black		Tire, compact spare, T135/70R18, blackwall
Mouldings, moulded colour bodyside Mouldings, rocker, narrow, moulded colour Wheel mouldings, mould-in-colour Black		Roof rails, Black
Mouldings, rocker, narrow, moulded colour Wheel mouldings, mould-in-colour Black		Moulding, bright door upper and low gloss Black belt
Wheel mouldings, mould-in-colour Black		Mouldings, moulded colour bodyside
		Mouldings, rocker, narrow, moulded colour
Door handles, body-colour		Wheel mouldings, mould-in-colour Black
		Door handles, body-colour





Exterior	
	Headlamps, LED, automatic on/off
	IntelliBeam, auto high beam
	Glass, deep-tinted
	Mirrors, outside heated, power-adjustable, manual-folding Black, with integrated turn signal indicators
	Rear Camera Washer
	AutoSense Power Liftgate, programmable, hands free
Entertainment	
	Audio system, 17.7" diagonal advanced colour high-contrast LCD display with Google built-in compatibility (select service plan required, terms and limitations apply), including navigation capability, connected apps, personalized profiles for each driver's settings, Natural Voice Recognition and Phone Integration for Wireless Apple CarPlay and Wireless Android Auto for compatible phones (STD) (Included with (BGP) Driver Confidence Package.)
	Audio system feature, 6-speaker system,
	SiriusXM with 360L includes a trial subscription to the Platinum Plan. Experience more channels in the vehicle, a more personalized experience and easier navigation. (Trial subscription subject to the SiriusXM Customer Agreement and privacy policy, visit www.siriusxm.ca which includes full terms and how to cancel. All fees, content, features, and availability are subject to change. Some features require GM connected vehicle services.)
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Active Noise Cancellation, driveline
Interior	
	Seats, front bucket (STD)
	Seating, 7-passenger (2-2-3 seating configuration) (STD)
	Seat trim, premium cloth
	Seat adjuster, driver 8-way power
	Seat adjuster, driver 4-way power lumbar
	Seat adjuster, front passenger 4-way manual
	Seats, heated driver and front passenger (Included with (ZL3) Convenience Package.)
	Headrest, 3rd row centre
	Floor mats, front, carpeted (Deleted when LPO floor mats or floor liners are ordered.)
	Floor mats, rear, carpeted (Deleted when LPO floor mats or floor liners are ordered.)
	Steering column, manual tilt and telescopic
	Steering wheel, wrapped (Included with (ZL3) Convenience Package.)
	Steering wheel, heated (Included with (ZL3) Convenience Package.)





Interior	
	Driver Information Centre, 11" diagonal display
	Vehicle health management provides advanced warning of vehicle issues
	Windows, remote express-up/-down driver and express-down all passengers
	Keyless Open, all doors includes extended range Remote Keyless Entry with lock/unlock feature
	Remote Start (Included with (ZL3) Convenience Package.)
	Adaptive Cruise Control (Included with (BGP) Driver Confidence Package.)
	Wireless Phone Charging
	USB ports, 2, one type A and one type-C data/charge, located in the front area of the centre console
	USB ports, 2 type-A, charge-only located on the rear of the centre console
	USB ports, 2 type-C, charge-only one on each outboard location
	Power outlet, 120-volt, located on the rear of centre console (Included with (BGP) Driver Confidence Package.)
	Air conditioning, tri-zone automatic climate control with individual climate settings for driver, front passenger and rear seat passengers
	Sensor, cabin humidity and windshield temperature
	Mirror, inside rearview manual day/night,
Safety-Mechanical	
	Enhanced Automatic Emergency Braking (Included with (BGP) Driver Confidence Package.)
	Front Pedestrian and Bicyclist Braking
	Intersection Automatic Emergency Braking (Included with (BGP) Driver Confidence Package.)
	Rear Cross Traffic Braking
	Reverse Automatic Braking (Included with (BGP) Driver Confidence Package.)
Safety-Exterior	
	Mechanical jack with tools
Safety-Interior	
	Airbags, driver and front passenger frontal, seat-mounted side-impact first and second row outboard seating positions, and roof rail-mounted head-curtain for all outboard seating positions, and Passenger Sensing System for front passenger
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)
	Rear Park Assist
	HD Surround Vision (Included with (BGP) Driver Confidence Package.)
	Blind Zone Steering Assist
This d	ocument contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public





Safety-Interior	
	Lane Keep Assist with Lane Departure Warning, enhanced (Included with (BGP) Driver Confidence Package.)
	Following Distance Indicator
	Forward Collision Alert
	Traffic Sign Recognition (Included with (BGP) Driver Confidence Package.)
	Side Bicyclist Alert (Included with (BGP) Driver Confidence Package.)
	Speed Limit Assist, automatic (Included with (BGP) Driver Confidence Package.)
	Speedometer, miles/kilometres
	LED Reflective Windshield Collision Alert
	Rear Pedestrian Alert (Included with (BGP) Driver Confidence Package.)
	Seat belts, all rows 3-point with pretensioners, driver and front passenger height-adjustable
	Seat belt indicator, 2nd row
	Seat belt indicator, 3rd row
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu
	LATCH system (Lower Anchors and Tethers for CHildren), for child restraints seats
	Safety Alert Seat
	Rear Seat Reminder
	Tire Pressure Monitor System, auto learn
	3 Years of OnStar Remote Access. The OnStar Remote Access Plan gives you simplified remote control of you properly equipped vehicle and unlocks a variety of great features in your myChevrolet mobile app. See dealer for details. (Does not include emergency or security services, 3 years begins from the date of vehicle delivery.

properly equipped vehicle and unlocks a variety of great features in your myChevrolet mobile app. See dealer for details. (Does not include emergency or security services. 3 years begins from the date of vehicle delivery. Requires a working vehicle electrical system (including battery), wireless reception and device data connection. See onstar.ca for details and limitations. Features and functionality vary by vehicle. Available on select Apple and Android devices. Device data connection required. Non-refundable and no cash value.)





WARRANTY

Warranty Note: <<< Preliminary 2024 Warranty >>> Basic Years: 3 Basic Miles/km: 60,000 Drivetrain Years: 5 Drivetrain Miles/km: 100,000 Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km Corrosion Years: 3 Corrosion Years: 3 Corrosion Miles/km (Rust-Through): 160,000 Corrosion Miles/km: 60,000 Roadside Assistance Years: 5 Roadside Assistance Miles/km: 100,000 Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications

Powertrain

Transmission

Drivetrain	All Wheel Drive	Trans Order Code	MF8
Trans Type	8	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	N/A
Second Gear Ratio (:1)	N/A	Third Gear Ratio (:1)	N/A
Fourth Gear Ratio (:1)	N/A	Fifth Gear Ratio (:1)	N/A
Sixth Gear Ratio (:1)	N/A	Reverse Ratio (:1)	N/A
Clutch Size	N/A	Final Drive Axle Ratio (:1)	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Seventh Gear Ratio (:1)	N/A	Eighth Gear Ratio (:1)	N/A

Mileage

EnerGuide Estimate - City	13.8 (Est) L/100 km	EnerGuide Estimate - Hwy	9.6 (Est) L/100 km
Cruising Range - City	N/A	Cruising Range - Hwy	N/A
EnerGuide Estimate Equivalent - Combined	N/A	EnerGuide Estimate Equivalent - Hwy	N/A
EnerGuide Estimate Equivalent - City	N/A	Estimated Battery Range	N/A

Engine

Engine Order Code	LK0	Engine Type	Gas I4





gine			
Displacement	2.5L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	328 @ 5500	SAE Net Torque @ RPM	326 @ 3500
lectrical			
Cold Cranking Amps @ 0° F (Primary)	N/A	Maximum Alternator Capacity (amps)	170
cooling System			
Total Cooling System Capacity	N/A		
ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	280 (Est)
/ehicle			
EPA Classification	Sport Utility Vehicle		
hassis			
Veight Information			
Base Curb Weight	N/A	Curb Weight - Front	N/A
Curb Weight - Rear	N/A	Curb Weight	N/A
Total Option Weight	0 kg		
railering			
Dead Weight Hitch - Max Trailer Wt.	N/A	Dead Weight Hitch - Max Tongue Wt.	N/A
Wt Distributing Hitch - Max Trailer Wt.	N/A	Wt Distributing Hitch - Max Tongue Wt.	N/A
Maximum Trailering Capacity	N/A		
Suspension			
Suspension Type - Front	Independent	Suspension Type - Rear	Independent
Suspension Type - Front (Cont.)	N/A	Suspension Type - Rear (Cont.)	N/A
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A

actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23807. Data Updated: 31-Mar-2024 6:41:00 PDT PM.



Chassis			
Suspension			
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
Tires			
Front Tire Order Code	QO5	Rear Tire Order Code	QO5
Spare Tire Order Code	ZCD	Front Tire Size	255/65R18
Rear Tire Size	255/65R18	Spare Tire Size	T135/70R18
Wheels			
Front Wheel Size	18 x -TBD- in	Rear Wheel Size	18 x -TBD- in
Spare Wheel Size	18 x -TBD- in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
Steering			
Steering Type	Pwr	Steering Ratio (:1), Overall	N/A
Lock to Lock Turns (Steering)	N/A	Turning Diameter - Curb to Curb	N/A
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	N/A	Aux Fuel Tank Capacity, Approx	N/A
Dimensions			
Interior Dimensions			
Passenger Capacity	7	Passenger Volume	N/A
Front Head Room	1,082.04 mm	Front Leg Room	1,124.97 mm





Dimensions

Interior Dimensions			
Front Shoulder Room	1,581.91 mm	Front Hip Room	1,490.98 mm
Second Head Room	1,014.98 mm	Second Leg Room	1,053.08 mm
Second Shoulder Room	1,579.12 mm	Second Hip Room	1,487.93 mm
Third Head Room	972.06 mm	Third Leg Room	816.1 mm
Third Shoulder Room	1,466.09 mm	Third Hip Room	1,234.95 mm
Exterior Dimensions			
Wheelbase	3,073.4 mm	Length, Overall	5,194.05 mm
Width, Max w/o mirrors	2,021.08 mm	Height, Overall	1,800.86 mm
Track Width, Front	1,708.91 mm	Track Width, Rear	1,703.07 mm
Min Ground Clearance	171.96 mm	Rear Door Opening Height	N/A
Rear Door Opening Width	N/A	Liftover Height	780.03 mm
Cargo Area Dimensions			
Cargo Area Length @ Floor to Seat 1	N/A	Cargo Area Length @ Floor to Seat 2	1,408.94 mm
Cargo Area Length @ Floor to Seat 3	N/A	Cargo Area Width @ Beltline	N/A
Cargo Box Width @ Wheelhousings	N/A	Cargo Box (Area) Height	N/A
Cargo Volume to Seat 1	2,763.73 L	Cargo Volume to Seat 2	1,602.74 L
Cargo Volume to Seat 3	648.46 L		

