

Window Sticker

SUMMARY

[Retail] 2024 Chevrolet Blazer (1NS26) AWD 4dr RS

MSRP:\$52,249.00

Interior: Jet Black/Nightshift Blue, Perforated Leather-Appointed seat trim

Exterior 1:Red Hot

Exterior 2:No colour has been selected.

Engine, 3.6L V6, SIDI, DOHC with Variable Valve Timing (VVT)

Transmission, 9-speed automatic, electronically-controlled

OPTIONS

| C | ODE | MODEL | | MSRP |
|----------------|------|---|------|-------------|
| 11 | NS26 | [Retail] 2024 Chevrolet Blazer (1NS26) AWD 4dr RS | | \$52,249.00 |
| | | OPTIONS | | |
| 1F | RS | RS Preferred Equipment Group | | \$0.00 |
| 41 | 1T | Black two-tone roof | | \$650.00 |
| A | AB | Memory settings | Inc. | |
| Al | R9 | Seats, front buckets | | \$0.00 |
| C | WA | Rear Camera Mirror Washer | Inc. | |
| DI | RZ | Rear Camera Mirror | Inc. | |
| F | XC | Axle, 3.49 final drive ratio | | \$0.00 |
| G [.] | 7C | Red Hot | | \$0.00 |
| HI | PH | Jet Black/Nightshift Blue, Perforated Leather-Appointed seat trim | | \$0.00 |
| Н | S1 | Safety Alert Seat | Inc. | |
| IC | T | Audio system, Chevrolet Infotainment 3 Premium system | | \$0.00 |
| K | A6 | Seats, heated, rear outboard seating positions | Inc. | |
| K | SG | Adaptive Cruise Control - Advanced | Inc. | |
| Kl | U9 | Seats, ventilated driver and front passenger | Inc. | |
| LC | GX | Engine, 3.6L V6, SIDI, DOHC with Variable Valve Timing (VVT) | | \$0.00 |
| M | 13V | Transmission, 9-speed automatic, electronically-controlled | | \$0.00 |
| N; | 38 | Steering column, power tilt and telescoping | Inc. | |
| PI | DH | LPO, Interior Protection Package | | \$460.00 |
| | | | | |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23925. Data Updated: 14-Apr-2024 6:41:00 PDT PM.



| Vehicle: [Reta | l] 2024 Chevrolet Blazer (| (1NS26) AWD 4dr RS | (V Complete) |
|----------------|----------------------------|--------------------|----------------|
|----------------|----------------------------|--------------------|----------------|

| R0V | Tires, P265/45R21 all-season blackwall | Inc. | |
|-----|--|------|-------------|
| RUG | Wheels, 21" (53.3 cm) High Gloss Black with machined fac | ce | \$1,265.00 |
| SPZ | LPO, Black lug nut and wheel lock kit | | \$395.00 |
| UGN | Enhanced Automatic Emergency Braking | Inc. | |
| UV2 | HD Surround Vision | Inc. | |
| VAV | LPO, Premium all-weather floor mats | Inc. | |
| VLI | LPO, Premium all-weather cargo mat | Inc. | |
| WPP | Safety Plus Package | | \$1,615.00 |
| ZL8 | Convenience Plus Package | | \$1,095.00 |
| _ | Federal air conditioning excise tax | | \$100.00 |
| | SUBTOTAL | | \$57,729.00 |
| | Adjustments Total | | \$0.00 |
| | Vehicle Tax | | \$100.00 |
| | Destination Charge | | \$2,000.00 |
| | TOTAL PRICE | | \$59,829.00 |
| | | | |

FUEL ECONOMY

Est City:12.8 L/100 km

Est Highway: 9.1 L/100 km

Est Highway Cruising Range:900.5 km



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23925. Data Updated: 14-Apr-2024 6:41:00 PDT PM.



Standard Equipment

| Standard Equip | ment |
|----------------|---|
| Package | |
| | Chevrolet Safety Assist includes (UHY) Automatic Emergency Braking, (UKJ) Front Pedestrian Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UEU) Forward Collision Alert and (TQ5) IntelliBeam headlamps |
| Mechanical | |
| | Engine, 3.6L V6, SIDI, DOHC with Variable Valve Timing (VVT) and Active Fuel Management with Stop/Start (308 hp [229 kW] @ 6600 rpm, 270 lb-ft of torque [366 N-m] @ 5000 rpm) (STD) |
| | Transmission, 9-speed automatic, electronically-controlled with overdrive, includes Driver Shift Control (STD) |
| | Axle, 3.49 final drive ratio |
| | Engine control, stop/start system |
| | Engine control, stop/start system override |
| | Engine air filtration monitor |
| | All-wheel drive |
| | Driver Mode Selector includes Sport, All-Wheel Drive (AWD), Snow/Ice, Tow/Haul, and Off-Road |
| | Advanced All-Wheel Drive System, twin clutch |
| | Cooling system, heavy-duty |
| | Alternator, 170 amps |
| | Hitch Guidance |
| | Hitch View |
| | Trailering equipment includes (CTT) Hitch Guidance |
| | GVWR, 6001 lbs. (2722 kg) |
| | Suspension, Ride and Handling |
| | Brakes, 4-wheel antilock, 4-wheel disc |
| | Electronic parking brake |
| | Tool kit, road emergency |
| | Capless fuel fill |
| | Exhaust, dual-outlet with rectangular bright tips |
| Exterior | |
| | Wheels, 20" (50.8 cm) Technical Grey aluminum (STD) |
| | Tires, P235/55R20 all-season blackwall (STD) |
| | Wheel, spare, 18" (45.7 cm) steel |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23925. Data Updated: 14-Apr-2024 6:41:00 PDT PM.



| Exterior | |
|---------------|---|
| | Tire, compact spare, T135/70R18, blackwall |
| | Sunroof, power Panoramic, tilt-sliding with power sunshade |
| | Roof rails, Black roof-mounted side rails |
| | Mouldings, lower bodyside (Painted High Gloss Black with Black Ice insert.) |
| | Antenna, body-colour |
| | Grille, RS signature High-Gloss Black hexagonal design with Black Ice header bar, Black bowtie emblem and RS badging. |
| | Active Aero Grille Shutters |
| | Headlamps, IntelliBeam (Included with Chevrolet Safety Assist.) |
| | Headlamps, LED |
| | Headlamp control, automatic on and off with automatic delay |
| | Taillamps, LED |
| | Mirrors, outside heated power-adjustable, manual-folding and driver-side auto-dimming, body-colour with integrated turn signal indicators |
| | Mirror caps, body-colour |
| | Glass, deep-tinted, rear windows and liftgate |
| | Wipers, front variable-speed, intermittent with washers |
| | Wiper, rear intermittent with washer |
| | Bowties, Black, front and rear (Deleted when (R88) Black illuminated front bowtie emblem, LPO is ordered.) |
| | Liftgate, rear power programmable, hands free with emblem projection |
| | Door handles, body-colour |
| Entertainment | |
| | Audio system, Chevrolet Infotainment 3 Premium system with connected Navigation, 10.2" diagonal HD colour touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, Apple CarPlay and Android Auto capable, enhanced voice recognition, additional memory for in-vehicle apps, cloud connected personalization for select infotainment and vehicle settings. Subscription required for enhanced and connected services after trial period. (STD) |
| | Audio system feature, Bose premium 8-speaker system with amplifier, centre instrument panel speaker and subwoofer |
| | SiriusXM with 360L includes a trial subscription to the Platinum Plan. Experience more channels in the vehicle, a more personalized experience and easier navigation. (Trial subscription subject to the SiriusXM Customer Agreement and privacy policy, visit www.siriusxm.ca which includes full terms and how to cancel. All fees, content, features, and availability are subject to change. Some features require GM connected vehicle services.) |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23925. Data Updated: 14-Apr-2024 6:41:00 PDT PM.

15-Apr-2024 Page 4

Bluetooth for phone personal cell phone connectivity to vehicle audio system



| Entertainment | |
|---------------|---|
| | Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.) |
| | Wireless Apple CarPlay/Wireless Android Auto |
| | Active Noise Cancellation |
| Interior | |
| | Seats, front buckets (STD) |
| | Seat trim, Perforated Leather-Appointed |
| | Seating, 5-passenger |
| | Seats, heated driver and front passenger |
| | Seat adjuster, driver 8-way power |
| | Seat adjuster, front passenger 6-way power |
| | Seat adjuster, power driver lumbar control |
| | Head restraints, front, 2-way adjustable, up/down |
| | Head restraints, rear outboard 2-way adjustable, up/down |
| | Power outlet, 120-volt located on rear of front centre console |
| | USB data ports, 2, one type-A and one type-C located within the instrument panel |
| | USB data ports, 2, one type-A and one type-C includes SD Card Reader, auxiliary input jack, located within front centre storage bin |
| | USB charging-only ports 2, one type-A and one type-C, located on rear of centre console |
| | Wireless Charging |
| | Floor mats, carpeted front and rear |
| | Steering wheel, wrapped |
| | Steering wheel, heated |
| | Steering column, manual tilt and telescoping |
| | Driver Information Centre, 8" diagonal multi-colour enhanced reconfigurable |
| | Vehicle health management provides advanced warning of vehicle issues |
| | Compass, digital |
| | Windows, power with driver Express-Up/Down and front passenger and rear seat passengers Express-Down |
| | Door locks, power programmable with lockout protection |
| | Keyless Open and Start includes extended range Remote Keyless Entry |
| | Remote Start |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23925. Data Updated: 14-Apr-2024 6:41:00 PDT PM.



| Interior | |
|-------------------|---|
| | Universal Home Remote includes garage door opener, programmable |
| | Cruise control, electronic with set and resume speed |
| | Theft-deterrent system, electrical, unauthorized entry |
| | Air conditioning, dual-zone automatic climate control with individual climate settings for driver and right-front passenger |
| | Sensor, cabin humidity and windshield temperature |
| | Defogger, rear-window electric |
| | Air filtration system |
| | Air vents, rear console |
| | Glovebox, lockable electronic |
| | Cup holders 2 in front centre console and 2 in rear centre armrest |
| | Mirror, inside rearview auto-dimming |
| | Visors, driver and front passenger illuminated vanity mirrors covered |
| | Assist handles, front passenger and rear outboard with coat hooks on rear passenger assist handles |
| | Lighting, interior with front reading lamps, overhead courtesy lamp, dual rear-quarter panel area dome lamps, True White backlit switches, True White pin spot lighting in the bin forward of the shifter and front footwells and backlit USB ports |
| | Lighting, interior, ambient with pin spot lighting in the map pocket area, True White light pipes on the passenger side of the instrument panel and below the front door remote handles and LED lighting between the centre console cupholders |
| | Umbrella holders, driver and front passenger doors |
| Safety-Mechanical | |
| | Front Pedestrian Braking (Included with Chevrolet Safety Assist.) |
| | StabiliTrak, stability control system with traction control |
| Safety-Exterior | |
| | Daytime Running Lamps, LED |
| Safety-Interior | |
| | Airbags, frontal and seat-mounted for driver and front passenger knee for driver, and head-curtain for front and rear outboard seating positions |
| | Front outboard Passenger Sensing System for frontal outboard passenger airbag |
| | OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.) |
| | Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.) |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23925. Data Updated: 14-Apr-2024 6:41:00 PDT PM.



| Safety-Interior | |
|-----------------|---|
| | HD Rear Vision Camera |
| | Rear Park Assist with audible warning (Beginning with start of production, certain vehicles will be forced to include (060) Not Equipped with Rear Park Assist, which removes Rear Park Assist. Does not include later dealer retrofit. See dealer for details or the window label for the features on a specific vehicle.) |
| | Rear Cross Traffic Alert |
| | Lane Change Alert with Side Blind Zone Alert |
| | Lane Keep Assist with Lane Departure Warning (Included with Chevrolet Safety Assist.) |
| | Following Distance Indicator (Included with Chevrolet Safety Assist.) |
| | Automatic Emergency Braking (Included with Chevrolet Safety Assist.) |
| | Forward Collision Alert (Included with Chevrolet Safety Assist.) |
| | Rear Seat Reminder |
| | Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened |
| | Seat belts, 3-point, all positions includes front seat belt pretensioners |
| | Door locks, rear child security |
| | LATCH system (Lower Anchors and Tethers for CHildren), for child safety seats |
| | Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key for to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver |
| | Tire Pressure Monitor (Does not apply to spare tire.) |
| | Tire Fill Alert provides audible alerts outside the vehicle when inflating an under inflated tire to the recommende tire pressure (Does not apply to spare tire.) |
| | Horn, dual-note |
| | 3 Years of OnStar Remote Access. The OnStar Remote Access Plan gives you simplified remote control of you properly equipped vehicle and unlocks a variety of great features in your myChevrolet mobile app. See dealer |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23925. Data Updated: 14-Apr-2024 6:41:00 PDT PM.

for details. (Does not include emergency or security services. 3 years begins from the date of vehicle delivery. Requires a working vehicle electrical system (including battery), wireless reception and device data connection. See onstar.ca for details and limitations. Features and functionality vary by vehicle. Available on select Apple

and Android devices. Device data connection required. Non-refundable and no cash value.)





WARRANTY

Warranty Note: <<< Preliminary 2024 Warranty >>>

Basic Years: 3 Basic Miles/km: 60,000 Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Technical Specifications

Powertrain

Transmission

| Drivetrain | All Wheel Drive | Trans Order Code | M3V |
|-------------------------------------|-----------------|------------------------------------|-----------|
| Trans Type | 9 | Trans Description Cont. | Automatic |
| Trans Description Cont. Again | N/A | First Gear Ratio (:1) | 4.69 |
| Second Gear Ratio (:1) | 3.31 | Third Gear Ratio (:1) | 3.01 |
| Fourth Gear Ratio (:1) | 2.44 | Fifth Gear Ratio (:1) | 1.92 |
| Sixth Gear Ratio (:1) | 1.44 | Reverse Ratio (:1) | 2.96 |
| Clutch Size | N/A | Final Drive Axle Ratio (:1) | 3.49 |
| Transfer Case Gear Ratio (:1), High | N/A | Transfer Case Gear Ratio (:1), Low | N/A |
| Seventh Gear Ratio (:1) | 1.00 | Eighth Gear Ratio (:1) | 0.75 |
| Ninth Gear Ratio (:1) | 0.62 | | |

Mileage

| EnerGuide Estimate - City | 12.8 L/100 km | EnerGuide Estimate - Hwy | 9.1 L/100 km |
|--|---------------|-------------------------------------|--------------|
| Cruising Range - City | 640.2 km | Cruising Range - Hwy | 900.5 km |
| EnerGuide Estimate Equivalent - Combined | N/A | EnerGuide Estimate Equivalent - Hwy | N/A |
| EnerGuide Estimate Equivalent - City | N/A | Estimated Battery Range | N/A |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 23925. Data Updated: 14-Apr-2024 6:41:00 PDT PM.



| Powertrain | | | |
|---|---------------------------|--|--------------------------|
| Engine | | | |
| Engine Order Code | LGX | Engine Type | Gas V6 |
| Displacement | 3.6L/-TBD- | Fuel System | Direct Injection |
| SAE Net Horsepower @ RPM | 308 @ 6600 | SAE Net Torque @ RPM | 270 @ 5000 |
| Electrical | | | |
| Cold Cranking Amps @ 0° F (Primary) | N/A | Maximum Alternator Capacity (amps) | 170 |
| Cooling System | | | |
| Total Cooling System Capacity | N/A | | |
| Vehicle | | | |
| Emissions | | | |
| Kg/yr of CO2 Emissions @ 20K km/year | N/A | G/km Of CO2 Emissions | 262 |
| Vehicle | | | |
| EPA Classification | Sport Utility Vehicles | | |
| Chassis | | | |
| Weight Information | | | |
| Base Curb Weight | 1,956.38 kg | Curb Weight - Front | N/A |
| Curb Weight - Rear | N/A | Curb Weight | N/A |
| Total Option Weight | 0 kg | | |
| Trailering | | | |
| Dead Weight Hitch - Max Trailer Wt. | 2,041.2 kg | Dead Weight Hitch - Max Tongue Wt. | 204.12 kg |
| Wt Distributing Hitch - Max Trailer Wt. | 2,041.2 kg | Wt Distributing Hitch - Max Tongue Wt. | 204.12 kg |
| Maximum Trailering Capacity | N/A | | |
| Suspension | | | |
| Suspension Type - Front | MacPherson Strut | Suspension Type - Rear | Five-Link Independent |
| Suspension Type - Front (Cont.) | N/A | Suspension Type - Rear (Cont.) | N/A |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23925. Data Updated: 14-Apr-2024 6:41:00 PDT PM.



| uspension | | | |
|-----------------------------------|------------------------------------|------------------------------------|---------------------|
| Shock Absorber Diameter - Front | N/A | Shock Absorber Diameter - Rear | N/A |
| | | | |
| Stabilizer Bar Diameter - Front | N/A | Stabilizer Bar Diameter - Rear | N/A |
| ires | | | |
| Front Tire Order Code | R0V | Rear Tire Order Code | R0V |
| Spare Tire Order Code | ZCD | Front Tire Size | P265/45R21 |
| Rear Tire Size | P265/45R21 | Spare Tire Size | T135/70R18 |
| /heels | | | |
| Front Wheel Size | 21 x -TBD- in | Rear Wheel Size | 21 x -TBD- in |
| Spare Wheel Size | 18 x -TBD- in | Front Wheel Material | Aluminum |
| Rear Wheel Material | Aluminum | Spare Wheel Material | Steel |
| teering | | | |
| Steering Type | Electric Variable- Effort Power | Steering Ratio (:1), Overall | N/A |
| Lock to Lock Turns (Steering) | N/A | Turning Diameter - Curb to Curb | 11.8 m |
| Turning Diameter - Wall to Wall | N/A | | |
| rakes | | | |
| Brake Type | Pwr | Brake ABS System | 4-Wheel |
| Brake ABS System (Second Line) | N/A | Disc - Front (Yes or) | Yes |
| Disc - Rear (Yes or) | Yes | Front Brake Rotor Diam x Thickness | 321.06 x -TBI mm |
| Rear Brake Rotor Diam x Thickness | 314.96 x -TBD- mm | Drum - Rear (Yes or) | N/A |
| Rear Drum Diam x Width | N/A | | |
| uel Tank | | | |
| Fuel Tank Capacity, Approx | 82 L | Aux Fuel Tank Capacity, Approx | N/A |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23925. Data Updated: 14-Apr-2024 6:41:00 PDT PM.



| nsions | | | |
|-------------------------------------|-------------|-------------------------------------|-------------|
| rior Dimensions | | | |
| Passenger Capacity | 5 | Passenger Volume | 3,052.56 L |
| Front Head Room | 965.2 mm | Front Leg Room | 1,041.4 mm |
| Front Shoulder Room | 1,501.14 mm | Front Hip Room | 1,412.24 mm |
| Second Head Room | 934.72 mm | Second Leg Room | 1,005.84 mm |
| Second Shoulder Room | 1,488.44 mm | Second Hip Room | 1,376.68 mm |
| xterior Dimensions | | | |
| Wheelbase | 2,862.58 mm | Length, Overall | 4,873.75 mm |
| Width, Max w/o mirrors | 1,948.18 mm | Height, Overall | 1,701.8 mm |
| Track Width, Front | 1,686.56 mm | Track Width, Rear | 1,681.48 mm |
| Min Ground Clearance | 193.04 mm | Rear Door Opening Height | N/A |
| Rear Door Opening Width | N/A | Liftover Height | N/A |
| argo Area Dimensions | | | |
| Cargo Area Length @ Floor to Seat 1 | N/A | Cargo Area Length @ Floor to Seat 2 | N/A |
| Cargo Area Length @ Floor to Seat 3 | N/A | Cargo Area Width @ Beltline | N/A |
| Cargo Box Width @ Wheelhousings | N/A | Cargo Box (Area) Height | N/A |
| Cargo Volume to Seat 1 | 1,817.94 L | Cargo Volume to Seat 2 | 863.67 L |
| Cargo Volume to Seat 3 | N/A | | |



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23925. Data Updated: 14-Apr-2024 6:41:00 PDT PM.